

CONTENTS

Page No.

Chapter 1: Introduction

1.1	Background Study	1
1.2	Problem Definition	2
1.3	Objectives	2
1.4	Overview of the proposed enhancement	3
1.5	Relevance of this study	3
1.6	Scope of the study	3

Chapter 2: Theoretical Background

2.1	Wireless Sensor Networks	4
2.1.1	Real Deployment in WSNs	
2.1.2	Energy consumption models for WSN nodes	
2.1.3	Traffic Patterns in WSNs	
2.2	Energy Efficient Route Selection Policies	8
2.2.1	Efficient Minimum-Cost Routing	
2.2.2	Minimum Network Overhead	
2.2.3	Challenging Factors Affecting the Energy-Efficient routing Protocols Design Issues	
2.3	Routing Techniques in WSN	14
2.3.1	Network Structure	
2.3.2	Communication Model	
2.3.3	Topology Based Protocols	
2.3.4	Reliable Routing Protocols	
2.4	Hierarchical based routing protocol	17
2.5	LEACH and LEACH –C	24
2.5.1	LEACH	

2.5.1.1	Setup Phase	
2.5.1.2	Steady phase	
2.5.1.3	Limitations of LEACH protocol	
2.5.2	LEACH –C	
Chapter 3:	Related Work	
3.1	Equalized Cluster LEACH (C-LEACH)	31
3.2	Solar-aware LEACH (sLEACH)	32
3.2.1	Solar-aware Centralized LEACH	
3.2.2	Solar-aware Distributed LEACH	
3.3	Multi-hop LEACH	33
3.4	Mobile-LEACH (M-LEACH)	34
3.5	V-LEACH	35
3.6	Enhanced-leach (E-LEACH)	36
3.7	Two level leach (TL- LEACH)	37
3.8	Cell-leach	37
Chapter 4:	Methodology	
4.1	LEACH and LEACH-C simulation	39
4.1.1	Simulation of routing protocols for wireless sensor network	
4.1.2	Conclusion	
4.2	Proposed Enhancement	40
4.2.1	Loophole	
4.3	Implementation of the proposed enhancement	
4.3.1	Algorithm	
Chapter 5:	Experimental Results	43
5.1	Energy Efficiency of LEACH and LEACH –C	45
5.2	Comparison of LEACH, LEACH-C and LEACH-M	46
5.2.1	100 nodes	
5.2.2	200 nodes	

5.2.3 300 nodes

Chapter 6: Conclusion and Recommendation

6.1 Conclusion	49
6.2 Scope of Future Work	49

REFERENCES