

# Contents

<b>Acknowledgements</b>	<b>5</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Background and Recent Research . . . . .	1
1.1.1 SLAM . . . . .	1
1.2 Applications and Future trends . . . . .	2
1.3 Motivation and Objective . . . . .	3
1.4 Organisation of Thesis . . . . .	4
<b>2 Literature Survey</b>	<b>5</b>
2.1 Probabilistic SLAM . . . . .	5
2.2 Graph based SLAM . . . . .	5
2.3 MonoSLAM . . . . .	6
2.4 Image matching . . . . .	6
2.4.1 ASIFT: Affine Scale Invariant Feature Transform . . . . .	7
<b>3 Architecture</b>	<b>8</b>
3.1 Process Architecture . . . . .	8
<b>4 Algorithms and Proof of Correctness</b>	<b>12</b>
4.1 Problem Formulation . . . . .	12
4.1.1 Translation to Computational Geometry . . . . .	12
4.1.2 Problem Statement . . . . .	12
4.2 Working technology and Proposed Solution . . . . .	13
4.2.1 Frame Extraction . . . . .	13
4.2.2 Triangulation: . . . . .	13
4.3 Algorithm: Geometry SLAM . . . . .	14
4.4 Proof of Correctness of Algorithm . . . . .	15
4.5 Extension of Algorithm to other Rectilinear Polygons . . . . .	19
4.6 Performance Analysis . . . . .	27
4.7 Approach to map any rectilinear figure . . . . .	31

<b>5</b>	<b>Proof of Concept Implementation</b>	<b>33</b>
5.1	Computational Specifications . . . . .	33
5.1.1	Hardware Specifications . . . . .	33
5.1.2	Software Specifications . . . . .	34
5.2	Experimental Set up of the Rectilinear Region . . . . .	34
5.2.1	Camera specifications . . . . .	34
5.3	Experimental Results . . . . .	34
<b>6</b>	<b>Conclusion and Future work</b>	<b>39</b>
6.1	Conclusion . . . . .	39
6.2	Future Work . . . . .	39
	<b>Appendix</b>	<b>39</b>
	<b>Appendix</b>	<b>52</b>
	<b>References</b>	<b>57</b>

# List of Figures

3.1	Examples of rectilinear polygons . . . . .	8
3.2	Process Architecture . . . . .	9
3.3	Flow chart depicting the working behind building maps using a single camera . . . . .	11
4.1	Fig. showing camera positions inside rectangular area to find the corners . . . . .	13
4.2	Depth measurement using triangulation . . . . .	14
4.3	Fig. showing minimum vector $\vec{v}_{ij}$ . . . . .	15
4.4	Fig. showing maximum magnitude of vector $\vec{v}_{sz}$ . . . . .	16
4.5	Fig. showing that the diagonal of $\mathcal{R}$ is the vector of maximum magnitude. . . . .	17
4.6	Fig. showing the set $C$ consisting of four corners $\{X_1, X_2, X_3, X_4\}$ of $\mathcal{R}$ . . . . .	18
4.7	Finding a point of discrepancy in an L-Shaped polygon . . . . .	20
4.8	Determining 5 corners of the L-Shaped Polygon . . . . .	21
4.9	Finding a point of discrepancy in a T-Shaped polygon . . . . .	22
4.10	Determining 6 corners of the L-Shaped Polygon . . . . .	23
4.11	Finding two points of discrepancy in a T-Shaped polygon . . . . .	24
4.12	Finding two points of discrepancy in a Cross-Shaped polygon . . . . .	25
4.13	Determining 8 corners of the Cross-Shaped Polygon . . . . .	27
4.14	Fig. Combination of two rectangles . . . . .	28
4.15	Fig. Combination of two L shapes . . . . .	28
4.16	Fig. Combination of two T shapes . . . . .	29
4.17	Fig. Combination of two cross shapes . . . . .	30
4.18	Fig. Worst case scenario in cross shape with back tracking . . . . .	30
5.1	Frame extracted from position 1 . . . . .	35
5.2	Frame extracted from position 2 . . . . .	35
5.3	ASIFT keypoints matched . . . . .	35
5.4	Frame extracted from position 2 . . . . .	36
5.5	Maximum ASIFT keypoints matched . . . . .	36
5.6	Frame extracted from position 2 . . . . .	36
5.7	ASIFT keypoints matched . . . . .	37

5.8	Graph showing four local maxima . . . . .	38
6.1	From 1st position . . . . .	44
6.2	From 2nd position . . . . .	45
6.3	Depth calculation from P . . . . .	45
6.4	From 1st position . . . . .	47
6.5	From 1st position . . . . .	49
6.6	From 2nd position . . . . .	49
6.7	Depth calculation from P . . . . .	50