

Contents



Contents	viii
List of Figures	xii
List of Tables	xiii
1 Introduction	1
1.1 Motivation	2
1.2 Objective	2
1.3 Organization of the Report	3
2 Theoretical Background and Literature Review	4
2.1 Brain Computer Interface: An Introduction	4
2.1.1 Types of BCI	5
2.1.1.1 Invasive	5
2.1.1.2 Non Invasive	5
2.1.1.3 Partially Invasive	6
2.1.2 Human Emotions	6
2.1.3 Electroencephalography	8
2.3.1 Brain Rhythms	10
2.3.1.1 Signal Acquisition	12
2.3.1.2 Preprocessing	12
2.3.1.3 Feature Extraction	12
2.3.1.4 Classification	13
2.4 Background Study	13
2.4.1 Machine Learning: Uses and Types	16
2.5 Theory and Working Principle of SVM	18

2.6	Theory of Artificial Neural Network	23
3	Architecture for BCI Experimentation	30
3.1	EEG Signal Extraction Unit	31
3.2	Feature Extraction Unit	31
3.3	Feature Selection Unit	31
3.4	Classification Unit	31
4	Background Experiments	32
4.1	Understanding the DEAP dataset	32
4.2	Protocol of EEG signal acquisition	32
4.3	Analysis of labeled EEG recordings	33
4.4	Bispectrum Analysis	35
4.4.1	Application and Analysis of Bispectrum on EEG signals .	35
4.4.2	Statistical Features	35
4.4.2.1	Understanding Statistical Features	35
4.4.3	Higher Order Statistical Features	37
4.5	Exploring the Support Vector Machine	37
4.5.1	Training and Testing	37
4.6	Lessons Learned	38
5	Final Experiments	39
5.1	Parameter Setting in SVM	39
5.1.1	Grid Search	39
5.1.1.1	Coarse Grid Search	40
5.1.1.2	Fine Grid Search	40
5.2	Sequential Selection of Features	40
5.3	Training and Testing	41
5.4	Confusion Matrix	42
5.4.1	Low/High Arousal	42
5.4.2	Low/High Valence	42
5.5	Lessons Learned	42
6	Conclusion and Future Work	43
6.1	Conclusion	43
6.2	Limitation	43
6.3	Future work and Discussion	44

List of Figures

2.1	A typical BCI architecture	4
2.2	Human Brain	7
2.3	Arousal-Valence model	8
2.4	Typical sodium-potassium pump	9
2.5	Delta wave	10
2.6	Theta wave	10
2.7	Alpha wave	11
2.8	Beta wave	11
2.9	Gamma wave	12
2.10	A typical confusion matrix	18
2.11	Linear SVM Classification	19
2.12	Non-Linear SVM Classification	20
2.13	k-fold-Cross-Validation	23
2.14	Simple Neuron	24
2.15	Neuron with Vector Input	25
2.16	One layer of Neurons	26
2.17	One-layer network in S neuron R -input	26
2.18	One-layer network showing layer-weights and input weights	27
2.19	Multiple layer of Neurons	28
2.20	Back-propagation Learning Algorithm	29
3.1	Proposed Architecture	30
4.1	International 10-20 system	33
4.2	Low Arousal and High Arousal Class Demarcation	34
4.3	Low Valence and High Valence Class Demarcation	35
4.4	Bispectrum of extracted EEG signal	36

4.5	Non-redundant region of the bispectrum for real signals where the features are calculated. Frequencies are shown normalized by the Nyquist frequency	37
5.1	Coarse Grid Search plot	40
5.2	Fine Grid Search plot	40
5.3	Schematic overview of feature subset selection	41

List of Tables

4.1	Data information in each .mat file	32
4.2	Functions of different cortical areas of the Human Brain	33
4.3	Preliminary Classification accuracies for Low/High Arousal Classification	38
4.4	Preliminary Classification accuracies for Low/High Valence Classification	38
5.1	Feature selected through sequential feature selection method . . .	41
5.2	10-fold cross validation accuracies for Low/High Arousal Classification	41
5.3	10-fold cross validation accuracies for Low/High Valence Classification	42
5.4	Confusion Matrix for Low/High Arousal Classification	42
5.5	Confusion Matrix for Low/High Valence Classification	42