

## List of Tables

Table No	Title	Page No
<b>Chapter 2</b>		
Table 2.1	Details of the nine rice beers samples collected from various regions of Northeast India	22
Table 2.2	Organic acid profile of the rice beer samples	24
Table 2.3	Carbohydrate profile of the rice beer samples	26
Table 2.4	Amino acid profile of the rice beer samples	28
Table 2.5	Aromatic compounds in the rice beer samples detected by GC-MS analysis	31
Table 2.6	Mineral content in the rice beer samples	33
Table 2.7	Various codes for the samples	33
Table 2.8	Some physical characteristics of the microbial starter cakes	34
Table 2.9	Colour of the microbial starter cakes and rice beer in CIELAB expression	35
Table 2.10	Proximate composition of the microbial starter cakes and the prepared rice beer on wet basis	36
Table 2.11	Biochemical attributes of the rice beer prepared under laboratory condition	38
Table 2.12	Microbiological profile of the samples	40
<b>Chapter 3</b>		
Table 3.1	Content of different phytochemicals in the leaves of the four plant species	22
Table 3.2	The functional groups detected by ATR-FTIR analysis of the water, methanol, ethyl acetate and hexane extracts of the four plant species	27
Table 3.3	Antimicrobial activity of the four plant extracts	29
Table 3.4	Minimum inhibitory concentration (MIC) values of the four plant extracts	32
Table 3.5	Phenolic compounds detected by HPLC in the PPE of the four plant species	36
Table 3.6	The IC50 values of the PPE under various assay conditions	42
Table 3.7	Ferric thiocyanate assay showing the inhibition of lipid peroxidation by PPEs	44
Table 3.8	Thiobarbituric acid assay showing the inhibition of lipid peroxidation by the PPE	45
Table 3.9	Content of various flavonoids in the purified plant extracts	49
Table 3.10	Change of plate counts in the beers during storage	51
Table 3.11	Presence of TBARS and POV in the beers during storage	58
Table 3.12	Response sheet for CCRD experimental design with process variables and experimental results for extraction with different solvents	60
Table 3.13	Analysis of variance showing the linear, quadratic interaction and lack of fit of the response variables	61
Table 3.14	Estimated regression coefficients of the fitted second order polynomial for response variables	62

Table 3.15	Estimated optimum conditions, experimental value and residual value	68
<b>Chapter 4</b>		
Table 4.1	The starter cakes collected for study and the count of moulds in them	28
Table 4.2	Starch degradation, saccharification ratio and enzymatic activity of the fungal strains	30
Table 4.3	LC-MS/MS analysis to test the presence of mycotoxins in the culture media of the identified fungi <i>Amylomyces rouxii</i> TU460 and <i>Rhizopus oryzae</i> TU465 and that of known mycotoxin producer <i>Fusarium oxysporum</i> MTCC 1755	35
Table 4.4	The samples of starter cake and rice beer, biochemical characteristics of the respective strains and their identification	38
Table 4.5	Test for ethanol tolerance of the yeast strains	44
Table 4.6	Growth of the yeast strains at different temperatures	46
Table 4.7	Growth of the yeast strains in high osmotic stresses	48
Table 4.8	Anaerobic sugar fermentation of the yeast strains	50
Table 4.9	Ability of the yeast strains to use carbon sources	51
Table 4.10	Estimation of ADH enzyme activity of the yeast strains	52
Table 4.11	The volatile organic compounds detected in the yeast culture media	58
Table 4.12	Identified strains and their NCBI accession numbers	60
Table 4.13	General characteristics of the strains	64
Table 4.14	Growth characteristics of the strains at different pH, NaCl concentration and temperature	66
Table 4.15	Carbohydrate fermentation profile of the strains	68
Table 4.16	Antibiotic resistance test of the strains	70
Table 4.17	Antibiosis activity of the strains	71
Table 4.18	Antioxidant activities of the strains	73
Table 4.19	Acid tolerance of strains at two different pH levels	74
Table 4.20	Tolerance of the strains to bile salt	75
Table 4.21	Cellular aggregation of the strains	77
Table 4.22	Adhesion of the strains to different solvents after 1 h incubation	78
Table 4.23	Cellular aggregation and adhesion to solvents	79
Table 4.24	Adhesion of the strains to different solvents after 1 h incubation	79
Table 4.25	Count of the <i>L. casei</i> cells in MRS media after adhesion study	81
Table 4.26	Production of different organic acids by utilization of glucose	84
Table 4.27	Production of different organic acids by utilization of maltose	86
Table 4.28	Production of different organic acids by utilization of lactose	88
<b>Chapter 5</b>		
Table 5.1	The combinations of substrates used for preparation of beer	5
Table 5.2	Variables and their levels used in the experimental design	9
Table 5.3	Triplet associated with the five-point linguistic scale	14
Table 5.4	Membership function of six point linguistic scale	17
Table 5.5	Initial composition of the various substrates	19
Table 5.6	Response sheet for CCRD experimental design with process variables and experimental results of rice beer fermentation	21
Table 5.7	Analysis of variance (ANOVA) showing the linear, quadratic interaction and lack of fit of the response variables	22

Table 5.8	Estimated regression coefficients of the fitted second order polynomial for response variables (coded)	23
Table 5.9	Optimal conditions, predicted values and experimental values for various responses	30
Table 5.10	Some biochemical attributes of the beers prepared in laboratory	32
Table 5.11	Microbial load in the beers	32
Table 5.12	Colour of the beers in CIELAB expression	33
Table 5.13	Sum of the number of judges with varied preferences against the quality attributes for the four different kinds of beer	34
Table 5.14	Triplets for linguistic score of the beer samples	35
Table 5.15	Sensory score for quality attributes	36
Table 5.16	Triplet for quality attributes of beer samples	36
Table 5.17	Triplets for relative weightage of quality attribute	37
Table 5.18	Triplets for overall linguistic score of different beer samples	37
Table 5.19	Similarity values for beer samples	37
<b>Chapter 6</b>		
Table 6.1	Initial weight of the rats	9
Table 6.2	Disease activity index score table	12
Table 6.3	Absorption, distribution, metabolism, and excretion (ADME) studies related to SAPE	20
Table 6.4	Physicochemical properties of SAPE	21
Table 6.5	Docking scores of the compounds docked against COX-2	24
Table 6.6	Molecular interaction analysis of the docked ligands with COX-2 enzyme	26
Table 6.7	Effect of SAPE on the carrageenan induced paw oedema model	34
Table 6.8	Disease activity index scores of the different group of rats	35