

# Table

## OF CONTENTS

Abstract.....	i-vi
Table of Contents.....	vii-xiv
List of Abbreviations .....	xv
List of Figures.....	xvi-xxi
List of Tables.....	xxii-xxiv

### **CHAPTER 1 Introduction**

1.1 Context of the thesis	1
1.2 Research overview	1-2
1.3 Hypothesis or research questions considered in this research	2-3
1.4 Conventional Techniques Used for Heavy Metal Removal	3
1.5 The Need for Novel Technology	3-4
1.5.1 Laboratory Test Method	4
1.6 Phytoremediation of toxic metals	4-5
1.7 Metallophytes	5
1.7.1 Metal excluders	5
1.7.2 Metal indicators	5
1.7.3 Metal hyperaccumulators	5-6
1.8 Macrophytes in phytoremediation	6-8
1.9 Types of Phytoremediation	9
1.10 Quantification of phytoremediation efficiency	9-10
1.10.1 Bioconcentration factor (BCF)	10
1.10.2 Translocation factor (TF)	10-11
1.10.3 Biological accumulation coefficient (BAC)	11-12
1.11 Heavy metals uptake, translocation, and tolerance mechanisms	12-13
1.12 Metals/metalloids under Present Study	14
1.12.1 Lead (Pb)	14
1.12.1.1 Uptake of Pb by plant	14

## *Table of contents*

1.12.1.2 Pb toxicity	14-15
1.12.1.3 Physiological, biochemical and ultrastructural effects of Pb	15-16
1.12.1.4 Tolerance and Detoxification Mechanism of Pb by plant	16
1.12.2 Arsenic (As)	16-17
1.12.2.1 As in water	17
1.12.2.2 The Toxicity of As	17-18
1.12.3 Cadmium (Cd)	18
1.12.3.1 Physiological, biochemical and ultrastructural effects of Cd	18-19
1.12.4 Antimony (Sb)	19
1.12.4.1 Sb Uptake	19-20
1.13 The fate of plant after phytoremediation	20
1.13.1 Phytomining	20-21
1.13.2 Carbonization and incineration	21
1.13.3 Hydrolysis and fermentation	21
1.14 Diatoms	21
1.14.1 Definition and classes	21-24
1.14.2 Diatom structure and function	24-25
1.14.3 Metal toxicity and interaction with cellular surfaces in Diatoms	25-26
1.14.3.1 Metal accumulation in diatoms	26
1.14.3.2 Economic importance	26
References	26-40
<b>CHAPTER 2 Literature Review</b>	
2.1 The research trends in heavy metals/metalloids pollution and removal	41
2.2 Phytoremediation	41-42
2.2.1 Phytoremediation indexes	42-43
2.2.2 Translocation factor	43
2.3 Mechanisms involved in phytoremediation	44
2.4 Detoxification mechanisms and phytoremediation	44-46
2.4.1 Metal tolerance in plants	46-47

2.4.2 Metalloids tolerance in plants	47
2.4.2.1 Routes of transport of metalloids through the cell membrane	47- 48
2.5 Plants selection for phytoremediation: a major challenging work	48-49
2.5.1. <i>Eichhornia crassipes</i> (water hyacinth)	49-50
2.5.1.1 Characteristics favourable for metal accumulation in <i>Eichhornia crassipes</i>	50
2.5.2 <i>Trapa natans</i> (water chestnut)	50-51
2.5.3 <i>Monochoria hastata</i> (L) (Bhat meteka)	51
2.6 Factors affecting metal uptake in plants	51
2.7 Metals	52
2.7.1. Sources of Cd, As, Sb, Pb in the environment	52
2.7.2 Arsenic (As)	52
2.7.2.1 Phytoremediation of As	52-53
2.7.2.2 As Tolerance and detoxication in plants	53
2.7.3 Cadmium (Cd)	53-54
2.7.3.1 Mechanisms of Cd uptake into roots and translocation to shoots	54
2.7.4 Antimony (Sb)	54
2.7.4.1 Effects of antimony in the environment and health	55
2.7.4.2 Transport of Sb through the cell membrane	55
2.7.4.3 Mechanisms of Sb uptake and root-to-shoot transfer	55-56
2.7.5 Lead (Pb)	56
2.7.5.1 Pb accumulation in plants	56-57
2.7.5.2 Transport mechanism of Pb	57
2.7.5.3 Pb Toxicity	57
2.7.5.4 Pb tolerance in plants	58
2.8. Localization of accumulated metals in aquatic plants	58
2.9 Phytoremediation and metal stress in plants	59
2.10 Diatoms	59
2.10.1 Introduction	59-60
2.10.2 General morphology of Diatoms	60
2.10.2.1 Diatom frustules	60-61
2.10.3 Basic features of diatom biology	61-62
2.10.4 Diatom ecology	62-63

## Table of contents

2.10.5 Microalgae and their potential use in metal remediation	63-64
2.11 Analytical instruments commonly used in the study	64
2.11.1 Transmission electron microscopy (TEM)	64-65
2.11.2 Fourier Transform Infrared Spectroscopy (FTIR)	65-67
2.11.3 SEM/EDX	67
2.11.3.1 Usefulness of SEM-EDX to study heavy metal uptake and elemental composition in plant tissues	67-68
2.11.4. Inductively Coupled Plasma- Optical Emission Spectrometric (ICP-OES) ICP-OES- Optima 2100 DV	68-69
2.11.5. X-Ray diffraction study	69-70
2.11.6 Zeta Potential Analysis	70-71
References	71-92
<b>CHAPTER 3 Lead Removal from Aqueous Solution in Batch Experiments by <i>Eichhornia crassipes</i></b>	
3.1 Introduction	93-95
3.1.1 Pb accumulation in plants	95
3.1.2 Effect of pH on accumulation of Pb	95
3. 2 Materials and methods	96
3.2.1 Experimental setup	96
3.2.2 Heavy metal preparation	96
3.2.3 Heavy metal analysis in plants and water	97
3.2.4 Scanning electron microscopy (SEM) and energy dispersion (EDS) studies	97
3.2.5 Photosynthetic rate	97
3.2.6 Bioconcentration Factor (BCF)	97
3.3 Results and discussion	98
3.3.1 Pb Removal	98-99
3.3.2 Photosynthetic Rate	99-100
3.3.3 Total Chlorophyll estimation	100
3.3.4 SEM- EDX analysis	100-101
3.3.4.1 Distribution of Pb in leaves	102-103
3.3.4.2 Characterizations of <i>Eichhornia crassipes</i> shoot biomass	103-105
3.3.4.3 Characterization of <i>E. crassipes</i> root biomass	105-110
3.4 Conclusion	110

References	111-114
<b>CHAPTER 4 Phytoremediation of Arsenic (As) by <i>Trapa natans</i> in Hydroponic System</b>	
4.1 Introduction	115-119
4.2 Phytoremediation of As	119-120
4.3 Arsenic bioaccumulation coefficient	120
4.4 Materials and Methods	120
4.4.1 Experimental set-up	120-121
4.4.2 Chlorophyll Extraction and Estimation	121
4.4.3 Proline Estimation	121-122
4.4.4 Sample Preparation for As Accumulation Analysis	122
4.4.4.1 Bioconcentration Factor (BCF)	122-123
4.4.4.2 Translocation Factor (TF)	123
4.4.5 SEM-EDX Studies	123
4.4.6 Sample Preparation for the Fourier Transform Infrared Spectrometer (FTIR)	124
4.5 Results	124
4.5.1 Morphological Changes due to As treatment in <i>T. natans</i>	124-125
4.5.2 Effect of Arsenic on Total Chlorophyll and Proline Content	125-127
4.5.3 ICP Analysis	127-128
4.5.4 Translocation of As	128
4.5.4.1 BCF and TF	128-129
4.5.5 SEM-EDX Studies	129
4.5.5.1 Distribution of Arsenic in Leaves	129-131
4.5.5.2 Distribution of Arsenic in Shoots	132-133
4.5.5.3 Distribution of Arsenic in Roots	133-135
4.5.6 Fourier Transform Infrared Spectroscopy (FT-IR)	135-140
4.6 Discussion	140-143
4.7 Conclusion	143-144
References	144-152

**CHAPTER 5 Accumulation, distribution and ultra-structural changes of *Monochoria hastata* plant exposed to Cadmium**

5.1 Introduction	153-156
5.2 Materials and methods	156
5.2.1 Plant Material	156-157
5.2.2 Experimental Design	157
5.2.3 Cd solution preparation	158
5.2.4 Microwave digestion	158
5.2.5 Study of Total Chlorophyll concentration	158
5.2.6 Element concentrations	158-159
5.2.7 Bioconcentration factor (BCF)	159
5.2.8 Translocation Factor (TF)	159-160
5.2.9 Biological accumulation coefficient (BAC)	160
5.2.10 Procedure for Microscopic Study	160
5.2.10.1 Scanning Electron Microscopy (SEM) study	160-161
5.2.10.2 Transmission Electron Microscopy (TEM) study	161
5.2.11 Fourier Transform Infrared Analysis	161
5.2.12 Statistical Analysis	161-162
5.3 Results	162
5.3.1 Visual symptoms	162
5.3.2 Total chlorophyll content	162
5.3.3 Metal Concentrations in morphological tissues	163-164
5.3.4 Scanning Electron Microscopic (SEM) studies	164-169
5.3.5 Transmission electron microscopic (TEM) studies	169-173
5.3.6 Fourier Transform Infrared Analysis (FTIR)	174-179
5.4 Discussion	180
5.4.1 Visual symptoms	180
5.4.2 Total chlorophyll content	180-181
5.4.3 Metal concentration in Morphological tissues	181-183
5.4.4 Scanning Electron Microscopic studies (SEM)	183-184
5.4.5 Transmission Electron Microscopic studies (TEM)	184-186
5.4.6 Fourier Transform Infrared (FTIR) Analysis	186-187
5.5 Conclusion	187
References	187-202

**CHAPTER 6 Accumulation and Localization of Antimony in *Trapa natans* and *Eichhornia crassipes* grown within a hydroponic system**

6.1. Introduction	203-207
6.2. Objectives of the study	207
6.3. Materials and Methods	207
6.3.1 Experimental set-up and design	207-208
6.3.2 Sb solution preparation	208
6.3.3 Sb analysis in plants	208
6.3.4 Phytoextraction ability	208
6.3.4.1 Bioconcentration Factor (BCF)	208-209
6.3.4.2 Translocation Factor (TF)	209
6.3.5 Scanning electron microscopy (SEM) and energy dispersion (EDS) studies	209
6.3.6 Transmission Electron Microscopy (TEM) studies	209-210
6.4 Results	210
6.4.1 Sb Toxicity	210
6.4.2 Sb disturbance on chlorophylls and photosynthetic activities	210-213
6.4.3 Uptake of Sb from the solutions	213-214
6.4.4 Removal efficiency of Sb from the solution	215
6.4.5 Accumulation of Sb by the plants	215-217
6.4.5.1 Bioconcentration Factor (BCF)	217
6.4.5.2 Translocation Factor (TF)	218
6.4.6 SEM X-ray microanalysis of root and shoot tissue for Sb distribution	219-225
6.4.7 TEM Analysis	225
6.4.7.1 Chloroplasts	225-227
6.4.7.2 Mitochondria	227-228
6.4.7.3 Root Vacuoles	228-229
6.4.7.4 Golgi body	229-230
6.4.7.5 Cell Wall	230-231
6.5 Discussion	231-234
6.6 Conclusions	234-235
References	236-246

<b>CHAPTER 7 Uptake of Arsenic by <i>Navicula sp.</i> into cellular components: An X-ray energy dispersive study</b>	
7.1 Introduction	247-249
7.1.1 Frustule formation	249-250
7.1.2 Arsenic sorption by algae	250-253
7.1.3 Arsenic accumulation by Diatoms	253-254
7.1.4 Metal-cell interactions	254-255
7.2. Materials and methods	255
7.2.1. Cell collection and culture	255-256
7.2.2. Frustule Isolation	256-257
7.2.3 Metal accumulation	257
7.2.4 Chlorophyll extraction	257-258
7.2.5 Bioconcentration Factor	258
7.2.6 Characterization	258-259
7.3 Results	259
7.3.1 Diatom growth	259-260
7.3.2 Chlorophyll extraction	260
7.3.3 Species abundance	260-261
7.3.4 Bioconcentration Factor (BCF)	261-262
7.3.5 ICP-OES study	262
7.3.6 SEM/EDX	262-267
7.3.7 XRD Analysis	268
7.3.8 IR Analysis	268-270
7.3.9 Zeta potential measurement	270-273
7.4 Discussion	273
7.5 Conclusion	273-274
References	274-280
<b>CHAPTER 8 Conclusions</b>	
8.1 Phytoremediation of metals using aquatic plants	281-283
8.2 Validity of the research findings	284-285
8.3 Contributions of this research	285
8.4 Future scope of research	286
References	286-288
<b>List of Publications</b>	289-290
Annexures	291-299