## **Bibliography**

- [1] Modelling and Simulation. CSI Communications, 34:38, August 2010.
- [2] John Aberdeen, John Burger, David Day, Lynette Hirschman, Patricia Robinson, and Marc Vilain. MITRE: Description of the Alembic System Used for MUC-6. In *Proceedings of the 6th Conference on Message Understanding*, pages 141–155, Columbia, Maryland, 1995.
- [3] A.Chen and F.C.Grey. Generating statistical Hindi stemmer from Parallel texts. ACM Transaction Asian Language Information Process, 2(3), 2003.
- [4] Enrique Alfonseca and S Manandhar. An Unsupervised Method for General Named Entity Recognition and Automated Concept Discovery. In *Proceedings* of 1st International Conference on General WordNet, pages 34–43, Mysore, India, 2002.
- [5] S Amarappa and S V Sathyanarayana. A Hybrid approach for Named Entity Recognition, Classification and Extraction (NERCE) in Kannada Documents. In Proceedings of International Conference on Multimedia Processing, Communication and Information Technology MPCIT, pages 173– 179, Shimoga, India, 2013.
- [6] Borthwick Andrew. A Maximum Entropy Approach to NER. In Ph.D thesis, Computer Science Dept, New York University, 1999.

- [7] D Appelt, R Hobbs, J Bear, D Israel, M Kaymeyama, A Kehler, D Martin, K Myers, and M Tyson. SRI International FASTUS system MUC-6 Test Results and Analysis. In *Proceedings of the Sixth Message Understanding Conference*, pages 237–48, Columbia, Maryland, 1995.
- [8] A.Ramanathan and D.Rao. A light weight stemmer for Hindi. In *Proceedings* of the 10th Conference of the European Chapter of the Association for Computational Linguistic for South Asian Language Workshop, pages 42–48, Budapest, 2003.
- [9] Kanwalpreet Singh Bajwa and Amardeep Kaur. Hybrid Approach for Named Entity Recognition. International Journal of Computer Applications, 118(1):36–41, 2015.
- [10] Bal Krishna Bal and Prajol Shrestha. A Morphological Analyzer and a Stemmer for Nepali. In Workshop on Morpho-syntactic analysis as part of the School of Asian Applied Natural Language Processing for Linguistics Diversity and language Resource Development, pages 324–31, Nepal, 2007.
- [11] R. C. Balabantaray, S. K. Lenka, and D. Sahoo. Name Entity Recognizer for Odia using Conditional Random Fields. *Indian Journal of Science and Technology*, 6(4):4290–4293, April 2013.
- [12] Rakesh Ch. Balabantaray, Suprava Das, and Kshirabdhi Tanaya Mishra. Case Study of Named Entity Recognition in Odia Using Crf++ Tool. International Journal of Advanced Computer Science and Applications, 4(6):213–216, 2013.
- [13] Surya Bahadur Bam and Tej Bahadur Shahi. Named Entity Recognition for Nepali Text Using Support Vector Machines. *Intelligent Information Management*, 6:21–29, 2014.
- [14] Somnath Banerjee, Sudip Kumar Naskar, and Sivaji Bandyopadhyay. Bengali Named Entity Recognition using Margin Infused Relaxed Algorithm. In

- Proceedings of 17th International Conference on Text, Speech and Dialogue (TSD 2014), pages 125–132, Brno Czech Republic, 2014.
- [15] Yassine Benajiba, Mona Diab, and Paolo Rosso. Arabic Named Entity Recognition. IEEE transactions on Audi, Speech and Language Processing, 17(5):926–934, 2009.
- [16] Adam L. Berger, Stephen A. Della Pietra, and Vincent J. Della Pietra. A maximum entropy approach to natural language processing. *Computational Linguistics*, 2:9–71, 1996.
- [17] S. Biswas, S.P. Mohanty, S. Acharya, and S. Mohanty. A Hybrid Oriya Named Entity Recognition system. In *Proceedings of the CoNLL*, pages 1– 6, Edmonton, Canada, 2003.
- [18] Avrim Blum and Tom Mitchell. Combining Labeled and Unlabeled data with Co-training. In Proceedings of the Workshop on Computational Learning Theory, pages 92–100, New York, 1998.
- [19] Eric Brill. Transformation-based Error Driven Learning and Natural Language Processing: A Case Study in Part-of-speech. Computational Linguistics, 21(4):543–565, 1995.
- [20] Michele Chambers and Thomas W. Dinsmore. Advanced Analytics Methodologies, Pearson Education, 2015.
- [21] Bidyut Baran Chaudhuri and Suvankar Bhattacharya. An Experiment on Automatic Detection of Named Entities in Bangla. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian languages, pages 75–82, Hyderabad, India, January 2008.
- [22] Nancy Chinchor, Eric Brown, Lisa Ferro, and Patty Robinson. Named Entity Recognition Task Definition. August-27 1999.

- [23] Deepti Chopra, Nusrat Jahan, and Sudha Morwal. Hindi Named Entity Recognition by Aggregating Rule Based Heuristic and Hidden Markov Model. International Journal of Infomation Sciences and Techniques, 2(6):43–52, 2012.
- [24] Michael Collins and Yoram Singer. Unsupervised Models for Named Entity Classification. In Proceedings of the Joint SIGDAT Conference on Empirical Methods in Natural Language Processing and Very Large Corpora, pages 100– 110, Stroudsburg, P.A, U.S.A, 1999.
- [25] Cortes and Vapnik. Support Vector Network. Machine Learning, pages 273–297, 1995.
- [26] J.N. Darroch and D.Ratcliff. Generalized iterative scaling for log-linear models. *The Annals of Mathematical Statistics*, 43(5):1470–1480, 1972.
- [27] Arjun Das and Utpal Garain. CRF-based Named Entity Recognition. In Proceedings of 10th International Conference on Natural Language Processing (ICON-2013), Noida, India, 2013.
- [28] Sajib Dasgupta and Vincent Ng. Unsupervised morphological parsing of Bengali. Language Resources and Evaluation, 40:311–330, 2006.
- [29] J. Dawson. Suffix Removal and Word Conflation. ALLC bulletin, 2(3):33–46, 1974.
- [30] Arindam Dey, Abhijit Paul, and Bipul Syam Purkayastha. Named Entity Recognition for Nepali language: A Semi Hybrid Approach. International Journal of Engineering and Innovative Technology (IJEIT), 3(8):21–25, February 2014.
- [31] Arindam Dey and Bipul Syam Prukayastha. Named Entity Recognition using Gazetteer Method and N-gram Technique for an Inflectional Language: A

- Hybrid Approach. International Journal of Computer Applications, 84(9):31–35, 2013.
- [32] Asif Ekbal and Sivaji Bandyopadhyay. A Hidden Markov Model Based Named Entity Recognition System: Bengali and Hindi as Case Studies. In *Proceedings of 2nd International Conference in Pattern Recognition and Machine Intelligence*, pages 545–552, Kolkata, India, 2007.
- [33] Asif Ekbal and Sivaji Bandyopadhyay. POS Tagging using HMM and Rule-based Chunking. In *Proceedings of the IJCAI Workshop on Shallow Parsing for South Asian Languages*, pages 31–34, Hyderabad, India, 2007.
- [34] Asif Ekbal and Sivaji Bandyopadhyay. A web-based Bengali news corpus for named entity recognition. Language Resources and Evaluation, 42:173–182, 2008.
- [35] Asif Ekbal and Sivaji Bandyopadhyay. Bengali Named Entity Recognition using Support Vector Machine. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian languages, pages 51–58, Hyderabad, India, January 2008.
- [36] Asif Ekbal and Sivaji Bandyopadhyay. Development of Bengali Named Entity Tagged Corpus and its Use in NER System. In *Proceedings of the 6th Workshop on Asian Language Resources*, pages 1–8, Hyderabad, India, 2008.
- [37] Asif Ekbal and Sivaji Bandyopadhyay. Improving the Performance of a NER System by Post-processing and Voting. In *Proceedings of 2008 Joint IAPR International Workshop on Structural Syntactic and Statistical Pattern Recognition*, pages 831–841, Orlando, Florida, 2008.
- [38] Asif Ekbal and Sivaji Bandyopadhyay. Bengali Named Entity Recognition using Classifier Combination. In *Proceedings of 2009 Seventh International Conference on Advances in Pattern Recognition*, pages 259–262, Patna, 2009.

- [39] Asif Ekbal and Sivaji Bandyopadhyay. Voted NER System using Appropriate Unlabelled Data. In Proceedings of the 2009 Named Entities Workshop, ACL-IJCNLP 2009, pages 202–210, Suntec, Singapore, August-7 2009.
- [40] Asif Ekbal and Sivaji Bandyopadhyay. Named Entity Recognition using Support Vector Machines: A Language Independent Approach. *International Journal of Computer, Systems Sciences and Engg(IJCSSE)*, 4(2):155–170, 2010.
- [41] Asif Ekbal, Rejwanul Haque, and Sivaji Bandyopadhyay. Named Entity Recognition in Bengali: A Conditional Random Field. In *Proceedings of the 3rd International Joint Conference on Natural Language Processing (IJCNLP-08)*, pages 589–594, India, 2008.
- [42] Asif Ekbal, Rejwanul Haque, Amitava Das, Venkateswarlu Poka, and Sivaji Bandyopadhyay. Language Independent Named Entity Recognition in Indian Languages. In *Proceedings of the IJCNLP-08 Wokshop on NER for South and South East Asian languages*, pages 33–40, Hyderabad, India, 2008.
- [43] Radu Florian, Abe Ittycheriah, Hongyan Jing, and Tong Zhang. Named Entity Recognition through Classifier Combination. In *Proceedings of CoNLL-2003 (Conference on Natural Language Learning)*, pages 168–171, Edmonton, Canada, 2003.
- [44] Radu Florian, Abe Ittycheriah, Hongyan Jing, and Tong Zhang. Named Entity Recognition through Classifier Combination. In Proceedings of the seventh conference on Natural language learning at HLT-NAACL, pages 168– 171, Canada, 2003.
- [45] W.B. Frakes and R. Baeza-Yates. Information Retrieval Data Structures Algorithms. Prentice Hall. page 464, 1992.

- [46] Karthik Gali, Harshit Surana, Ashwini Vaidya, Praneeth Shishtla, and Dipti Misra Sharma. Aggregating Machine Learning and Rule Based Heuristic for Named Entity Recognition. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian laanguages, pages 25–32, Hyderabad, India, January 2008.
- [47] Amit Goyal. Named Entity Recognition for South Asian Languages. In Proceedings of the IJCNLP-08 Workshop on NER for South and South-East Asian Languages, pages 89–96, Hyderabad, India, Jan 2008.
- [48] R. Grishman and B Sundheim. Message Understanding Conference-6: A Brief History. In Proceedings of the 16th International Conference on Computational Linguistics (COLING), pages 466–71, Copenhagen, Denmark, 1996.
- [49] Pramod Kumar Gupta and Sunita Arora. An Approach for Named Entity Recognition System for Hindi: An Experimental Study. In *Proceedings of ASCNT-2009*, pages 103–108, CDAC, Noida, India, 2009.
- [50] Vishal Gupta and Gurpreet Singh Lehal. Named Entity Recognition for Punjabi Language Text Summarization. *International Journal of Computer Applications*, 33(3):28–32, November 2011.
- [51] Kazi Saidul Hasan, Md.Altaf ur Rahman, and Vincent Ng. Learning-Based Named Entity Recognition for Morphologically-Rich Resource-Scare Languages. In Proceedings of the 12th Conference of the European Chapter of the ACL, pages 354–362, Athens, Greece, 2009.
- [52] Mohammad Hasanuzzaman, Asif Ekbal, and Sivaji Bandyopadhyay. Maximum Entropy Approach for Named Entity Recognition in Bengali and Hindi. International Journal of Recent Trends in Engineering, 1(1):408–412, 2009.

- [53] Jiaul H.Paik and Swapan K.Parui. A Simple Stemmer for inflectional languages. *Journal of Documentation*, 61(4):476–496, 2008.
- [54] Hideki Isozaki and Hideto Kazawa. Efficient Support Vector Classifiers for Named Entity Recognition. In Proceedings of the 19th international conference on Computational linguistics, pages 1–7, 2002.
- [55] Nusrat Jahan, Sudha Morwal, and Deepti Chopra. Named Entity Recognition in Indian Languages Using Gazetteer Method and Hidden Markov Model: A Hybrid Approach. International Journal of Computer Science Engineering Technology (IJCSET), 3(12):621–628, 2012.
- [56] Nusrat Jahan and Mohammad Alamgir Siddiqui. Urdu Named Entity Recognition using Hidden Markov Model. IJACKD Journal of Research, 3(1):1–5, 2014.
- [57] Faryal Jahangir, Waqas Anwar, Usama Ijaz Bajwa, and Xuan Wang. N-gram and Gazetteer List Based Named Entity Recognitio for Urdu: A Scarce Resourced Language. In Proceedings of the 10th Workshop on Asian Language Resources, COLING, pages 95–104, Mumbai, December 2014.
- [58] Jisha P Jayan, R R Rajeev, and Elizabeth Sherly. A Hybrid Statistical Approach for Named Entity Recognition for Malayalam Language. In Proceedings of International Joint Conference on Natural Language Processing, pages 58–63, Nagoya, Japan, 2013.
- [59] Humphreys. K, Gaizauskas. R, Azzam. S, Huyck. C, Mitchell. B, Cunningham. H, and Wilks. Y. Description of the Lasie-ii System as Used for MUC-7. In Proceedings of the 7th Message Understanding Conference, Fairfax, VA, 1998.
- [60] Kaufmann.M, Gaizauskas.R, Wakao. T, Humphreys. K, Cunningham.H, , and Wilks. Y. Description of the Lasie System as Used for MUC-6. In *Proceedings*

- of the Sixth Message Understanding Conference, pages 207–220, Columbia, Maryland, 1995.
- [61] Amandeep Kaur, Gurpreet S.Josan, and Jagroop Kaur. Named Entity Recognition for Punjabi: A Conditional Random Field Approach. In Proceedings of 7th International Conference on Natural Language Processing, pages 277–282, Hyderabad, India, 2009.
- [62] Yavrajdeep Kaur and Er.Rishamjot Kaur. Named Entity Recognition System for Hindi Language Using Combination of Rule Based Approach and List Look Up Approach. *International Journal of scientific research and management* (IJSRM), 3(3):2300–2306—, 2015.
- [63] Junichi Kazama and Kentaro Torisawa. Exploiting Wikipedia as External Knowledge for Named Entity recognition. In Proceedings of the 2007 Joint Conference on Empirical Methods in Natural Language Processing and Computational Natural Language Learning, pages 698–707, Prague, 2007.
- [64] Junichi Kazama and Kentaro Torisawa. Inducing Gazetteers for Named Entity Recognition by large-scale Clustering of Dependency Relations. In *Proceedings* of Association for Computational Linguistic, pages 407–415, Columbus, Ohio, USA, 2008.
- [65] Zornitsa Kozareva. Bootstrapping Named Entity Recognition with Automatically Generated Gazetteer Lists. In *Proceedings of the Eleventh Conference of the European Chapter of the Association for Computational Linguistics*, pages 15–21, Trento, Italy, 2006.
- [66] Awaghad Ashish Krishnarao, Himanshu Gahlot, Amrit Srinet, and D.S.Kushwaha. A Comparison of Performance of Sequential Learning Algorithms on the Task of Named Entity Recognition for Indian Languages. In Proceedings of the 9th International Conference on Computational Science, pages 123–132, Baton, Rouge, L.A, 2009.

- [67] Dinesh Kumar and Prince Rana. Design and Development of a stemmer for Punjabi. *International Journal of Computer Applications* (0975-8887), 11(12):18-23, December 2010.
- [68] Jimmy L and Darvinder Kaur. Named Entity Recognition System in Manipuri: A Hybrid Approach, volume 8105. Springer-Verlag, 2013.
- [69] John Lafferty, Andrew McCallum, and Fernando Pereira. Probabilistic Models for Segmenting and Labelling Sequence Data. In Proceedings of the Eighteenth International Conference on Machine Learning (ICML-2001), pages 282–289, Williams College, Williamstown, MA, USA, 2001.
- [70] Leah S. Larkey, Margaret E. Connel, and Nasreen Abdul Jaleel. Hindi CLIR in Thirty days. ACM Transaction on Asian Language Information Processing, 2(2):130–142, 2003.
- [71] Wei Li and Andrew McCallum. Rapid Development of Hindi Named Entity Recognition using Conditional Random Fields and Feature Induction (short paper). ACM Transactions on Computational Logic, pages 290–294, Sept 2003.
- [72] Wenhui Liao and Sriharsha Veeramachaneni. A Simple Semi-supervised Algorithm For Named Entity Recognition. In Proceedings of the NAACL HLT Workshop on Semi-supervised Learning for Natural Language Processing, page 5865, Boulder, Colorado, June 2009.
- [73] Julie Beth Lovins. Development of a stemming algorithm. *Mechanical Translation and Computational Linguistics*, 11(1):22–31, 1968.
- [74] Bikel Daniel M, Miller Scott, Schwartz Richard, and Weischedel Ralph. A High Performance Learning Name-finder. In *Proceedings of the fifth Conference on Applied Natural language Processing*, pages 194–201, Washington, DC, USA, 1997.

- [75] PORTER M. Automated library and informatioc system. An algorithm for suffix stripping, pages 130–137, 1980.
- [76] Mudassar M. Majgaonker and Tanveer Siddique. Discovering Suffixes for Marathi Language. International Journal on Computer Science and Engineering, 2(8):2716–2720, 2010.
- [77] Diana Maynard, V Tablan, C Ursu, H Cunningham, and Y Wilks. Name Entity Recognition from Diverse Text Types. In Proceedings of the Recent Advances in Natural Language Processing 2001 Conference, pages 257–274, Tzigov Chark, Bulgaria, 2001.
- [78] Andrew McCallum, Dayne Freitag, and Fernando Pereira. Maximum Entropy Markov Models for Information Extraction and Segmentation. In *Proceedings* of the 17th International Conference on Machine Learning, pages 591–598, Williamstown, MA, USA, 2001.
- [79] M.Collins and Y.Singer. Unsupervised models for named entity classification. In Proceedings of the joint SIGDAT Conference on Empirical Methods in Natural Language Processing and Very Large Corpora, pages 100–110, Stroudsburg, P.A, USA, 1999.
- [80] Bhuvaneshwari C Melinamath. Rule based Methodology for Recognition of Kannada Named Entities. International Journal of Latest Trends in Engineering and Technology (IJLTET), 3(4):50–59, March 2014.
- [81] Scott Miller, Michael Crystal, Heidi Fox, Lance Ramshaw, Richard Schwartz, Rebecca Stone, Ralph Weischedel, and the Annotation Group. BBN: Description of the SIFT System as Used for MUC-7. In *Proceedings of Seventh Message Understanding Conference (MUC-7)*, pages 1–17, Fairfax, Virginia, 1998.

- [82] Einat Minkov, Richard C. Wang, and William W. Cohen. Extracting Personal Names from Email: Applying Named Entity Recognition to Informal Text. In Proceedings of Human Language Technology and Conference on Empirical Methods in Natural Language Processing, pages 443–450, Vancouver, B.C, Canada, 2005.
- [83] Diego Molla, Menno van Zaanen, and Daniel Smith. Named Entity Recognition for Question Answering. In *Proceedings of the 2006 Australasian Language Technology Workshop (ALTW2006)*, pages 51–58, Sydney, Australia,, 2006.
- [84] R Morante, V Asch, and W Daelemans. A Memory-based Learning Approach to Event Extraction in Biomedical Texts. In *Proceedings of the Workshop* on Current Trends in Biomedical Natural Language Processing: Shared Task, pages 59–67, Boulder, Colorado, USA, 2009.
- [85] Smruthi Mukund and Rohini K.Srihari. NE tagging for Urdu based on Bootstrap POS Learning. In *Proceedings of the Third International Workshop on Cross Lingual Information Access:Addressing the Information Need of Multilingual Societies*, pages 61–69, Boulder, Colorado, 2009.
- [86] D Nadeau. Semi-Supervised Named Entity Recognition: Learning to Recognize 100 Entity Types with Little Supervision. PhD dissertation, University of Ottawa, 2007.
- [87] David Nadeau and Satoshi Sekine. A survey of named entity recognition and classification. *Linguisticae Investigatione*, 30(1):3–26, 2007.
- [88] David Nadeau, Peter D. Turney, and Stan Matwin. Unsupervised Named-Entity Recognition: Generating Gazetteers and Resolving Ambiguity. Advances in Artificial Intelligence, 4013:266–277, 2006.

- [89] Saeeda Naz, Arif Iqbal Umar, Syed Hamad Shirazi, Sajjad Ahmad Khan, Imtiaz Ahmed, and Akbar Ali Khan. Challenges of Urdu Named Entity Recognition: A Scarce Resourced Language. Research Journal of Applied Sciences, Engineering and Technology, 8(10):1272–1278, 2014.
- [90] Praveen Kumar P and Ravi Kiran V. A Hybrid Named Entity Recognition System for South Asian Languages. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian languages, pages 83–88, Hyderabad, India, January 2008.
- [91] Chris. D. Paice. An Evaluation method for Stemming algorithm. In Proceedings of the 17th Annual International ACM SIGR Conference on Research and Development in Information Retrieval, pages 42–50, Dublin, Ireland, 1990.
- [92] S.Lakshmana Pandian, Krishnan Aravind Pavithra, and T.V Geetha. Hybrid Three-stage Named Entity Recognizer for Tamil. INFOS2008, pages 59–66, March 2008.
- [93] David Pinto, Andrew McCallum, Xing Wei, and W.Bruce Croft. Table Extraction Using Conditional Random Fields. In *Proceedings of the 26th Annual International ACM SIGR Cnference on Research and Development in Information Retrieval (SIGR)*, pages 56–67, Toronto, Canada, 2003.
- [94] Tri Tran Q, Thao Pham T.X, Hung Ngo Q, Dien DINH, and Nigel Collier. Named Entity Recognition in Vietnamese documents. *Progress in Informatics*, 4:5–13, 2007.
- [95] Rajeev R, Rajendran N, and Elizabeth Sherley. A Suffix Stripping Based Morph Analyzer for Malayam language. In *Proceedings of 20th Kerala Science Congress*, pages 482–484, Thiruvananthapuram, 2008.

- [96] Vijaykrishna R and Sobha L. Domain focussed Named Entity Recognizer for Tamil using Conditional Random Fields. In Proceedings of the IJCNLP-08 Wokshop on NER for South and South East Asian languages, pages 59–66, Hyderabad, India, 2008.
- [97] G.V.S Raju, B.Srinivasu, Dr. S. Viswanadha Raju, and K.S.M.V Kumar. Named Entity Recognition for Telegu using Maximum Entropy Model. Journal of Theoretical and Applied Information Technology, 3(2):125–130, 2010.
- [98] Grishman Ralph. The New York University System MUC-6 or Where's the syntax. In Proceedings of the Sixth Message Understanding Conference, pages 167–175, Columbia, Maryland, 1995.
- [99] Lance Ramshaw and Mitch Marcus. Text chunking using transformationbased learning. In *Proceedings of the Third Workshop on Very Large Corpora*, pages 82–94, Somerset, New Jersey.
- [100] Kashif Riaz. Rule-based Named Entity Recognition in Urdu. In Proceedings of the 2010 Named Entities Workshop, pages 126–135, Uppsala, Sweden, July-16, 2010.
- [101] R.Krovertz. Viewing morphology as an inference process. In *Proceedings* of the 16 Annual International ACM SIGIR Conference on Research and Development in Information Retrievall, pages 191–202, New York, 1993.
- [102] Lawrence R.Rabiner and B.H.Juang. An introduction to Hidden Markov models. ASSP Magazine, IEEE, 3(1):4–6, April-22 1984.
- [103] Bindu M S and Sumam Mary Idicula. Named Entity Identifier for Malayalam Using Linguistic Principles Employing Statistical Methods. *IJCSI International Journal of Computer Science*, 8(5):185–191, September 2011.

- [104] Malarkodi C S, Pattabhi, RK Rao, Sobha, and Lalitha Devi. Tamil NER Coping with Real Time Challenges. In Proceedings of the Workshop on Machine Translation and Parsing in Indian Languages (MTPIL-2012), pages 23 – 38, Mumbai, December, 2012.
- [105] Sujan Kumar Saha, Sanjay Chatterji, Sandipan Dandapat, Sudeshna Sarkar, and Pabitra Mitra. A Hybrid Approach for Named Entity Recognition in Indian Languages. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian languages, pages 17–24, Hyderabad, India, January 2008.
- [106] Sujan Kumar Saha, Partha Sarathi Ghosh, Sudeshna Sarkar, and Pabitra Mitra. Named Entity Recognition in Hindi using Maximum Entropy and Transliteration. Research Journal on Computer Science and Computer Engineering with Applications, 38:33–41, 2008.
- [107] Sujan Kumar Saha, Pabitra Mitra, and Sudeshna Sarkar. Word Clustering and Word Selection-based Feature Reduction for MaxEnt based Hindi NER. In *Proceedings of ACL-08:HLT*, pages 488–495, Columbus, OH, 2008.
- [108] Sujan Kumar Saha, Sudeshna Sarkar, and Pabitra Mitra. A Hybrid Feature Set based Maximum Entropy Hindi Named Entity Recognition. In Proceedings of the 3rd International Joint Conference on NLP, pages 343–349, Hyderabad, India, January 2008.
- [109] Sujan Kumar Saha, Sudeshna Sarkar, and Pabitra Mitra. Gazetteer Preparation for Named Entity Recognition in Indian Languages. In Proceedings of 6th Workshop on Asian Language Resources, pages 9–16, Hyderabad, 2008.
- [110] Sandipan Sarkar and Sivaji Bandyopadhyay. Design of a Rule-based Stemmer for Natural Language Text in Bengali. In *Proceedings of the IJCNLP-08*

- Workshop on NLP for Less Privileged Languages, pages 65–72, Hyderabad, India, January 2008.
- [111] Ryohei Sasano and Sadao Kurohashi. Japanese Named Entity Recognition using Structural Natural Language Processing. In Proceedings of 3rd Internationa Joint Conference on Natural Language Processing, pages 607–612, Hyderabad, 2008.
- [112] S.Biswas, M.K.Mishra, S.Acharya, and S.Mohanty. A two stage language independent named entity recognition for indian languages. *International Journal of Computer Science and Information Technologies*, 1(4):285–289, 2010.
- [113] Satoshi Sekine, Kiyoshi Sudo, and Chikashi Nobata. Definition, Dictionaries and Tagger for Extended Named Entity Hierarchy. In *Proceedings of 4th International Conference on Language Resources and Evaluation*, pages 1977–1980, Portugal, 2004.
- [114] Miran Seok, Hye-Jeong Song, Chan-Young Park, Jong-Dae Kim, and Yu seop Kim1. Named Entity Recognition using Word Embedding as a Feature. International Journal of Software Engineering and Its Applications, 10(2):93– 104, 2016.
- [115] Fei Sha and Fernando Pereira. Shallow Parsing with Conditional Random Fields. In *Proceedings of the 2003 Human Language Technology Conference and North American Chapter of the Association for Computational Linguistics(HLT/NAACL-03)*, pages 213–220, Canada, 2003.
- [116] Utpal Sharma, Jugal Kalita, and Rajib Das. Root word stemming by multiple evidence from corpus. In *Proceedings of the 6th International Conference on Computational Intelligence and Natural Computing (CINC-2003)*, pages 26–30, North Carolina, September.

- [117] Utpal Sharma, Jugal Kalita, and Rajib Das. Unsupervised Learning of Morphology for Building Lexicon for a Highly Inflectional Language. In Proceedings of the 6th Workshop of the ACL Special Interest Group in Computational Phonology (SIGPHON), pages 1–10, Philadelphia, July, 2002.
- [118] Utpal Sharma, Jugal Kalita, and Rajib Das. Acquisition of Morphology of an Indic Language from Text Corpus. ACM Transactions on Asian Language Information Processing (TALIP), 7(3):1–33, August 2008.
- [119] Praneeth M Shishtla, Karthik Gali, Prasad Pingali, and Vasudeva Varma. Experiments in Telegu NER: A Conditional Random Field Approach. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian languages, pages 105–110, Hyderabad, India, January 2008.
- [120] Praneeth M Shishtla, Prasad Pingali, and Vasudeva Varma. A Character n-gram Approach for Improved Recall in Indian Language NER. In Proceedings of the IJCNLP-08 Workshop on NER for South and South East Asian languages, pages 67–74, Hyderabad, India, January 2008.
- [121] Radu Simionescu. Graphical grammar studio as a constraint grammar solution for parts of speech tagging. In Proceedings of the 8th International Conference Linguistic Resources for Tools for Processing of the Romanian Language, pages 109–118, Bucharest, 2012.
- [122] Kuljot Singh. Named Entity Recognition on Punjabi Language. International Journal of Computer Science Engineering and Information Technology Research (IJCSEITR), 3(5):95–102, 2013.
- [123] Shashi Pal Singh, Ajai Kumar, Hemant Darbari, Kanak Mohnot, and Neha Bansal. The Hindi Named Entity Recognizer Using Hybrid Morphological Analyzer Framework. *International Journal of Computer Applications in Engineering Sciences*, 4(2):22–27, June 2014.

- [124] Thoudam Doren Singh, Kishorjit Nongmeikapam, Asif Ekbal, and Sivaji Bandyopadhyay. Named Entity Recognition for Manipuri Using Support Vector Machines. In *Proceedings of 23rd Pacific Asia Conference on Language*, Information and Computation, pages 811–818, Hong Kong, 2009.
- [125] P. Srikanth and Kavi Narayana Murthy. Named Entity Recognition for Telegu. In Proceedings of the IJCNLP-08 Wokshop on NER for South and South East Asian languages, pages 41–50, Hyderabad, India, Jan-12 2008.
- [126] Shilpi Srivastava, Mukund Sanglikar, and D.C Kothari. Named Entity Recognition System for Hindi Language: A Hybrid Approach. *International Journal of Computational Linguistics (IJCL)*, 2(1):10–23, 2011.
- [127] Brates T. Inter-Annotator Agreement for a German Newspaper Corpus. In Proceedings of the 2nd International Conference on Language Resources and Evaluation, (LREC), pages 1–5, Athens, Greece, 2000.
- [128] Hirotoshi Taira and Masahiko Haruna. Feature Selection in SVM Text Categorization. In Proceedings of the Sixteenth National Conference on Artificial Intelligence and the Eleventh Innovative Applications of Artificial Intelligence Conference Innovative Applications of Artificial Intelligence, pages 480–486, Menlo Park, CA, USA, 1999.
- [129] Maksim Tkachenko and Andrey Simanovsky. Named Entity Recognition: Exploring Features. In *Proceedings of KONVENS*, pages 118–127, Vienna, September 20 2012.
- [130] Andrew Viterbi. Error bounds for convolutional codes and an asymptotically optimum decoding algorithm. IEEE Transactions on Information Theory, 13(2):260–269, 1967.
- [131] Nina Wacholder, Yael Ravin, and Misook Choi. Disambiguation of Proper Names in Text. In *Proceedings of the Fifth Conference on Applied Natural*

- Language, pages 202–208, Washington Marriott Hotel, Washington, DC, USA, 1997.
- [132] Takahiro Wakao, Robert Gaizauskas, and Yorick Wilks. Evaluation of an Algorithm for the Recognition and Classification of Proper Names. In Proceedings of COLING-96, pages 418–423, Copenhagen, Denmark, 1996.
- [133] Dong Yang, Paul Dixon, Yi-Cheng Pan, Tasuku Oonishi, Masanobu Nakamura, and Sadaoki Furui. Combining a Two-step Conditional Random Field Model and a Joint Source Channel Model for Machine Transliteration. In Proceedings of the 2009 Named Entities Workshop, ACL-IJCNLP 2009, pages 72–75, Suntec, Singapore, August-7 2009.
- [134] Soo-jong Lim Yi-Gyu Hwang, Eui-Sok Chung. Hmm based Korean Named Entity Recognition. SYSTEMICS, CYBERNETICS AND INFORMATICS, 1(1):81–86, 2003.
- [135] Shihong Yu, Shuanhu Bai, and Paul Wu. Description of the Kent Ridge Digital Labs System Used for MUC-7. In Proceedings of Seventh Message Understanding Conference (MUC-7), Fairfox, Virginia, 1998.
- [136] Guo Dong Zhou and Jian Su. Named Entity Recognition using an HMM-based Chunk Tagger. In *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistic(ACL)*, pages 473–480, Philadelphia, July 2002.