

Bibliography

Bibliography

- [1] Zamolo, V. A., Valenti, G., Venturelli, E., Chaloin, O., Marcoccio, M., Boscolo, S., Kastagnola, V., Sosa, S., Berti, F., Fontanive, G., Poli, M., Tubaro, A., Bianco, A., Paolucci, F. and Prato, M. Highly sensitive electrochemiluminescent nanobiosensor for the detection of palytoxin. *ACS nano*, 6:7989–7997, 2012.
- [2] Baynes, J. W and Dominiczak, M. H. *Medical biochemistry*, Elsevier, Mosby Ltd., 2nd Edition, 2005.
- [3] White, A., Handler, P., Smith, E.L., Hill, R.L. and Lehman, I.R. *Principles of biochemistry*, McGraw–Hill, New York, 6th Edition, 1987.
- [4] Poirot, M., Poirot, S. S. and Weichselbaum, R. R. Cholesterol metabolism and resistance to tamoxifen. *Current Opinion in Pharmacology*, 12(6):683–689, 2012.
- [5] Faulin, T. E. S., Garcia, M. C. C. and Abdalla, D. S. P. Recent advances on detection of modified forms of low-density lipoproteins, recent patents on endocrine. *Metabolic & Immune Drug Discovery*, 3:28–34, 2009.
- [6] Coulombe, R., Yue, K. Q., Ghisla, S. and Vrielink, A. Oxygen access to the active site of cholesterol oxidase through a narrow channel is gated by an Arg–Glu pair. *The Journal of Biological Chemistry*, 276:30435–30441, 2001.
- [7] Hasselmo, M. E. and Bower, J. M. Acetylcholine and memory. *Trends Neuroscience*, 16:218–222, 1993.
- [8] Perry, E., Walker, M., Grace, J. and Perry, R. Acetylcholine in mind: A neurotransmitter correlate of consciousness. *Trends Neuroscience*, 22:273–280, 1999.
- [9] Graves, L., Pack, A. and Abel, T. Sleep and memory: A molecular perspective. *Trends Neuroscience*, 24:237–243, 2001.

- [10] Apers, S., Van, M. E., Pieters, L. and Vlietinck, A. Quality control of liquid herbal drug preparation: ethanol content and test on methanol and 2-propanol. *Journal of Pharmaceutical and Biomedical Analysis*, 33:529–537, 2003.
- [11] Poghossian, A. Luth, H. Schultze, J. W. and Schoning, M. J. Bio-chemical and physicalmicrosensor arrays using an identical transducer principle. *Electrochimica Acta*, 47 (1–2):243–249, 2001.
- [12] Gopel, W. and Heiduschka, P. Introduction to bioelectronics: interfacing biology with electronics. *Biosensors and bioelectronics*, 9:3–13, 1994.
- [13] Grattarola, M., Massobrio, G. and Martinoia, S. Modeling H^+ -sensitive FETs with SPICE. *IEEE transactions on Electron Devices*, 39(4):813–819, 1992.
- [14] Bard, A. and Faulkner, L. *Electrochemical Methods-Fundamental and Applications*. John Wiley and Sons, 2nd Edition, 2000.
- [15] Dutta, J. C. Ion sensitive field effect transistor for applications in bioelectronic sensors: A research review, In *IEEE 2nd National conference on Computational Intelligence and Signal Processing (CISP–2012)*, 185–191, Assam Don Bosco University, India, 2012.
- [16] Bergveld, P. Development of an ion sensitive solid-state device for neurophysiological measurements. *IEEE transactions on Electron Devices*, 17:70–71, 1970.
- [17] Caras, S., and Janata, J. Field effect transistor sensitive to penicillin. *Analytical Chemistry*, 52: 1935–1937, 1980.
- [18] Schoning, M. J. and Poghossian, A. Recent advances in biologically sensitive field–effect transistors (BioFETs). *Analyst*, 127:1137–1151, 2002.

- [19] Jobling, D. T., Smith, J. G. and Wheal, H. V. Active microelectrode array to record from the mammalian central nervous system in vitro. *Medical and Biological Engineering and Computing*, 19(5):553– 560, 1981.
- [20] Boyer, P. T., Gal, J. L., Gauzy, M. L. P., Sant, W. and Martinez, A. Modeling of EnFETs for the creatinine detection. *Sensors and Actuators B*, 118(1–2):47– 52, 2006.
- [21] Kullick, T., Bock, U., Schubert, J., Scheper, T. and Schugerl, K. Application of enzym–efield effect transistor sensor arrays as detectors in a flow–injection analysis system for simultaneous monitoring of medium components. Part II. Monitoring of cultivation processes. *Analytical Chimica Acta*, 300(1– 3):25– 31, 1995.
- [22] Kharitonov, A. B., Zayats, M., Lichtenstein, A., Katz, E. and Willner, I. Enzyme monolayer–functionalized field–effect transistors for biosensor applications. *Sensors and Actuators B:Chemical*, 70(1–3):222– 231, 2000.
- [23] Miyahara, Y., Matsu, F., Moriizumi, T., Matsuoka, H., Karube, I. and Suzuki, S. Micro enzyme sensor using semiconductor and enzyme–immobilization techniques, *Analytical Chemistry Symposia Series*, 17, Elsevier, London, 1983.
- [24] Spijkman, M. J., Brondijk, J. J., Geuns, T. C. T., Smits, E. C. P., Cramer, T., Zerbetto, F., Stolar, P., Biscarini, F., Blom, P. W. M. and Leeuw, D. M. D. Dual–gate Organic field–effect transistors as potentiometric sensors in aqueous solution. *Advanced Functional Materials*, 20(6):898–905, 2010.
- [25] Schoot, B. H. V., Voorthuijzen, H. and Bergveld, P. The pH–static enzyme sensor: Design of the pH control system. *Sensors and Actuators B: Chemical*, 1(1–6):546– 549, 1990.

- [26] Seo, H. I., Kim, C. S., Sohn, Yeow, T., Son, M. T. and Hascard, M. ISFET glucose sensor based on a new principle using the electrolysis of hydrogen peroxide. *Sensors and Actuators B: Chemical*, 40 (1):1–5, 1997.
- [27] Park, K. Y. Choi, S. B., Lee, M., Sohn, B. K. and Choi, S. Y. ISFET glucose sensor system with fast recovery characteristics by employing electrolysis. *Sensors and Actuators B: Chemical*, 83 (1–3):90–97, 2002.
- [28] Poghossian, A., Yoshinobu, T., Simonis, A., Eckern, H., Luth, H. and Schoning, M. J. Penicillin detection by means of field–effect based sensors: EnFET, capacitive EIS sensor or LAPS. *Sensors and Actuators B: Chemical*, 78(1–3):237–242, 2001.
- [29] Volotovsky, V. and Kim, N. Determination of glucose, ascorbic and citric acids by two-ISFET multienzyme sensor. *Sensors and Actuators B: Chemical*, 49(1):253–257, 1998.
- [30] Jimenez, C., Bartrol, J., Rooij, N. F. De. and Hep, M. K. Use of photopolymerizable membranes based on polyacrylamide hydrogels for enzymatic microsensor construction. *Analytical Chimica Acta*, 351(1–3):169–176, 1997.
- [31] Munoz, J., Jimenez, C., Bratov, A., Bartroli, J., Alegret, S. and Dominguez, C. Photosensitive polyurethanes applied to the development of CHEMFET and ENFET devices for biomedical sensing. *Biosensors and Bioelectronics*, 12:577–585, 1997.
- [32] Mathur, R. B., Pande, S., Singh, B. P. and Dhami, T, L. Electrical and mechanical properties of multi-walled carbon nanotubes reinforced PMMA and PS composites. *Polymer Composites*, 29:71–727, 2008.
- [33] James, C. D., Devis, R, C., Kam, L., Craighead, H. G., Isaacson, M., Turner, J. N. and Shain, W. Patterned protein layers on solid substrates by thin stamp microcontact printing. *Langmuir*, 14(4):741–744, 1998.

- [34] Ishige, Y., Shimoda, M. and Kamahori, M. Extended–gate FET–based enzyme sensor with ferrocenyl–alkanethiol modified gold sensing electrode. *Biosensors and Bioelectronics*, 24(5):1096–1102, 2009.
- [35] Ahmad, R., Tripathy, N. and Hahn, Y. B. High–performance cholesterol sensor based on the solution–gated field effect transistor fabricated with ZnO nanorods. *Biosensors and Bioelectronics*, 45:281–286, 2013.
- [36] Shim, M. Polymer functionalization for air–stable *n*–type carbon nanotube field–effect transistors. *Journal of the American Chemical Society*, 123:11512–11513, 2001.
- [37] Li, E. Y. and Marzari, N. Improving the electrical conductivity of carbon nanotube networks: A first–principles study. *American Chemical Society Nano*, 5(12):9726–9736.
- [38] Sharma, A. L., Singhal, R., Kumar, A., Rajrsh, Pande, K. K. and Malhotra, B. D. Immobilization of glucose oxidase onto electrochemically prepared poly (aniline–co–fluoroaniline) films. *Jouranl of Applied Polymer Science*, 91(6) :3999–4006, 2004.
- [39] Barik, A., Solanki, P. R., Kaushik, A., Ali, A., Pandey, M. K., Kim, C. G. and Malhotra, B. D. Polyaniline carboxymethyl cellulose nanocomposite for cholesterol detection. *Journal of Nanoscience and Nanotechnology*, 10 (10):6479–6488, 2010.
- [40] Sharma, S. K., Suman, Pundir, C. S., Sehgal, N. and Kumar, A. Galactose sensor based on galactose oxidase immobilized in polyvinyl formal. *Sensors and Actuators B : Chemical*, 119(1) :15–19, 2006.
- [41] Gerard, M. A., Chaubey, A. and Malhotra, B. D. Application of conducting polymers to biosensors. *Biosensors and Bioelectronics*, 17(5):345–359, 2002.

- [42] Trevan, M. D. Enzyme immobilization by covalent bonding. *Methods in Molecular Biology*, 3: 495–510, 1988.
- [43] Singh, S., Solanki, P. R., Pandey, M. K. and Malhotra, B. D. Cholesterol biosensor based on cholesterol esterase, cholesterol oxidase and peroxidase immobilized onto conducting polyaniline films. *Sensors and Actuators B : Chemical*, 115(1):534–541, 2006.
- [44] Norouzi, P., Faridbod, F., Esfahani, E. N., Larijani, B. and Ganjali, M. R. Cholesterol biosensor based on MWCNTs–MnO₂ nanoparticles using FFT continuous cyclic voltammetry. *International Journal of Electrochemical Science*, 5:1008–1017, 2010.
- [45] Seung, R. L., Rahman, R. R., Ishida, M., Ishida, K. S. M. and Sawada, K. Development of a highly-sensitive acetylcholine sensor using a charge-transfer technique on a smart biochip. *Trends in Analytical Chemistry*, 28(2):196–203, 2009.
- [46] Iijima, S. Helical microtubules of graphitic carbon. *Nature*, 354:56–58, 1991.
- [47] Tans, S. J., Verschueren, A. R. M. and Dekker, C. Room-temperature transistor based on a single carbon nanotube. *Nature*, 393:49–52, 1998.
- [48] Prasek, J., Drbohlavova, J., Chomoucka, J., Hubalek, J., Jasek, O., Adam, V. and Rene Kizek, R. Methods for carbon nanotubes synthesis review. *Journal of Materials Chemistry*, 21:15872–15884, 2011.
- [49] Javey, A., Tu, R., Farmer, D. B., Guo, J., Gordon, R. G. and Dai, H. High performance n-type carbon nanotube field-effect transistors with chemically doped contacts. *Nano Letters*, 5(2):345–348, 2005.
- [50] Frank, S . Graphene Transistors. *Nature Nanotechnology*, 5:487–496, 2010.

- [51] Dhand, C., Arya, S. K., Dutta, M. and Malhotra, B. D. Polyaniline–carbon nanotube composite film for cholesterol biosensor. *Analytical Biochemistry*, 383(2):194–199, 2008.
- [52] Ansari, A. A., Kaushik, A., Solanki, P. R. and Malhotra, B. D. Electrochemical cholesterol sensor based on tin oxide–chitosan nanobiocomposite film. *Electroanalysis*, 21(8):965–972, 2009.
- [53] Ali, A., Ansari, A. A., Kaushik, A., Solanki, P. R., Barik, A., Pandey, M. K. and Malhotra, B. D. Nanostructured zinc oxide film for urea sensor. *Materials Letters*, 63(28):2473–2475, 2009.
- [54] Kim, J. S., Park, W. I., Lee, C. H. and Yi, G. C. ZnO nanorod biosensor for highly sensitive detection of specific protein binding. *Journal of the Korean Physical Society*, 49(4):1635–1639, 2006.
- [55] Ahmad, R. Tripathy N., Kim, S. H., Umar, A., Al-Hajry, A. and Hahn, Y. B. High performance cholesterol sensor based on ZnO nanotubes grown on Si/Ag electrodes. *Electrochemistry Communications*, 38:4–7, 2014.
- [56] Javey, A., Kim, H., Brink, M., Wang, Q., Ural, A., Guo, J., McIntyre, P., McEuen, P., Lundstrom, M. and Dai, H. High- κ dielectrics for advanced carbon nanotube transistors and logic gates. *Nature Materials*, 1:241–246, 2002.
- [57] Chang, K. M., Chang, C. T. and Chan, K. M. Development of an ion sensitive field effect transistor based urea biosensor with solid state reference systems. *Sensors*, 10(6):6115–6127, 2010.
- [58] Salimi, A., Sharifi, E., Noorbakhsh, A. and Soltanian, S. Immobilization of glucose oxidase on electrodeposited nickel oxide nanoparticles: direct electron transfer and electrocatalytic activity. *Biosensors and Bioelectronics*, 22(12):3146–3153, 2007.

- [59] Pang, H., Lu, Q., Zhang, Y., Li, Y. and Gao, F. Selective synthesis of nickel oxide nanowires and length effect on their electrochemical properties. *Nanoscale*, 2:920–922, 2010.
- [60] Niu X., Lan, M., Zhao, H. and Chen, C. Highly sensitive and selective nonenzymatic detection of glucose using three-dimensional porous nickel nanostructures. *Analytical Chemistry*, 85(7):3561–3569, 2013.
- [61] Kavitha, T. and Yuvaraj, H. A facile approach to the synthesis of high-quality NiO nanorods: electrochemical and antibacterial properties. *Journal of Materials Chemistry*, 21:15686–15691, 2011.
- [62] Xiong, S., Yuan, C., Zhang, X. and Qian, Y. Mesoporous NiO with various hierarchical nanostructures by quasi-nanotubes/nanowires/nanorods self-assembly: controllable preparation and application in supercapacitors. *Crystal Engineering Communication*, 13:626–632, 2011.
- [63] Ali, M. A., Solanki, P. R., Patel, M. K., Dhayani, H. Agrawal, V. V., John, R. and Malhotra, B. D. A highly efficient microfluidic nano biochip based on nanostructured nickel oxide. *Nanoscale*, 5:2883–2891, 2013.
- [64] Zang, W. D., Chen, J., Jiang, L. C., Yu, Y. X. and Zhang, J. Q. A highly sensitive nonenzymatic glucose sensor based on NiO-modified multi-walled carbon nanotubes. *Microchimica Acta*, 168:259–265, 2010.
- [65] Singh, J., Kalita, P., Singh, M. K. and Malhotra, B. D. Nanostructured nickel oxide-chitosan film for application to cholesterol sensor. *Applied Physics Letters*, 98(12):1237021–123724, 2011.
- [66] Bennett, T. P. and Frieden, E. *Modern Topics in Biochemistry*. Macmillan, London 1969.

- [67] Skong, D. A. *Fundamentals of analytical chemistry*, Student collection, *Philadelphia*, 2014.
- [68] Hiroshi, S., and Kioshi, I. Gas flow sputtering: versatile process for the growth of nanopillars, nanoparticles and epitaxial thin films. *Journal of Magnetism and Magnetic Materials*, 321:872–875, 2009.
- [69] Brown, G. W. Standard deviation and standard error. *American Journal of Diseases of Childhood*, 136(10):937–941, 1982.
- [70] Schisterman, E. F., Moysich, K. B., England, L. J. and Rao, M. Estimation of the correlation coefficient using the Bayesian approach and its applications for epidemiologic research. *BioMedical Central Medical Research Methodology*, 3:1–4, 2003.
- [71] Cochran, J. F. and Mapother, D. E. Superconducting Transition in aluminum. *Physical Review*, 111:132–142, 1958.
- [72] Denton Vacuum Inc. *Operating Instruments for Denton Vacuum Inc.* Retrieved on 21 June 2016 from <http://www.geology.wisc.edu/~johnf/dentoncoater.pdf>. 1993.
- [73] Mark, J. E., Allcock, H. R. and West, R. *Inorganic polymers*. Prentice Hall, Englewood, NJ, 1992.
- [74] Stock, J. T. and Orna, M. V. *Electrochemistry, past and present*. American Chemical Society, Washington, 1989.
- [75] Wahl., D. A *short history of electrochemistry–part 1*. Galvanotechnik 96(7), 2005.
- [76] McNaught, A. D. and Wilkinson, A. *Compendium of Chemical Terminology*. IUPAC, Stanford University Libraries, 1997.
- [77] Myron, K. *Principles of thermodynamics*, CRC Press, 2002.

- [78] Dulbecco, R. and Vogt, M. Plaque formation and isolation of pure lines with poliomyelitis viruses. *Journal of Experimental Medicine*, 99:167–182, 1954.
- [79] Yuqing, M., Gianguo, G. and Gianrong, C. Ion sensitive field effect transducer-based biosensors. *Biotechnology Advances*, 21(6):527–534, 2003.
- [80] Colinge, J. P., Lee, C. W., Afzalian, A., Akhavan, N. D., Yan, R., Ferain, I., Razavi, P., O'Neill, B., Blake, A., White, M., Kelleher, A. M., McCarthy, B. and Murphy, R. Nanowire transistors without junctions. *Nature Nanotechnology*, 5: 225–229, 2010.
- [81] Sahoo, R. and Mishro, R. R. Simulations of carbon nanotube field effect transistors. *International Journal of Electronic Engineering Research*, 1:117–125, 2009.
- [82] Doria, R.T. Junctionless multiple-gate transistors for analog applications. *IEEE Transaction on Electron Devices*, 58:2511–2519, 2011.
- [83] Antti, R. and Mikko, R. Reaction mechanism studies on the zirconium chloride–water atomic layer deposition process. *Journal of Material Chemistry*, 12:1484–1489, 2002.
- [84] Du, C. and Pan, N. High power density supercapacitor electrodes of carbon nanotube films by electrophoretic deposition. *Nanotechnology*, 17:5314–5318, 2006.
- [85] Lee, R. S., Kim, H. J., Fischer, J. E., Thess, A. and Smalley, R. A. Conductivity enhancement in single-walled carbon nanotube bundles doped with K and Br. *Nature*, 387:255–257, 1997.
- [86] Malhotra, B. D., Chaubey, A. and Singh, S. P. Prospects of conducting polymers in biosensors. *Analytica Chimica Acta*, 578:59–74, 2006.
- [87] Alam, M., Alandis, N. M., Ansari, A. A. and Shaik, M. R. Optical and electrical studies of polyaniline/ZnO nanocomposite. *Journals of Nanomaterials*, 5:1–5, 2013.
- [88] Liu, Z. Kobayashi, M., Paul, B. C., Bao, Z. and Nishi, Y. Fermi level depinning at metal–organic semiconductor interface for low–resistance ohmic contacts. *IEEE*

International Electron Device Meeting (IEDM-2009), San Francisco CA, 379–382, 2009.

- [89] Zhang, B., Dong, Q., Korman, C. E., Li, Z. and Zaghloul, M. E. Flexible packaging of solid-state integrated circuit chips with elastomeric microfluidics. *Scientific Reports*, 3:1–8, 2013.
- [90] Spijkman, M. E., Smits, E. C. P., Cillessen, J. F. M., Biscarini, F., Blom, P. W. M. and Leeuw, D. M. Beyond the Nernst-limit with dual-gate ZnO ion-sensitive field-effect transistors. *Applied Physics Letters*, 98:0435021–435023, 2011.
- [91] Suzuki, K. and Kato, K. Crystallization behavior of HfO₂ films for (Y,Yb) MnO₃/HfO₂/Si Structures. *Integrated Ferroelectrics*, 94(1):3–10, 2007.
- [92] Suzuki, K. and Kato, K. Sol-gel synthesis of High- κ HfO₂ thin films. *Journal of the American Ceramic Society*, 92 ([S1]): S1162– S164, 2009.
- [93] Chi, L., L. Yin, L. T., Chou, J. C., Chung, W. Y., Sun, T. P., Hsiung., K. P. and Hsiung, S. K. Study on separative structure of EnFET to detect acetylcholine. *Sensors and Actuators B: Chemical*, 71(1–2):68–72, 2000.
- [94] Chin, S. K., Seah, D., Lam, K. T., Samudra, G. S. and Liang, G. Device physics and characteristics of graphene nanoribbon tunneling FETs. *IEEE Transaction on Electron Devices*, 57(11):3144–3152, 2010.
- [95] Neto, A. H. C., Guinea, F., Peres, N. M. R., Novoselov, K. S. and Geim, A. K. The electronic properties of graphene. *Reviews on Modern Physics*, 81:109–163, 2009.
- [96] Doerk, G. S., Lestari, G., Liu, F., Carraro, C. and Maboudian, R. Ex situ vapour phase boron doping of silicon nanowires using BBr₃. *Nanoscale*, 2:1165–1170, 2010.
- [97] Guo, B., Fang, L., Zhang, B. and Gong, J. R. Graphene doping: A Review. *Insciences Journal*, 1:80–89, 2011.

- [98] Stan, M. R., Unluer, D., Ghosh, A. and Tseng, F. Graphene devices, Interconnect and circuits challenges and opportunities. *IEEE International Symposium on Circuits and Systems*, Taiwan, 69–72, 2009.
- [99] Choudhury, M. R., Yoon, Y., Guo, J., Mohanram, K. Graphene nanoribbon FETs: Technology exploration for performance and reliability. *IEEE Transactions on Nanotechnology*, 10:727–736, 2011.
- [100] Chen, Z., Lin, Y. M., Rooks, M. J. and Avouris, P. Graphene nano-ribbon electronics. *Physica E*, 40(2):228–232, 2007.
- [101] Guo, M., Chen, J., Li, J., Nie, L. and Yao, S. Carbon nanotubes-based amperometric cholesterol biosensor fabricated through layer-by-layer technique. *Electroanalysis*, 16(23):199–1998, 2004.
- [102] Raicopol, M., Pruna, A., Damian, C. and Pilan. L. Functionalized single-walled carbon nanotubes/polypyrrole composites for amperometric glucose biosensors. *Nanoscale Research Letters*, 316:1 –8, 2013.

LIST OF PUBLICATIONS

Publications in Referred Journals

- [1]. Barik, M. A. and Dutta, J. C. Fabrication and characterization of junctionless carbon nanotube field effect transistor for cholesterol detection. *Applied Physics Letters*, 105:0535091– 0535095, 2014. [Research highlight in Nature Index].
- [2]. Barik, M. A., Deka, R. and Dutta, J. C. Carbon nanotube-based dual-gated junctionless field-effect transistor for acetylcholine detection. *IEEE Sensors Journal*, 16:280–286, 2016.
- [3]. Barik, M. A., Sarma, M. K., Sarkar, C. R. and Dutta, J. C. Highly Sensitive Potassium-Doped Polypyrrole/Carbon Nanotube-Based Enzyme Field Effect Transistor (ENFET) for Cholesterol Detection. *Applied Biochemistry and Biotechnology*, 174:1104–1114, 2014.

Publications in IEEE Conferences

- [4]. Barik, M. A., Sarma, M. K. and Dutta, J. C. Traditional graphene based and junctionless carbon nanotube based field effect transistor for cholesterol sensor. In *2nd IEEE International Conference on Emerging Electronics (ICEE–2014)*, IISc Bangalore, December 3–6, 2014.
- [5]. Barik, M. A., Sarma, M. K. and Dutta, J. C. Traditional and junctionless field effect transistor for cholesterol detection, In *IEEE International Conference on Electronic Design, Computer Networks and Automated Verification (EDCAV-2015)*, NIT Meghalaya, January 29–30, 2015.