

Table of Content

Abstract

Declaration

Certificate of the Supervisor

Certificate of the External Examiner and ODEC

Acknowledgement

Content	i
List of Figures	v
List of Tables	viii
List of Abbreviations	ix
List of Symbols and notations	xi

1 Introduction	1
1.1 Introduction	1
1.2 Motivation	2
1.3 Research objectives	3
1.4 Methodology adopted	4
1.5 Research achievement	5
1.6 Thesis organization	6
Bibliography	9
2 Literature survey	11
2.1 Introduction	11
2.2 Electrophysiology of peripheral myelinated nerves: an overview	11
2.3 Some aspects of demyelination: an overview	14
2.3.1 Demyelinating diseases associated with peripheral nerves	14
2.3.1.1 Charcot-Marie-Tooth Disease (CMT)	14
2.3.1.2 Chronic Inflammatory Demyelinating Polyneuropathy (CIDP)	15
2.3.1.3 Guillain-Barre Syndrome (GBS)	15

2.3.1.4	Multifocal Motor Neuropathy (MMN)	16
2.3.2	Diagnosis of the demyelinating diseases	16
2.3.2.1	Neuro-diagnostic testing	16
2.3.2.2	Biopsy	17
2.3.2.3	Computed Tomography (CT scan)	19
2.3.2.4	Magnetic resonance imaging (MRI)	19
2.4	Strategies for development of neurological disorders	19
2.4.1	Cell therapy for neurologic disorders	20
2.4.2	Transplantation- Use of stem cells	20
2.4.3	Myelin repair	21
2.5	Historical background on the physiological studies of peripheral nerves	21
2.6	Electric circuit model of nerve propagation Hodgkin-Huxley model	25
2.6.1	Models based on H-H model of nerve propagation	27
2.7	Some recent patents/ patent applications for the development of myelinated nerve fibers	33
	Bibliography	36
3	Electric circuit model of a myelinated nerve and study of its nerve excitable properties via toad nerve model	48
3.1	Introduction	48
3.2	Electric circuit modeling of a peripheral myelinated nerve	49
3.2.1	Electric circuit model of a myelinated axon considering a bundle of axons	50
3.2.2	Formulation of NCV in the modeled myelinated nerve	51
3.3	Experimental validation <i>via</i> toad nerve model	56
3.3.1	Materials	56
3.3.1.1	Reagents	57
3.3.1.2	Animals	57
3.3.1.3	Instrumental set	57
3.3.2	Methods	58
3.3.2.1	Isolation of sciatic nerves	58

3.3.2.2	Recording of CAPs and estimation of NCV from the prepared sciatic nerves	58
3.3.2.3	Scanning Electron Microscope (SEM) imaging	59
3.4	Results	60
3.5	Discussions	61
3.6	Conclusion	61
	Bibliography	63
4	Modeling of a demyelinated nerve and quantification of demyelination	65
4.1	Introduction	65
4.2	Modeling of a demyelinated nerve	66
4.2.1	Electric circuit model	67
4.2.2	Formulation of NCV	68
4.3	Demyelination in a toad nerve model	72
4.3.1	Materials and methods	72
4.3.1.1	Animals	73
4.3.1.2	Collection of snake venom	73
4.3.1.3	Determination of Protein content	73
4.3.1.4	Venom enzyme assay	74
4.3.1.5	Partial purification of fraction containing Phospholipase A ₂ (PLA ₂) and three finger toxin (3FTx)	74
4.3.1.6	Phospholipase A ₂ activity assay	75
4.3.1.7	Recording of CAPs and estimation of NCV from the prepared sciatic nerves	75
4.3.1.8	Scanning Electron Microscope (SEM) imaging	75
4.4	Results	76
4.4.1	Reduction of amplitude of NC signal	80
4.5	Discussion	82
4.6	Conclusions	83

Bibliography	84
5 Modeling and validation of a recovery model via coupling between myelinated and demyelinated nerve fibers using toad nerve model	87
5.1 Introduction	87
5.2 Nerve fiber coupling	87
5.2.1 Electric circuit model of coupling	88
5.2.2 Estimation of NCV in Coupled Model	90
5.3 Formation of a coupled nerve model	94
5.4 Results	96
5.4.1 Recovery of disorder	99
5.4.2 Recovery in blocking of Na ⁺ and K ⁺ channels	100
5.5 Discussions	103
5.6 Conclusion	104
Bibliography	105
6 Conclusion and future scope	107
6.1 Conclusions	107
6.2 Scope for future works	109
List of publications	xiv