

LIST OF FIGURES

| FIGURE | CAPTION | PAGE NO. |
|------------------|---|----------|
| CHAPTER 1 | | |
| 1 | Three isomeric diazines | 1 |
| 2 | Numbering of atoms in pyrimidine moiety | 2 |
| 3 | Resonance in pyrimidine | 2 |
| 4 | Electrophilic attack at 5-position of pyrimidine ring | 2 |
| 5 | Structures of uric acid and alloxan | 3 |
| 6 | Five important nucleobases | 4 |
| 7 | Intermolecular H-bonding in nucleic acids | 4 |
| 8 | Pyrimidines extracted from plant origin | 6 |
| 9 | Structures of three pyrimidine alkaloids | 6 |
| 10 | Some pyrimidine based marketed drugs | 7 |
| 11 | Structures of 47, 48, 49 & 50 | 10 |
| 12 | Selective A _{2B} adenosine receptor antagonists | 11 |
| 13 | Selective A ₁ adenosine receptor antagonists | 11 |
| 14 | Selective A ₃ adenosine receptor antagonists | 12 |
| 15 | Structure of MAO-B inhibitors | 12 |
| 16 | Structure of 61 | 13 |
| 17 | Structures of 62, 63 & 64 | 14 |
| 18 | Thiopyrazolo[3,4- <i>d</i>]pyrimidine antibacterial (65) & Ethambutol (66) | 15 |
| 19 | Promising drug for diarrhea | 16 |
| 20 | Structures of some anti-HIV compounds | 17 |
| 21 | Potential antiretroviral agents | 18 |
| 22 | Non-nucleoside HIV RT inhibitors | 18 |
| 23 | Selective HCV inhibitors | 19 |
| 24 | Pyrido[2,3- <i>d</i>]pyrimidine derivative with activity | 19 |

LIST OF FIGURES

| | | |
|------------------|--|----|
| | against dengue virus | |
| 25 | Structures of some anticancer agents | 20 |
| 26 | Antitumor active furopyrimidine (91) and pyrrolopyrimidine (92) derivative | 20 |
| 27 | Antitumor active pyrimidine derivatives | 21 |
| 28 | Pyrimidine derivatives as thymidine phosphorylase inhibitor | 21 |
| 29 | Some pyrimidine based anti-inflammatory compounds | 22 |
| 30 | Pyrimidine base anti-inflammatory compounds | 23 |
| 31 | Pyrimidine based photo-switchable bent-core liquid crystal monomer | 23 |
| 32 | Fluorescent ribonucleoside (105) and its triphosphate (106) | 24 |
| 33 | Pyrimidine based compounds with redox property | 25 |
| CHAPTER 2 | | |
| 1 | Methylated (2) and non-methylated amidine (1) | 33 |
| 2 | Comparison of ¹ H NMR spectra of substrates and product | 35 |
| 3 | ORTEP diagram of 4a | 36 |
| 4 | ORTEP diagram of 5g | 40 |
| 5 | ¹ H NMR spectrum of compound 2 | 48 |
| 6 | ¹³ C NMR spectrum of compound 2 | 48 |
| 7 | ¹ H NMR spectrum of compound 5a | 49 |
| 8 | ¹³ C NMR spectrum of compound 5a | 49 |
| 9 | ¹ H NMR spectrum of compound 5d | 50 |
| 10 | ¹³ C NMR spectrum of compound 5d | 50 |
| 11 | ¹ H NMR spectrum of compound 5e | 51 |
| 12 | ¹³ C NMR spectrum of compound 5e | 51 |
| 13 | ¹ H NMR spectrum of compound 5g | 52 |

LIST OF FIGURES

| | | |
|------------------|--|----|
| 14 | ¹³ C NMR spectrum of compound 5g | 52 |
| 15 | ¹ H NMR spectrum of compound 5h | 53 |
| 16 | ¹³ C NMR spectrum of compound 5h | 53 |
| 17 | ¹ H NMR spectrum of compound 8a | 54 |
| 18 | ¹³ C NMR spectrum of compound 8a | 54 |
| CHAPTER 3 | | |
| 1 | Structure of Alimta, an antifolate | 57 |
| 2 | ORTEP diagram of 3a | 59 |
| 3 | Bar diagram showing the effect of solvent -base combination on Scheme 2 . | 60 |
| 4 | ORTEP diagram of 4a | 63 |
| 5 | Comparison of ¹ H NMR spectra of substrates, intermediate and product | 64 |
| 6 | ¹ H NMR spectrum of 3a | 75 |
| 7 | ¹³ C NMR spectrum of 3a | 75 |
| 8 | ¹ H NMR spectrum of 3c | 76 |
| 9 | ¹³ C NMR spectrum of 3c | 76 |
| 10 | ¹ H NMR spectrum of 3d | 77 |
| 11 | ¹³ C NMR spectrum of 3d | 77 |
| 12 | ¹ H NMR spectrum of 3e | 78 |
| 13 | ¹³ C NMR spectrum of 3e | 78 |
| 14 | ¹ H NMR spectrum of 3g | 79 |
| 15 | ¹³ C NMR spectrum of 3g | 79 |
| 16 | ¹ H NMR spectrum of 3i | 80 |
| 17 | D ₂ O exchange of ¹ H NMR spectrum of 3i | 80 |
| 18 | ¹ H NMR spectrum of 3k | 81 |
| 19 | ¹³ C NMR spectrum of 3k | 81 |

LIST OF FIGURES

| | | |
|------------------|--|-----|
| 20 | ¹ H NMR spectrum of 4a | 82 |
| 21 | ¹³ C NMR spectrum of 4a | 82 |
| 22 | ¹ H NMR spectrum of 4c | 83 |
| 23 | ¹³ C NMR spectrum of 4c | 83 |
| 24 | ¹ H NMR spectrum of 4d | 84 |
| 25 | ¹³ C NMR spectrum of 4d | 84 |
| 26 | ¹ H NMR spectrum of 4e | 85 |
| 27 | ¹ H NMR spectrum of 4g | 85 |
| 28 | ¹³ C NMR spectrum of 4g | 86 |
| 29 | ¹ H NMR spectrum of 4h | 86 |
| 30 | ¹³ C NMR spectrum of 4h | 87 |
| 31 | ¹ H NMR spectrum of 4k | 87 |
| 32 | ¹ H NMR spectrum of 4k | 88 |
| CHAPTER 4 | | |
| 1 | Structure of pyrido[2,3- <i>d</i> :6,5- <i>d'</i>]dipyrimidine-2,4,6,8-tetraones | 91 |
| 2 | Selected ionic liquids with Brønsted acid site | 93 |
| 3 | Screening of ionic liquids for Scheme 1 . | 94 |
| 4 | Structure of 6-amino-5-((4-amino-1,5-dimethyl-2,6-dioxo-1,2,5,6-tetrahydropyridin-3-yl)(phenyl)methyl)-1,3-dimethylpyrimidine-2,4(1 <i>H</i> ,3 <i>H</i>)-dione (6a) | 94 |
| 5 | ORTEP diagram of 5f | 98 |
| 6 | Reusability of [Dsim]Cl for synthesis of 5a via Scheme 3 | 99 |
| 7 | ¹ H NMR spectrum of 5a | 104 |
| 8 | ¹³ C NMR spectrum of 5a | 105 |
| 9 | ¹ H NMR spectrum of 5d | 105 |
| 10 | ¹³ C NMR spectrum of 5d | 106 |

LIST OF FIGURES

| | | |
|------------------|--|-----|
| 11 | ¹ H NMR spectrum of 5e | 106 |
| 12 | ¹³ C NMR spectrum of 5e | 107 |
| 13 | ¹ H NMR spectrum of 5f | 107 |
| 14 | ¹³ C NMR spectrum of 5f | 108 |
| 15 | ¹ H NMR spectrum of 5h | 108 |
| 16 | ¹³ C NMR spectrum of 5h | 109 |
| 17 | ¹ H NMR spectrum of 5i | 109 |
| 18 | ¹³ C NMR spectrum of 5i | 110 |
| 19 | ¹ H NMR spectrum of 6 | 110 |
| 20 | ¹³ C NMR spectrum of 6 | 110 |
| CHAPTER 5 | | |
| 1 | ¹ H NMR spectra of 1a (red) and 2a (blue) | 115 |
| 2 | ¹ H NMR spectrum of compound 2a | 121 |
| 3 | ¹³ C NMR spectrum of compound 2a | 122 |
| 4 | ¹ H NMR spectrum of compound 2d | 122 |
| 5 | ¹³ C NMR spectrum of compound 2d | 123 |
| 6 | ¹ H NMR spectrum of compound 2e | 123 |
| 7 | ¹³ C NMR spectrum of compound 2e | 123 |
| 8 | ¹ H NMR spectrum of compound 2k | 124 |
| 9 | ¹³ C NMR spectrum of compound 2k | 124 |
| 10 | ¹ H NMR spectrum of compound 4d | 125 |
| 11 | ¹³ C NMR spectrum of compound 4d | 125 |