

List of tables

Chapter	Table	Title	Page No.
Chapter 1:			
	1.1	Oil content and production of non-edible oil seeds	1 - 4
	1.2	Fatty acid profile for some common vegetable oils	1 - 12
	1.3	Physicochemical characteristics of <i>Jatropha curcas</i> oil	1 - 13
Chapter 2:			
	2.1	Mass (g) of each reagent used in resin formulations	2 - 4
	2.2	The extent of reaction, average degree of polymerization and second order rate constant (k) for the alkyd resins as calculated at the point of deviation from the linearity	2 - 12
	2.3	Physicochemical properties of the synthesized alkyd resins	2 - 15
	2.4	Molecular weight and molecular weight distribution of the alkyd resins	2 - 16
	2.5	Curing characteristics of the synthesized alkyd resins and the blends	2 - 17
	2.6	Gloss, flexibility, adhesion, and pencil hardness of the cured blends	2 - 17
	2.7	Chemical resistance of the blends	2 - 18
	2.8	Tensile strength and elongation at break for the cured films	2 - 20
Chapter 3:			
	3.1	Properties of the EJO and EAR	3 - 5
	3.2	Composition (g) of blends of EAR and ESO	3 - 6
	3.3	Thermal degradation data of the alkyd resin and the blends	3 - 16

3.4	Performance of the blends	3 - 18
3.5	Chemical resistance (wt loss %) of the blends in different chemical environments	3 - 18
3.6	Performance of the postcured AJO20	3 - 20
Chapter 4:		
4.1	Thermal degradation data for the alkyd/epoxy/EG biocomposites	4 - 12
4.2	Mechanical properties of the biocomposite films	4 - 13
4.3	Limiting oxygen indices (LOI) and flaming characteristics of the composites	4 – 16
Chapter 5:		
5.1	Compositions of the bionanocomposites	5 - 4
5.2	Viscosity and curing characteristics of the bionanocomposites	5 - 7
5.3	TGA data of the pristine blend and the bionanocomposites	5 - 15
5.4	Mechanical properties of the bionanocomposites	5 – 17
Chapter 6:		
6.1	Physicochemical properties of the ESO	6 - 5
6.2	Compositions of the bionanocomposites	6 - 6
6.3	Performance characteristics of the bionanocomposites	6 – 15
6.4	Thermal degradation data of the bionanocomposites	6 – 17
6.5	Chemical resistance (% wt loss) test for the bionanocomposite films	6 – 18
6.6	Performance of the postcured bionanocomposite films	6 - 19