

List of figures

Chapter	Figure	Figure caption	Page No.
Chapter 1:			
	1.1	Plant oils as renewable raw materials in chemistry	1 - 2
	1.2	<i>Jatropha curcas</i> as multipurpose crop	1 - 3
	1.3	Exploitation of <i>Jatropha curcas</i> components	1 - 5
	1.4	Different components of the <i>Jatropha curcas</i> plant	1 - 6
	1.5	Major distribution areas of <i>Jatropha curcas</i> (green) around the world	1 - 8
	1.6	Extraction of <i>Jatropha curcas</i> oil	1 - 9
	1.7	Triglyceride structure of vegetable oils (R_1 , R_2 , R_3 represents fatty acid chains)	1 - 11
	1.8	Chemical structure of common fatty acids present in vegetable oil	1 - 13
	1.9	Structure of a typical alkyd resin (PA: polyalcohol, PAc: polyacid, FA: fatty acid)	1 - 18
	1.10	Schematic drawings of three main processing techniques for the preparation of clay-containing polymer nanocomposites: (a) in-situ polymerization, (b) solution intercalation, and (c) melt intercalation	1 - 29
Chapter 2:			
	2.1	Plots of acid value as a function of reaction time during polyesterification reaction	2 - 10
	2.2	Plots of degree of polymerization as a function of reaction time for the alkyd resins	2 - 11
	2.3	FT-IR spectra of jatropha oil (a), Resin 1 (b), Resin 2 (c), and Resin 3 (d)	2 - 13
	2.4	^1H NMR spectra of jatropha oil (a), Resin 1 (b), Resin 2	2 - 14

	(c), and Resin 3 (d)	
2.5	SEM micrographs of (a) Blend A, (b) Blend B, and (c) Blend C	2 - 19
2.6	TGA thermograms for the blends (a) Blend A, (b) Blend B, and (c) Blend C	2 - 19

Chapter 3:

3.1	FT-IR spectra of (a) jatropha oil, (b) EJO, (c) EAR, and (d) AJO30	3 - 10
3.2	¹ H NMR spectra of (a) jatropha oil, (b) EJO, (c) EAR, and (d) AJO30	
3.3	¹³ C NMR spectra of (a) jatropha oil, (b) EJO, (c) EAR, and (d) AJO30	3 - 12
3.4	Cross-linked polymer networks of EAR and EJO with citric acid	3 - 14
3.5	SEM micrographs of (a) AJO20, (b) AJO30, (c) AJO40, and (d) AJO50	3 - 15
3.6	TGA curves of (a) alkyd resin, (b) AJO20, (c) AJO30, (d) AJO40, and (e) AJO50	3 - 16
3.7	TGA (a) and DTG (b) curves of AJO20 cured at 120 °C and 160 °C	3 - 19

Chapter 4:

4.1	FT-IR spectra of EG (a), alkyd/epoxy blend (b), biocomposites with 2.5 (c) and 5 (d) wt % EG	4 - 7
4.2	XRD patterns of EG (a), biocomposites with 5 (b), 4 (c), 2.5 (d) and 1.5 (e) wt % EG, and neat polymer (f)	4 - 8
4.3	SEM micrographs of natural graphite (a), and EG (b) and (c) at different magnifications	4 - 9

4.4	SEM micrographs of the biocomposites with (a) 2.5, and (b) and (c) 5 wt % EG	4 - 10
4.5	TEM images of the biocomposites (1.5 wt % EG) at different magnifications	4 - 10
4.6	TGA thermogram of the biocomposites with different wt % EG loading	4 - 11
4.7	Effects of UG and EG content on tensile strength and elongation at break (%) of the biocomposites	4 - 13
4.8	Degradation curve of the biocomposites with different wt % of EG	4 - 14
4.9	Water absorption of the biocomposites with different wt % of EG	4 - 15

Chapter 5:

5.1	Photograph of a alkyd/epoxy/GO bionanocomposite film	5 - 6
5.2	FT-IR spectra of (a) alkyd/epoxy blend, (b) GO and (c) bionanocomposite (3 wt % GO)	5 - 8
5.3	XRD patterns of (a) GO, (b) BNC5, (c) BNC3, (d) BNC1 and (e) pristine blend	5 - 9
5.4	TEM micrographs of the bionanocomposites at different magnifications, (a) 1 wt %, (b) & (c) 3 wt % and (d) 5 wt % GO	5 - 11
5.5	SEM images of the fracture surface of (a) alkyd/epoxy blend and (b) & (c) BNC3	5 - 12
5.6	DSC traces of the pristine blend and the bionanocomposites. Inset is the T_g vs GO content (wt %)	5 - 13
5.7	TGA curves of (a) pristine blend, (b) BNC1, (c) BNC3, (d) BNC5, and (e) GO	5 - 14
5.8	Effect of GO content on the mechanical properties of the bionanocomposites, (a) elastic modulus, and (b) tensile	5 - 16

strength

Chapter 6:

- | | | |
|------------|---|--------|
| 6.1 | FT-IR spectra of (a) MWCNTs, (b) c-MWCNTs, (c) ESO-CA networks, and (d) bionanocomposites (CNTC1) | 6 - 11 |
| 6.2 | X-ray diffraction of (a) CNTC0, (b) CNTC1, (c) CNTC2, and (d) CNTC3 | 6 - 12 |
| 6.3 | TEM micrographs of (a) c-MWCNTs, and (b) bionanocomposites (CNTC1) | 6 - 13 |
| 6.4 | TGA (a), and DTG (b) curves for the bionanocomposites with different wt% of c-MWCNTs | 6 - 16 |
| 6.5 | TGA curves for the postcured bionanocomposite films | 6 - 19 |