

# Contents

	<b>Page no</b>
Abstract	i-vii
Declaration by the candidate	viii
Certificate of supervisor	ix
Acknowledgement	x-xi
List of schemes	xvii-xviii
List of figures	xix-xx
List of tables	xxi-xxii
List of abbreviations	xxiii-xxv
<b>Chapter 1: General Introduction.</b>	<b>1-10</b>
Introduction	1-7
References	8-10
<b>Chapter 2: Development of Efficient Pd Based Catalysts for C-C Bond Formation Reactions.</b>	<b>1-90</b>
Introduction	1-19
<b>Section 2.1</b>	<b>21-36</b>
<b>Improved Suzuki-Miyaura cross-coupling reaction in Rice Straw Ash: Evidence for enhancing effect of water: <i>i</i>-propanol with <i>in-situ</i> generated Pd NPs.</b>	
2.1. A. Introduction	23-24
2.1. B. Experimental	24-27

2.1. C. Results and discussion	27-30
2.1. D. Conclusions	31
Characterisation data and spectra	36
<b>Section 2.2</b>	<b>38-54</b>
<b>External reducing agent free facile synthesis of Pd NPs decorated on Montmorillonite K10 and its implication in Suzuki type cross coupling reaction under base free condition.</b>	
2.2. A. Introduction	38-39
2.2. B. Experimental	39-43
2.2. C. Results and discussion	43-49
2.2. D. Conclusions	50
Characterisation data and spectra	50-54
<b>Section 2.3</b>	<b>55-67</b>
<b>A room temperature ligand and copper free Sonogashira cross coupling reaction catalyzed by Pd NPs decorated on reduced graphene oxide.</b>	
2.3. A. Introduction	56-57
2.3. B. Experimental	57-58
2.3. C. Results and discussion	58-63
2.3. D. Conclusions	63

Characterisation data and spectra	63-67
References	68-90
<b>Chapter 3. Development of Mild and Efficient Protocols for C-N Bond Formation Reaction.</b>	<b>1-75</b>
Introduction	1-22
<b>Section 3.1</b>	<b>23-39</b>
<b><i>N,N'</i>-dimethyl urea/ Cu(II) as an excellent promoter for room temperature <i>N</i>-arylation of aniline and imidazole in WEBPA: MeCN.</b>	
3.1. A. Introduction	25
3.1. B. Experimental	25-28
3.1. C. Results and discussion	29-31
3.1. D. Conclusions	32
Characterisation data and spectra	32-37
<b>Section 3.2</b>	<b>39-63</b>
<b>Molecular iodine catalyzed <i>ipso</i>-nitration of arylboronic acid at room temperature with zirconium oxynitrate: A theoretical and experimental investigation.</b>	
3.2. A. Introduction	41-42
3.2. B. Experimental	42

3.2. C. Results and discussion	42-53
3.2. D. Conclusions	53
Characterisation data and spectra	54-63
References	64-75
<b>Chapter 4. Development of Efficient Protocols for <i>Ips</i> Hydroxylation of Arylboronic Acid</b>	<b>1-41</b>
Introduction	1-5
<b>Section 4.1.</b>	<b>7-20</b>
<b>A mild and efficient <i>ipso</i>-hydroxylation of arylboronic acid catalyzed by bio-silica</b>	
4.1. A. Introduction	9
4.1. B. Experimental	10
4.1. C. Results and discussion	10-15
4.1. D. Conclusions	15-16
Characterisation data and spectra	16-20
<b>Section 4.2.</b>	<b>21-36</b>
<b>Baker's yeast as an efficient reusable bio catalyst for oxidative hydroxylation of aryl /heteroarylboronic acid</b>	
4.1. A. Introduction	23

4.1. B. Experimental	24
4.1. C. Results and discussion	24-30
4.1. D. Conclusions	30
Characterisation data and spectra	31-36
References	37-41

**Annexure I: List of publications**

**Annexure II: Seminar/ Workshop attended and paper presented**