

List of Tables

Chapter	Table No.	Title	Page No.
<i>Chapter 1</i>	1.1	Types of clusters according to chemical bonding	1-7
<i>Chapter 3</i>	3.1.1	Calculated values of selected bond properties of Au-Au and Au-Be bonds of different Au _n Be ₂ clusters	3-14
	3.2.1	Vertical electron affinities of neutral Au _{n+2} and Au _n Mg ₂ clusters (n=1-5)	3-31
	3.2.2	Vertical and adiabatic ionization potentials of neutral Au _{n+2} and Au _n Mg ₂ clusters (n=1-5)	3-32
	3.2.3	Electron density, ρ and the Laplacian of electron density, $\nabla^2\rho$ at the bond critical points (BCP) for some selected clusters	3-34
	3.3.1	Vertical electron affinities of neutral Au _{n+2} and Au _n Al ₂ clusters (n=1-5)	3-52
	3.3.2	Vertical and adiabatic ionization potentials of neutral Au _{n+2} and Au _n Al ₂ clusters (n=1-5)	3-53
	3.3.3	Electron density, ρ and the Laplacian of electron density, $\nabla^2\rho$ at the bond critical points (BCP) for some selected clusters	3-55
<i>Chapter 4</i>	4.1.1	Thermochemical data for the oxidation pathways of NO calculated at DFT level of theory with TZPE corrections	4-7
	4.2.1	Calculated and experimental bond lengths, d (in Å) and dissociation energies, D.E. in eV) at B3LYP level	4-16
	4.2.2	T1 diagnostic values of the transition states for Ag and Ag sites of Au-Ag ⁻ -dimer using B3LYP	4-17

	functional	
4.2.3	Binding energies for different binding orientations of O ₂ and NO with Au-Ag ⁻ dimer	4-19
4.2.4	Relative energies of different species with various spin multiplicities	4-20
4.2.5	Calculated barrier heights for both pathways along Ag and Au sites of Au-Ag ⁻ -dimer at B3LYP level	4-25
Chapter 5		
5.1.1	Reaction enthalpies, free energies of reactions (5.1- 5.2) and bond dissociation energy (D°_{298}) calculated at M06-2X/6-31+G(d,p) level of theory along with literature values. All values are in kcal mol ⁻¹	5-6
5.1.2	Zero point corrected relative energies (in kcal mol ⁻¹) for all the species M06-2X/6-31+G(d,p) level of theory	5-11
5.1.3	The value of $\Delta_f H^{\circ}_{298}$ (in kcal mol ⁻¹) for the reactant and product radicals calculated at M06-2X/6-31+G(d,p) from the isodesmic reactions with literature values	5-14
5.1.4	Rate constant values (in cm ³ molecule ⁻¹ s ⁻¹) for H-abstraction reactions of CF ₃ CF ₂ CH ₂ OCH ₃ with OH radicals at M06-2X/6-31+G(d,p) level	5-16
5.1.5	Values of $\Delta_f H^{\circ}_{298}$ and $\Delta_f G^{\circ}_{298}$ (in kcal mol ⁻¹) for reactions (R3-R7) involved in thermal decomposition of radicals at M06-2X level of theory	5-18
5.1.6	Calculated barrier heights (in kcal mol ⁻¹) for reactions (R3-R7) at M06-2X level of theory	5-19
5.2.1	Thermochemical data for reaction channels (R1-R6) and bond dissociation enthalpy (D°_{298})	5-24

	calculated at M06-2X/6-31+G(d,p) and M06-2X/6-311++G(d,p) (within parentheses) levels of theory along with literature value. All values are in kcal mol ⁻¹	
5.2.2	Relative energies ΔE , (in kcal mol ⁻¹) with zero-point energy correction for the reactants, reaction complexes, transition states, product complexes and products at M06-2X levels of theory	5-28
5.2.3	The values $\Delta_f H^\circ_{298}$ (in kcal mol ⁻¹) for the species from the isodesmic reactions are given at M06-2X/6-31+G(d,p) and M06-2X/6-311++G(d,p) levels	5-30
5.2.4	Rate coefficient values (in cm ³ molecule ⁻¹ s ⁻¹) for reactions R1a and R1b and total rate coefficient (k_{OH}) values as calculated at M06-2X level of theories	5-32
5.2.5	Calculated barrier heights for transition states involved in thermal decomposition of i-C ₃ F ₇ OCH ₂ O• radical at various levels of theory. All values are in kcal mol ⁻¹	5-34
5.2.6	Rate coefficient values (in cm ³ molecule ⁻¹ s ⁻¹) for reactions R5 and R6 using M06-2X/6-31+G(d,p) results	5-36