

Bibliography

- [1] Abakar, M. O. and Ahmed E, 2014. Height diameter relationship model for *Acacia Nilotica* in Riverine forests Blue Nile. *Journal of forest products & industries*, 3(1): 50-55.
- [2] Ahtikoski, A., Ojansuu, R., Haapanen, M., Hynynen, J. and Kärkkäinen, K. Financial performance of using genetically improved regeneration material of Scots pine (*Pinus sylvestris* L.) in Finland. *New Forests*, 43(3): 335-348, 2012.
- [3] Araneda, M. E., Hernandez, J. M., Gasca-Leyva, E. and Vela, M. A. Growth modelling including size heterogeneity: Application to the intensive culture of white shrimp (*P. vannamei*) in freshwater, *Aquacultural Engineering*, 56: 1-12, 2013.
- [4] Bertalanffy, L. V. Stoffwechselformen und wachstumstypen (Untersuchungen über die Gesetzmäßigkeit des Wachstums VII). *Biol. Zentralbl*, 61: 510–532, 1941.
- [5] Bertalanffy, L. V. Quantitative laws in metabolism and growth. *Quantitative Rev. Biology*, 32: 218–231, 1957.
- [6] Burnham K.P. and D.R. Anderson, 1998. *Model Selection and Multimodel Inference: A Practical Information-Theoretic Approach*. Springer, New York, 2nd edition, 1998.

- [7] Carmean, W. H. Site index curves for upland oaks in the central states. *Forest Science*, 18(2): 109-120, 1972.
- [8] Carmean, W. H. and Lenthall, D. J. Height-growth and site-index curves for jack pine in north central Ontario. *Canadian Journal of Forest Research*, 19(2): 215-224, 1989.
- [9] Chandrasekhar, T. R. Evaluation of unconstrained and constrained mathematical functions to model girth growth of rubber trees (*Hevea brasiliensis*) using young age measurements. *Journal of Forestry Research*, 23(3), 365-375, 2012.
- [10] Cailliet, G. M., Smith, W. D., Mollet, H. F., & Goldman, K. J. Age and growth studies of chondrichthyan fishes: the need for consistency in terminology, verification, validation, and growth function fitting. *Environmental Biology of Fishes*, 77:211–228, 2006.
- [11] Cloern, J. E., & Nichols, F. H. A von Bertalanffy growth model with a seasonally varying coefficient. *Journal of the Fisheries Board of Canada*, 35: 1479-1482, 1978.
- [12] Clutter, J. L., Fortson, J. C., Pienaar, L. V., Brister, G. H. and Bailey, R. L. *Timber management: a quantitative approach*. John Wiley & Sons, New York, 1983.

- [13] Coble D. W. and Lee Y. J. *Use of a generalized sigmoid growth function to predict site index for unmanaged loblolly and slash pine plantations in east texas*. Gen. Tech. Rep. SRS-92. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station, 291-295, 2006.
- [14] Colbert, J. J., Schuckers, M., & Fekedulegn, D. Comparing models for growth and management of forest tracts. In Amaro, A., Reed, D. and Soares, P., Editors, *Modelling Forest Systems*, 335-346, CAB1 Publishing, Wallingford, UK, 2003.
- [15] Colbert, J. J., Michael, S., Desta, F., James, R., Siurtain, M. P. M. and Kurt, G. Individual tree basal-area growth parameter estimates for four models. *Ecological modelling*, 174(1): 115-126, 2004.
- [16] Colff M. V. D. and Kimberley M. O. A National height-age model for *Pinus radiata* in New Zealand. *New Zealand Journal of Forestry Science*, 43(1): 1-11, 2013.
- [17] Cooper, C. F. Equations for the description of past growth in even-aged stands of ponderosa pine. *Forest Science*, 7(1): 72-80, 1961.
- [18] Draper, N. R. and Smith, H. *Applied regression analysis*. Wiley India Pvt Ltd, 3rd edition, 2011.
- [19] Dove D. M. Richness patterns in the parasite communities of exotic poeciliid fishes. *Parasitology*, 120(6): 609-623, 2000.

- [20] Fang, S. and Gertner, G. Analysis of parameters of two growth models estimated using Bayesian methods and nonlinear regression. In: *Rennolls, K. Proceedings of IUFRO 4.11 conference: Forest Biometry, Modelling and Information Systems*, University of Greenwich, 2001.
- [21] Fekedulegn, D. Theoretical Nonlinear Mathematical Models in Forest Growth and Yield Modelling. Master's thesis, Department of Crop Sciences, Horticulture and Forestry, University College Dublin, Ireland, 1996.
- [22] Fekedulegn, D., Mac Siurtain, M.P. and Colbert, J.J. Parameter estimation of nonlinear growth models in forestry, *Silva Fennica*, 33(4): 327–336, 1999.
- [23] Fengri, L., Yonghe, W. and Lijun, H. Comparison of the Chapman-Richards function with the Schnute model in stand growth. *Journal of Forestry Research*, 8(3): 137-143, 1997.
- [24] Fontes, L., Tomé, M., Coelho, M. B., Wright, H., Luis, J. S. and Savill, P. Modelling dominant height growth of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in Portugal. *Forestry*, 76(5): 509-523, 2003.
- [25] Francis, M. P. Von Bertalanffy growth rates in species of *Mustelus* (Elasmobranchii: Triakidae). *Copeia*, 1981(1), 189-192, 1981.
- [26] Garcia, O. A stochastic differential equation model for the height growth of forest stands. *Biometrics*, 39(4): 1059-1072, 1983.

- [27] Gyi K. K. and Tint K. Management status of natural teak forests. In Kashio M. and White K., editors, *Teak for the future*, FAO Regional Office for Asia and the Pacific (RAP) Publication, Dharmasarn, Bangkok, pages 27–48. 1998.
- [28] Gompertz, B. On the nature of the function expressive of the law of human mortality. *Philos. Trans. R. Soc. Lond*, 115: 513–585, 1825.
- [29] Goncalves, M. J., Bogo, A., Rufato, L., De Jesus Jr, W. C., Casa, R. T., Weber, G. C. and Correa, D. Behaviour of European pear cultivars under different quince rootstocks to ‘Entomosporium’ leaf spot in southern Brazil, *Crop Protection*, 49: 26-30, 2013.
- [30] Grosjean, U. P. *Growth model of the reared sea urchin Paracentrotus lividus (Lamarck, 1816)*. PhD Thesis, Agronomic Sciences and Biological Engineering, Universite Libre De Bruxelles, 2001.
- [31] Heinen, M. Analytical growth equations and their Genstat 5 equivalents. *Netherlands Journal of Agricultural Science*, 47: 67-89, 1999.
- [32] Hossain, A., Ali, M. A. and Ali, A. B. M. S. Time Varying Volatility Analysis and Forecasting Using ARIMA with Asymmetric GARCH models on Volume Data in Dhaka Stock Exchange. In: *International Conference on Statistical Data Mining for Bioinformatics Health Agriculture and Environment*, University of Rajshahi, 21-24 December, 2012.

- [33] Hossain, A., Ali, A. and Kamruzzaman, M. *Volatility Analysis and Forecasting Volume Data of DSE*, LAP LAMBERT Academic Publishing, 2015.
- [34] Hossain, A., Islam, A. I., Kamruzzaman, M. and Ali M. A. Forecasting Carbon Dioxide Emissions in Bangladesh by Box Jenkins ARIMA Models. In: *Hoque, M. A., Khalek, M. A., Mamun, A. S. M. A. and Rahman, M. M.. Proceedings of International Conference on Bioinformatics and Biostatistics for Agriculture, Health and Environment*, University of Rajshahi, 2017.
- [35] Huq, M. M., Rahman, M. M., Rahman, M. S., Shahin, M. A. and Ali, M. A. Analysis of Volatility and Forecasting General Index of Dhaka Stock Exchange. *American Journal of Economics*, 2013, 3(5): 229-242.
- [36] Ito, T. and Osumi, S. An analysis of the basal area growth in even-aged pure stands based on the Richards growth function. *Journal of the Japanese Forestry Society*, 66(3): 99-108, 1984 .
- [37] Indian Council of Forestry Research and Education, Dehradun. Babul (*Acacia Nilotica*). Retrieved from <http://www.friervis.nic.in/WriteReadData/UserFiles/file/pdfs/Babul.pdf>
- [38] James, I. R. Estimation of von Bertalanffy growth curve parameters from recapture data. *Biometrics*, 47(4): 1519-1530, 1991.

- [39] Kamo, K. I. and Yoshimoto, A. Comparative analysis on selecting growth function based on three different information criteria for the purpose of carbon estimation. *Forest Science and Technology*, 9(2): 65-71, 2013.
- [40] Kapur J. N. and Saxena H. C. *Mathematical Statistics*. S. Chand and Company Ltd, New Delhi, 20th edition (Reprint). 362p, 2003.
- [41] Karadavut U., Kokten K. and Kavurmaci Z. Comparison of relative growth rates in silage corn cultivars. *Asian Journal of Animal and Veterinary Advances*, 5(3): 223-228, 2010.
- [42] Karkach, A. S. Trajectories and models of individual growth. *Demographic Research*, 15(12): 347–400, 2006.
- [43] Kimura, D. K. Variability, Tuning, and Simulation for the Doubleday-DerisoCatch-at-Age Model. *Canadian Journal of Fisheries and Aquatic Sciences*, 46: 941-949, 1989.
- [44] Klingaman, T. E. and Oliver, L. R. Palmer amaranth (*Amaranthus palmeri*) interference in soybeans (*Glycine max*). *Weed Science*, 42(4): 523-527, 1994.
- [45] Kucuk M. and Eyduran E. The Determination of the Best Growth model for Akkaraman and German Blackheaded mutton x Akkaraman B1 crossbreed lambs. *Bulgarian Journal of Agricultural Sciences*, 15(1): 90–92, 2009.

- [46] Kum D., Karakus K. and Ozdemir T. The best non-linear function for body weight at early phase of norduz female lambs. *Trakia Journal of Sciences*, 8(2): 62-67, 2010.
- [47] Labelle, M. Determination of age and growth of South Pacific albacore (*Thunnus alalunga*) using three. *Fishery Bulletin*, 91: 649-663, 1993.
- [48] Lei, Y. C. and Zhang, S. Y. Features and partial derivatives of Bertalanffy-Richards growth model in forestry, *Nonlinear Analysis: Modelling and Control*, 9(1): 65-73, 2004.
- [49] Lekwadi, S. O., Nemesova, A., Lynch, T., Phillips, H., Hunter, A. and Mac Siúrtáin, M. Site classification and growth models for Sitka spruce plantations in Ireland. *Forest Ecology and Management*, 283: 56-65, 2012.
- [50] Li, H., Liu, Q. and Shen, Z. Investigation of an iterative method for fitting von Bertalanffy growth equation using data on the halfbeak fish *Hemirhamphus sajori* (T et S). *Fisheries research*, 29: 289-294, 1997.
- [51] Liu, Q., Pitcher, T., & Al-Hossaini, M. Ageing with fisheries length-frequency data, using information about growth. *Journal of Fish Biology*, 35(Supplement A): 169-177, 1989.
- [52] Liu Zhao-gang and Li Feng-ri. The generalized Chapmen-Richards function and applications to tree and stand growth. *Journal of Forestry Research*, 14(1): 19-26, 2003.

- [53] Lumbres R. I. C., Lee Y. J., Calora Jr F. G. and Parao M. R. Model fitting and validation of six height–DBH equations for *Pinus kesiya* Royle ex Gordon in Benguet Province, Philippines. *Forest Science and Technology*, 9(1): 45-50, 2013.
- [54] Lv, Q. and Pitchford, J. W. Stochastic von Bertalanffy models, with applications to fish recruitment. *Journal of theoretical biology*, 244: 640-655, 2007.
- [55] Mayers, R. H., Montgomery, D. C. and Vining, G. G. *Generalized linear models: with applications in engineering and the sciences*. John Wiley & Sons Inc, 2nd edition, New York, 2012.
- [56] Ogle D. H. *FishR Vignette - Von Bertalanffy Growth Model*. Retrieved on 2011 from <http://www.ncfaculty.net/dogle/fishR/gnrlex/gnrlex.html>, 2011.
- [57] Oliver, F. R. Method of estimating the logistic growth function. *Applied Statistics*, 13: 57–66, 1964.
- [58] Osumi, S. and Ishikawa, Y. Applicability of the Richards' growth function to analysis of growth of tree. *Sci. Rep. Kyoto Prefect. Univ. Agric*, 35: 49-74, 1983.
- [59] Ozel, H. B., Karadavut, U. and Ertekin, M. The use of growth models in investigating oriental beech (*Fagus orientalis* Lipsky.) natural juvenilities growth performance. *African Journal of Agricultural Research*, 5(18): 2544-2550, 2010.

- [60] OZEL H. B. and Ertekin M. Growth models in investigating oriental beech (*Fagus orientalis* Lipsky.) juvenilities growth performance in the Western Black Sea in Turkey (Devrek-Akçasu Case Study). *Romanian Biotechnological Letters*, 16(1): 5850-5857, 2011.
- [61] Paine, C. E. T., Marthews, T. R., Vogt, D. R., Purves, D., Rees, M., Hector, A. and Turnbull, L. A. How to fit nonlinear plant growth models and calculate growth rates: an update for ecologists. *Methods in Ecology and Evolution*, 3: 245–256, 2012.
- [62] Pal M. *Numerical Analysis for Scientists and Engineers: Theory and C Programs*. Alpha Science Intl Ltd, 1st edition, 2007.
- [63] Pienaar, L. V. and Turnbull, K. J. The Chapman-Richards generalization of Von Bertalanffy's growth model for basal area growth and yield in even-aged stands. *Forest Science*, 19(1): 2-22, 1973.
- [64] Ratkowsky, D.A. *Nonlinear Regression Modelling: A Unified Practical Approach*. Marcel Dekker Inc., New York, 1983.
- [65] Ramírez-Bautista, A., Hernández-Salinas, U. and Zamora-Abrego, J. G. Growth ecology of the tree lizard *Urosaurus bicarinatus* (Squamata: Phrynosomatidae), in a tropical dry forest of the Chamela Region, Mexico. *Animal Biology*, 66(2): 189-199, 2016.

- [66] Rawlings, J. O., Pantula, S. G. and Dickey, D. A. *Applied Regression Analysis: A Research Tool*. Springer, New York, 2nd edition, 1998.
- [67] Renner-Martin, K., Kühleitner, M., Brunner, N. and Hagmüller, W. AIC-Based Selection of Growth Models: The Case of Piglets from Organic Farming. *Open Journal of Modelling and Simulation*, 4: 17-23, 2016.
- [68] Richards, F.J. A flexible growth function for empirical use. *J. Exp. Bot.*, **10**: 290–300, 1959.
- [69] Rohner, B., Bugmann, H. and Bigler, C. Estimating the age–diameter relationship of oak species in Switzerland using nonlinear mixed-effects models. *European journal of forest research*, 132(5-6): 751-764, 2013.
- [70] Román-Román, P., Romero, D. and Torres-Ruiz, F. A diffusion process to model generalized von Bertalanffy growth patterns: Fitting to real data. *Journal of theoretical biology*, 263: 59-69, 2010.
- [71] Saikia P. and Borah M. A study on mathematical modelling for oldest-old mortality rates. *International Journal of Mathematical Archive*, 4(11): 1 – 9, 2013.
- [72] Saikia P. and Borah M. A comparative study of parametric models of old-age mortality. *International Journal of Science and Research*, 3(1): 406-410, 2014.
- [73] Sakanoue, S. Extended logistic model for growth of single-species populations. *Ecological Modelling*, 205(1): 159-168, 2007.

- [74] Schnute, J. A versatile growth model with statistically stable parameters. *Can. J. Fish. Aquat. Sci.*, 38: 1128–1140, 1981.
- [75] Seber G. A. F. and Wild C. J. *Nonlinear Regression*. John Wiley & Sons Publication, 1989.
- [76] Shenton, L. R. and Bowman, K. O. *Maximum likelihood estimation in small samples*, Charles Griffin & Company Ltd, London and High Wycombe, 1st edition, 1977.
- [77] Shi, P. J., Chen, L., Hui, C. and Grissino-Mayer, H. D. Capture the time when plants reach their maximum body size by using the beta sigmoid growth equation. *Ecological Modelling*, 320, 177-181, 2016.
- [78] Stewart J. *Calculus early transcendentals*. Cengage Learning, Delhi, 7th edition, 2013.
- [79] Soares, P., Tome, M., Skovsgaard, J.P. and Vanclay, J. Evaluating a growth model for forest management using continuous forest inventory data. *For. Ecol. Manage.*, 71(3): 251–226, 1995.
- [80] Solano-Fernández, M., Montoya, J. A., Gallardo-Cabello, M. and Espino-Barr, E. Age and growth of the Dolphinfish *Coryphaena hippurus* in the coast of Oaxaca and Chiapas, Mexico. *Revista de biología marina y oceanografía*, 50(3): 491-505, 2015.

- [81] Tewari, V. P., Rivas, J. J. C., Vilčko, F. and Gadow, K. V. *Height-growth and site index equations for social forestry plantations of Acacia nilotica and Eucalyptus hybrid in Gujarat State of India*. *Forests, Trees and Livelihoods*. 17(2): 125-140, 2007.
- [82] Thornley, J. and France, J. *Mathematical Models in Agriculture: Quantitative Methods for the Plant, Animal and Ecological Sciences*. CAB International, Oxon. UK, 2nd Revised edition, 2007.
- [83] Timilsina, N. and Staudhammer, C. L. Individual tree-based diameter growth model of slash pine in Florida using nonlinear mixed modeling. *Forest Science*, 59(1): 27-37, 2013.
- [84] Tjørve, E. Shapes and functions of species–area curves: a review of possible models. *Journal of Biogeography*, 30(6): 827-835, 2003.
- [85] Tjørve, E. Shapes and functions of species–area curves (II): a review of new models and parameterizations. *Journal of Biogeography*, 36(8): 1435-1445, 2009.
- [86] Tjørve, E., & Tjørve, K. A unified approach to the Richards-model family for use in growth analyses: why we need only two model forms. *Journal of theoretical biology*, 267(3): 417-425, 2010.
- [87] Trabucco, A., Achten, W. M., Bowe, C., Aerts, R. A. F., ORSHOVEN, J. V., Norgrove, L. and Muys, B. Global mapping of *Jatropha curcas* yield based on

- response of fitness to present and future climate. *GCB Bioenergy*, 2(3): 139-151, 2010.
- [88] Tsoularis, A. and Wallace J. Analysis of logistic growth models. *Mathematical biosciences*, 179(1): 21-55, 2002.
- [89] Vanclay, J.K. *Modeling Forest Growth and Yield*. CAB International, Wallingford, UK, 1994.
- [90] Yuancai, L., Marques, C. P. and Macedo, F. W. Comparison of Schnute's and Bertalanffy-Richards' growth functions. *Forest Ecology and management*, 96(3): 283-288, 1997.
- [91] Yuwen S. and Shi L., Growth models and site index table of natural Korean Pine forests, *Journal of Forestry Research*, 10(4): 236-238, 1999.
- [92] Zeide, B. Analysis of growth equations. *Forest science*, 39(3): 594-616, 1993.
- [93] Zhang, L. Cross-validation of Non-linear Growth Functions for Modelling Tree Height Diameter Relationships. *Annals of Botany*, 79: 251-257, 1997.
- [94] Zhao-gang, L. and Feng-ri, L. The generalized Chapman-Richards function and applications to tree and stand growth. *Journal of Forestry Research*, 14(1): 19-26, 2003.
