

Chapter 1

Figures:

- 1.1 Production and distribution across the globe.
- 1.2. Analysis of transgenic plants at different integration levels of evaluation.
- 1.3. *In silico* analysis of AmA1.
- 1.4. Analysis of unintended effects in transgenic plants.

Tables:

- Table 1.1: Nutritional composition of raw sweet potato.
- Table 1.2: Sweet potato varieties grown in different countries.
- Table 1.3: Amino acid composition of some seed proteins (mole %) and comparison with WHO recommendation for essential amino acids.

Chapter 2

Tables:

- Table 2.1: Review of sweet potato transformations.

Chapter 3

Figures:

- 3.1. Schematic representation of the plant expression vectors.
- 3.2. Mobilization of recombinant plasmids in *Agrobacterium*.
- 3.3. Differential response of leaf explants in culture condition.
- 3.4. Differential response of petiole explants in culture condition.
- 3.5. Response of root explants in culture condition.

3.6. Response of internodal explants infected by *A. tumefaciens*.

3.7. Regeneration stages of putative transformants.

3.8. Transformation of AmA1 expression plasmid using internodal explants.

Tables:

Table 3.1: Combinations of various media used for the induction of callus, roots and shoots from the internodal explants.

Table 3.2: Differential response of leaf explants in various culture conditions.

Table 3.3: Differential response of petiole explants in various culture conditions.

Table 3.4: Differential response of root explants in various culture conditions.

Table 3.5: Differential response of internodal explants in various culture conditions.

Table 3.6: Differential responses of transformed internodal explants of different cultivars in Gamborg's B-5 supplemented with NAA.

Table 3.7: Transformation efficiency of the internodal explants of cv. SP-6 and SP-17

Table 3.8: *AmA1* transformed internodal explants of cv. SP-6

Chapter 4

Figures:

4.1. Confirmation of transgene integration.

4.2. Transcript accumulation and enzymatic activity of *GUS*.

4.3. Confirmation of transgene integration in AmA1 transformants.

4.4. Immunodetection of AmA1 expression in COE lines.

4.5. Immunodetection of AmA1 expression in TOE lines.

4.6. Evaluation of the transcript accumulation by northern blot.

- 4.7. The identification of stable reference genes by qRT-PCR.
- 4.8. Analysis of expression pattern of *GAPDH*.
- 4.9. Analysis of expression pattern of *actin*.
- 4.10. Transcript accumulation of *AmAl*.
- 4.11. Gene specific primers with increased specificity.
- 4.12. Transcript accumulation transgenic lines.
- 4.13. Comparative analysis of transgene expression in COE and TOE lines.
- 4.14. Identification of suitable pH range.
- 4.15. Comparative proteomic analysis.
- 4.16. Reproducibility of 2-Dimensional gels.
- 4.17. Comparative proteomic analysis of differential tuber proteome.

Tables:

Table 4.1: Densitometry analysis of immunoblot of constitutive lines.

Table 4.2: Transgene copy number in different transgenic lines.

Table 4.3: Reproducibility of 2-Dimensional gels.

Chapter 5

Figures:

- 5.1. Analysis of morphological diversity between the wild types and transgenic lines.
- 5.2. Comparative analyses of agronomical traits.
- 5.3. Comparative analyses of agrophysiological traits.
- 5.4. Comparative analyses of photosynthetic performance.

- 5.5. Evaluation of color differences.
- 5.6. Evaluation of total protein content by micro-kjeldahl analysis.
- 5.7. Assessment of amino acid content.
- 5.8. Comparison of elevation in the level of total free amino acids by GC-MS.
- 5.9. Comparative biochemical analyses.
- 5.10. Evaluation of storage stress response.
- 5.11. Structural characterization of starch.
- 5.12. Chemical characterization of composite samples of sweet potato.

Tables:

Table 5.1: Proximate composition of sweet potato lines.

Chapter 6

Figures:

- 6.1. Determination of phytochemicals and carotenoids.
- 6.2. Transcript abundance of flavonoid pathway genes.
- 6.3. Functional classification of metabolites.
- 6.4. Allocation of metabolites in wild type and transgenic events.
- 6.5. Evaluation of transgene mediated effect on metabolites.
- 6.6. A proposed hypothetical model depicting the role of AmA1 in transgenic tuber.

Tables:

Table 6.1: List of metabolites in wild type (cv. OFSP-6).

Table 6.2: List of metabolites in COE transgenic line.

Table 6.3: List of metabolites in TOE transgenic lines.

Table 6.4: Differential display of metabolites.