

References

1. Jackson, C.M. & Nemerson, Y. Blood coagulation, *Annu.Rev.Biochem.* **49** 765--811, 1980.
2. Gale, A.J. Current Understanding of Hemostasis, *Toxicologic pathology* **39** (1), 273--280, 2011.
3. Schulze, H. & Shivdasani, R.A. Mechanisms of thrombopoiesis, *J.Thromb Haemost.* **3** (8), 1717--1724, 2005.
4. Zucker-Franklin, D. Megakaryocyte and platelet structure in thrombocytopoiesis: the effect of cytokines, *Stem Cells* **14 Suppl 1** 1--17, 1996.
5. Czupryna, P. et al. Influence of climatic, demographic and socioeconomic factors on tick-borne encephalitis incidence in 6 counties of Podlaskie region in 1994-2014, *Przegl.Epidemiol.* **70** (1), 21--25, 2016.
6. Ruggeri, Z.M. & Mendolicchio, G.L. Adhesion mechanisms in platelet function, *Circ.Res.* **100** (12), 1673--1685, 2007.
7. Kunicki, T.J. et al. The human fibroblast class II extracellular matrix receptor mediates platelet adhesion to collagen and is identical to the platelet glycoprotein Ia-IIa complex, *J.Biol.Chem.* **263** (10), 4516--4519, 1988.
8. Moroi, M. et al. Analysis of platelet adhesion to a collagen-coated surface under flow conditions: the involvement of glycoprotein VI in the platelet adhesion, *Blood* **88** (6), 2081--2092, 1996.
9. Asch, A.S. et al. Analysis of CD36 binding domains: ligand specificity controlled by dephosphorylation of an ectodomain, *Science* **262** (5138), 1436--1440, 1993.
10. Tandon, N.N. et al. Identification of glycoprotein IV (CD36) as a primary receptor for platelet-collagen adhesion, *J.Biol.Chem.* **264** (13), 7576--7583, 1989.
11. Chiang, T.M. et al. Role of the recombinant protein of the platelet receptor for type I collagen in the release of nitric oxide during platelet aggregation, *Thromb.Res.* **100** (5), 427--432, 2000.
12. Kehrel, B. et al. Glycoprotein VI is a major collagen receptor for platelet activation: it recognizes the platelet-activating quaternary structure of collagen, whereas CD36, glycoprotein IIb/IIIa, and von Willebrand factor do not, *Blood* **91** (2), 491--499, 1998.
13. Offermanns, S. Activation of platelet function through G protein-coupled receptors, *Circ.Res.* **99** (12), 1293--1304, 2006.
14. Li, Z. et al. Signaling during platelet adhesion and activation, *Arterioscler.Thromb.Vasc.Biol.* **30** (12), 2341--2349, 2010.
15. Coughlin, S.R. How the protease thrombin talks to cells, *Proc.Natl.Acad.Sci.U.S.A* **96** (20), 11023--11027, 1999.

16. Kahn, M.L. et al. A dual thrombin receptor system for platelet activation, *Nature* **394** (6694), 690--694, 1998.
17. Djellas, Y. et al. Identification of Galpha13 as one of the G-proteins that couple to human platelet thromboxane A2 receptors, *J.Biol.Chem.* **274** (20), 14325--14330, 1999.
18. Knezevic, I. et al. Identification of Gq as one of the G-proteins which copurify with human platelet thromboxane A2/prostaglandin H2 receptors, *J.Biol.Chem.* **268** (34), 26011--26017, 1993.
19. Ohlmann, P. et al. The human platelet ADP receptor activates Gi2 proteins, *Biochem.J.* **312** (Pt 3) 775--779, 1995.
20. Luo, B.H. & Springer, T.A. Integrin structures and conformational signaling, *Curr.Opin.Cell Biol.* **18** (5), 579--586, 2006.
21. Xiao, T. et al. Structural basis for allosteric in integrins and binding to fibrinogen-mimetic therapeutics, *Nature* **432** (7013), 59--67, 2004.
22. Emsley, J. et al. Structural basis of collagen recognition by integrin alpha2beta1, *Cell* **101** (1), 47--56, 2000.
23. Sonnenberg, A. et al. Laminin receptor on platelets is the integrin VLA-6, *Nature* **336** (6198), 487--489, 1988.
24. Varga-Szabo, D. et al. Cell adhesion mechanisms in platelets, *Arterioscler.Thromb.Vasc.Biol.* **28** (3), 403--412, 2008.
25. Falati, S. et al. Real-time in vivo imaging of platelets, tissue factor and fibrin during arterial thrombus formation in the mouse, *Nat.Med.* **8** (10), 1175--1181, 2002.
26. Riddel, J.P., Jr. et al. Theories of blood coagulation, *J.Pediatr.Oncol.Nurs.* **24** (3), 123--131, 2007.
27. Dahlback, B. Blood coagulation, *Lancet* **355** (9215), 1627--1632, 2000.
28. Samuel, M. et al. Human factor XII (Hageman factor) autoactivation by dextran sulfate. Circular dichroism, fluorescence, and ultraviolet difference spectroscopic studies, *J.Biol.Chem.* **267** (27), 19691--19697, 1992.
29. Colman, R.W. & Schmaier, A.H. Contact system: a vascular biology modulator with anticoagulant, profibrinolytic, antiadhesive, and proinflammatory attributes, *Blood* **90** (10), 3819--3843, 1997.
30. Cochrane, C.G. et al. Activation of Hageman factor in solid and fluid phases. A critical role of kallikrein, *J.Exp.Med.* **138** (6), 1564--1583, 1973.
31. Muller, F. & Renne, T. Novel roles for factor XII-driven plasma contact activation system, *Curr.Opin.Hematol.* **15** (5), 516--521, 2008.
32. Leeb-Lundberg, L.M. et al. International union of pharmacology. XLV. Classification of the kinin receptor family: from molecular mechanisms to pathophysiological consequences, *Pharmacol.Rev.* **57** (1), 27--77, 2005.
33. Gailani, D. et al. The mechanism underlying activation of factor IX by factor XIa, *Thromb.Res.* **133 Suppl 1** S48--S51, 2014.

34. Eaton, D. et al. Proteolytic processing of human factor VIII. Correlation of specific cleavages by thrombin, factor Xa, and activated protein C with activation and inactivation of factor VIII coagulant activity, *Biochemistry* **25** (2), 505--512, 1986.
35. Autin, L. et al. Molecular models of the procoagulant factor VIIa-factor IXa complex, *J.Thromb.Haemost.* **3** (9), 2044--2056, 2005.
36. Boron, W. F.; Boulpaep, E. L. *Medical Physiology*; Elsevier Health Sciences: 2008.
37. Orlova, N.A. et al. Blood Clotting Factor VIII: From Evolution to Therapy, *Acta Naturae*. **5** (2), 19--39, 2013.
38. Walker, R.K. & Krishnaswamy, S. The activation of prothrombin by the prothrombinase complex. The contribution of the substrate-membrane interaction to catalysis, *J.Biol.Chem.* **269** (44), 27441--27450, 1994.
39. Gorkun, O.V. et al. The conversion of fibrinogen to fibrin: recombinant fibrinogen typifies plasma fibrinogen, *Blood* **89** (12), 4407--4414, 1997.
40. Camire, R.M. & BOS, M.H.A. The molecular basis of factor V and VIII procofactor activation, *Journal of thrombosis and haemostasis : JTH* **7** (12), 1951--1961, 2009.
41. Cesarman-Maus, G. & Hajjar, K.A. Molecular mechanisms of fibrinolysis, *Br.J Haematol.* **129** (3), 307--321, 2005.
42. Rau, J.C. et al. Serpins in thrombosis, hemostasis and fibrinolysis, *Journal of thrombosis and haemostasis : JTH* **5 Suppl 1** 102--115, 2007.
43. Palta, S. et al. Overview of the coagulation system, *Indian J.Anesth.* **58** (5), 515--523, 2014.
44. Furie, B. & Furie, B.C. Mechanisms of thrombus formation, *N Engl J Med.* **359** (9), 938--949, 2008.
45. Buttar, H.S. et al. Prevention of cardiovascular diseases: Role of exercise, dietary interventions, obesity and smoking cessation, *Experimental & Clinical Cardiology* **10** (4), 229--249, 2005.
46. World Health Organization Cardiovascular diseases. http://www.who.int/cardiovascular_diseases/en/ Accessed 2012.
47. Kearon, C. et al. Antithrombotic therapy for venous thromboembolic disease: American College of Chest Physicians evidence-based clinical practice guidelines, *CHEST Journal* **133** (6_suppl), 454S--545S, 2008.
48. Singer, D.E. et al. Antithrombotic therapy in atrial fibrillation: American College of Chest Physicians evidence-based clinical practice guidelines, *CHEST Journal* **133** (6_suppl), 546S--592S, 2008.
49. Gross, P.L. & Weitz, J.I. New anticoagulants for treatment of venous thromboembolism, *Arteriosclerosis, thrombosis, and vascular biology* **28** (3), 380--386, 2008.

50. Weitz, J.I. New oral anticoagulants in development, *Thrombosis & Haemostasis* **19** (1), 62 2010.
51. Anand, S.S. & Yusuf, S. Oral anticoagulant therapy in patients with coronary artery disease: a meta-analysis, *JAMA* **282** (21), 2058--2067, 1999.
52. Wu, K.K. & Matijevic-Aleksic, N. Molecular aspects of thrombosis and antithrombotic drugs, *Crit Rev.Clin Lab Sci.* **42** (3), 249--277, 2005.
53. Harvey, R.P. et al. Cloning and expression of a cDNA coding for the anticoagulant hirudin from the bloodsucking leech, *Hirudo medicinalis*, *Proc.Natl.Acad.Sci.U.S.A* **83** (4), 1084--1088, 1986.
54. Bittl, J.A. et al. Treatment with bivalirudin (Hirulog) as compared with heparin during coronary angioplasty for unstable or postinfarction angina, *New England Journal of Medicine* **333** (12), 764--769, 1995.
55. Lewis, B.E. et al. Argatroban anticoagulant therapy in patients with heparin-induced thrombocytopenia, *Circulation* **103** (14), 1838--1843, 2001.
56. Eriksson, B.I. et al. A new oral direct thrombin inhibitor, dabigatran etexilate, compared with enoxaparin for prevention of thromboembolic events following total hip or knee replacement: the BISTRO II randomized trial, *Journal of Thrombosis and Haemostasis* **3** (1), 103--111, 2005.
57. Greinacher, A. & Warkentin, T.E. The direct thrombin inhibitor hirudin, *Thromb.Haemost.* **99** (5), 819--829, 2008.
58. Warkentin, T.E. et al. Bivalirudin, *Thrombosis and haemostasis* **99** (5), 830--839, 2008.
59. Yeh, R.W. & Jang, I.K. Argatroban: update, *American heart journal* **151** (6), 1131--1138, 2006.
60. Burness, C.B. & McKeage, K. Dabigatran etexilate: a review of its use for the prevention of venous thromboembolism after total hip or knee replacement surgery, *Drugs* **72** (7), 963--986, 2012.
61. Hankey, G.J. & Eikelboom, J.W. Dabigatran Etexilate, *Circulation* **123** (13), 1436--1450, 2011.
62. JUNGBAUER, L. et al. The frequency of prescription of P-glycoprotein-affecting drugs in atrial fibrillation, *Journal of Thrombosis and Haemostasis* **8** (9), 2069--2070, 2010.
63. Doolittle, R.F. & Feng, D.F. Reconstructing the evolution of vertebrate blood coagulation from a consideration of the amino acid sequences of clotting proteins, *Cold Spring Harb.Symp.Quant.Biol.* **52** 869--874, 1987.
64. Champagne, D.E. Antihemostatic molecules from saliva of blood-feeding arthropods, *Pathophysiol.Haemost Thromb* **34** (4-5), 221--227, 2005.
65. Balashov, Y. Interaction between blood-sucking arthropods and their hosts, and its influence on vector potential, *Annu.Rev.Entomol.* **29** 137--156, 1984.
66. Ribeiro, J.M. Blood-feeding arthropods: live syringes or invertebrate pharmacologists?, *Infect.Agents Dis.* **4** (3), 143--152, 1995.

67. Law, J.H. et al. Biochemical insights derived from insect diversity, *Annu.Rev.Biochem.* **61** 87--111, 1992.
68. Lehane, M. *Biology of Blood-Sucking Insects*; Springer Netherlands: 2012.
69. Emerson, K.C. et al. Lice, *Parasites of laboratory animals*. University Press Ames, Iowa 376--397, 1973.
70. WAAGE, J.K. The evolution of insect/vertebrate associations, *Biological Journal of the Linnean Society* **12** (3), 187--224, 1979.
71. Downes, J.A. The ecology of blood-sucking Diptera: an evolutionary perspective, *Ecology and physiology of parasites* 1971.
72. Beklemishev, V.N. Some general questions on the biology of bloodsucking lower flies, *Meditinskaya parazitologiya* **5** 562--566, 1957.
73. Mattingly, P. F.; Taylor, A. E. R. *The evolution of parasite-arthropod vector systems*; Oxford: Blackwell Scientific Publications.: 1965; pp. 29-45.
74. Norton, R.A. et al. Phylogenetic perspectives on genetic systems and reproductive modes of mites, *Evolution and diversity of sex ratio in insects and mites*. 8--99, 1993.
75. Balashov, Y. S. *Bloodsucking ticks (Ixodoidea)--vectors of diseases of man and animals*; Misc. Publ. Entomol. Soc. Am., 1972.
76. Anderson, J.F. & Magnarelli, L.A. Biology of ticks, *Infect.Dis.Clin.North Am.* **22** (2), 195--215, v, 2008.
77. Hoogstraal, H. Argasid and nuttalliellid ticks as parasites and vectors, *Adv.Parasitol.* **24** 135--238, 1985.
78. Keirans, J. E. Systematics of the Ixodida (Argasidae, Ixodidae, Nuttalliellidae): an overview and some problems, in *Tick Vector Biology*, Springer: 1992; pp. 1-21.
79. Oliver, J.H. Biology and Systematics of Ticks (Acari:Ixodida), *Annual Review of Ecology and Systematics* **20** 397--430, 1989.
80. Global Biodiversity Information Facility. <http://www.gbif.org/species/1425> Accessed Nov. 7, 2016.
81. Keirans, J.E. et al. Discovery of nuttalliella namaqua bedford (acarina: Ixodoidea: Nuttalliellidae) in tanzania and redescription of the female based on scanning electron microscopy, *Annals of the Entomological Society of America* **69** (5), 926--932, 1976.
82. Klompen, J.S. et al. Evolution of ticks, *Annu.Rev.Entomol.* **41** 141--161, 1996.
83. Sonenshine, D. E. *Biology of ticks*; Oxford University Press: USA, 1993; Vol. v. 2.
84. Needham, G.R. & Teel, P.D. Off-host physiological ecology of ixodid ticks, *Annu.Rev.Entomol.* **36** 659--681, 1991.
85. "FAO statistic database"; 2004.

86. de Castro, J.J. et al. Long-term studies on the economic impact of ticks on Sanga cattle in Zambia, *Exp.Appl.Acarol.* **21** (1), 3--19, 1997.
87. Minjauw, B. & McLeod, A. Tick-borne diseases and poverty. The impact of ticks and tickborne diseases on the livelihood of small-scale and marginal livestock owners in India and eastern and southern Africa, *Research report, DFID Animal Health Programme, Centre for Tropical Veterinary Medicine* 2003.
88. Ghosh, S. et al. Status of tick distribution in Bangladesh, India and Pakistan, *Parasitol.Res.* **101 Suppl 2** S207--S216, 2007.
89. Geevarghese, G. et al. A checklist of Indian ticks (Acari: Ixodoidea), *Indian J Anim Sci.* **67** 566--574, 1997.
90. Smith, T. & Kilborne, F.L. Investigations into the nature, causation, and prevention of Texas or southern cattle fever 1893.
91. Dutton, J.E. & Todd, J.L. The nature of tick fever in the eastern part of the Congo Free State 1905.
92. Ricketts, H.T. Some aspects of Rocky Mountain spotted fever as shown by recent investigations. 1909, *Rev.Infect.Dis.* **13** (6), 1227--1240, 1991.
93. Brumpt, E. Longevity of the Virus of Fi+ γ vre boutonneuse in *R. sanguineus*, *Compte rendu des seances de la Societe de biologie* **110** (28), 1199--1202, 1932.
94. Petersen, J.M. et al. Francisella tularensis: an arthropod-borne pathogen, *Veterinary Research* **40** (2), 07 2009.
95. Johnson, R.C. et al. Borrelia burgdorferi sp. nov.: etiologic agent of Lyme disease, *International Journal of Systematic and Evolutionary Microbiology* **34** (4), 496--497, 1984.
96. Raoult, D. & Roux, V. Rickettsioses as paradigms of new or emerging infectious diseases, *Clin.Microbiol.Rev.* **10** (4), 694--719, 1997.
97. Parola, P. & Raoult, D. Ticks and tickborne bacterial diseases in humans: an emerging infectious threat, *Clin.Infect.Dis.* **32** (6), 897--928, 2001.
98. Keirans, J. E.; Durden, L. A. Tick systematics and identification, in *Tick-borne diseases of humans*, American Society of Microbiology: 2005; pp. 123-140.
99. Doss, M.A. et al. Index-catalogue of medical and veterinary zoology. Special Publication No. 3. Ticks and tickborne diseases. IV. Geographical distribution of ticks, *Index-catalogue of medical and veterinary zoology.Special Publication No.3.Ticks and tickborne diseases.IV.Geographical distribution of ticks.* 1978.
100. Estrada-Pena, A. & Jongejan, F. Ticks feeding on humans: a review of records on human-biting Ixodoidea with special reference to pathogen transmission, *Exp.Appl.Acarol.* **23** (9), 685--715, 1999.
101. Bowman, A.S. & Sauer, J.R. Tick salivary glands: function, physiology and future, *Parasitology* **129** S67--S81, 2004.

102. Kini, R. M.; Kazimirova, M.; Koh, C. Y. *Toxins and hemostasis*. Springer, London. 2010.
103. Steen, N.A. et al. Proteins in the saliva of the Ixodida (ticks): pharmacological features and biological significance, *Toxicon* **47** (1), 1–20, 2006.
104. Coons, L. B.; Alberti, G. *Microscopic Anatomy of Invertebrates, Chelicerate Arthropoda*. Wiley-Liss, New York. 1999.
105. Sauer, J.R. et al. Tick salivary gland physiology, *Annu.Rev.Entomol.* **40** 245–267, 1995.
106. Sonenshine, D. E. *Biology of Ticks*. Oxford University Press, Oxford. 1993.
107. Maritz-Olivier, C. et al. Tick anti-hemostatics: targets for future vaccines and therapeutics, *Trends Parasitol.* **23** (9), 397–407, 2007.
108. Davie, E.W. et al. The coagulation cascade: initiation, maintenance, and regulation, *Biochemistry* **30** (43), 10363–10370, 1991.
109. Lai, R. et al. A thrombin inhibitor from the ixodid tick, Amblyomma hebraeum, *Gene* **342** (2), 243–249, 2004.
110. Macedo-Ribeiro, S. et al. Isolation, cloning and structural characterisation of boophilin, a multifunctional Kunitz-type proteinase inhibitor from the cattle tick, *PLoS.One.* **3** (2), e1624 2008.
111. Mans, B.J. et al. Amino acid sequence and structure modeling of savignin, a thrombin inhibitor from the tick, *Ornithodoros savignyi*, *Insect Biochem.Mol.Biol.* **32** (7), 821–828, 2002.
112. Mans, B.J. et al. Characterization of anti-hemostatic factors in the argasid, Argas monolakensis: implications for the evolution of blood-feeding in the soft tick family, *Insect Biochem.Mol.Biol.* **38** (1), 22–41, 2008.
113. Nienaber, J. et al. Savignin, a potent thrombin inhibitor isolated from the salivary glands of the tick *Ornithodoros savignyi* (Acari: Argasidae), *Exp.Parasitol.* **93** (2), 82–91, 1999.
114. Ricci, C.G. et al. A thrombin inhibitor from the gut of *Boophilus microplus* ticks, *Exp.Appl.Acarol.* **42** (4), 291–300, 2007.
115. van de, L.A. et al. The ornithodorin-thrombin crystal structure, a key to the TAP enigma?, *EMBO J.* **15** (22), 6011–6017, 1996.
116. Koh, C.Y. et al. Variegin, a novel fast and tight binding thrombin inhibitor from the tropical bont tick, *J.Biol.Chem.* **282** (40), 29101–29113, 2007.
117. Figueiredo, A.C. et al. The tick-derived anticoagulant madanin is processed by thrombin and factor Xa, *PLoS.One.* **8** (8), e71866 2013.
118. Iwanaga, S. et al. Identification and characterization of novel salivary thrombin inhibitors from the ixodidae tick, *Haemaphysalis longicornis*, *Eur.J.Biochem.* **270** (9), 1926–1934, 2003.
119. Rawlings, N.D. et al. Evolutionary families of peptidase inhibitors, *Biochem.J* **378** (Pt 3), 705–716, 2004.

120. Rawlings, N.D. et al. Twenty years of the MEROPS database of proteolytic enzymes, their substrates and inhibitors, *Nucleic Acids Res* **44** (D1), D343--D350, 2016.
121. Jablonka, W. et al. Identification and Mechanistic Analysis of a Novel Tick-Derived Inhibitor of Thrombin, *PLoS.One.* **10** (8), e0133991 2015.
122. Waxman, L. et al. Tick anticoagulant peptide (TAP) is a novel inhibitor of blood coagulation factor Xa, *Science* **248** (4955), 593--596, 1990.
123. Wei, A. et al. Unexpected binding mode of tick anticoagulant peptide complexed to bovine factor Xa, *J.Mol.Biol.* **283** (1), 147--154, 1998.
124. Joubert, A.M. et al. Cloning, nucleotide sequence and expression of the gene encoding factor Xa inhibitor from the salivary glands of the tick, *Ornithodoros savignyi*, *Exp.Appl.Acarol.* **22** (10), 603--619, 1998.
125. Narasimhan, S. et al. A novel family of anticoagulants from the saliva of *Ixodes scapularis*, *Insect Mol.Biol.* **11** (6), 641--650, 2002.
126. Limo, M.K. et al. Purification and characterization of an anticoagulant from the salivary glands of the ixodid tick *Rhipicephalus appendiculatus*, *Exp.Parasitol.* **72** (4), 418--429, 1991.
127. Zhu, K. et al. Isolation and characterization of americanin, a specific inhibitor of thrombin, from the salivary glands of the lone star tick *Amblyomma americanum* (L.), *Exp.Parasitol.* **87** (1), 30--38, 1997.
128. Joubert, A.M. et al. Isolation and characterization of an anticoagulant present in the salivary glands of the bont-legged tick, *Hyalomma truncatum*, *Exp.Appl.Acarol.* **19** (2), 79--92, 1995.
129. Francischetti, I.M. et al. Ixolaris, a novel recombinant tissue factor pathway inhibitor (TFPI) from the salivary gland of the tick, *Ixodes scapularis*: identification of factor X and factor Xa as scaffolds for the inhibition of factor VIIa/tissue factor complex, *Blood* **99** (10), 3602--3612, 2002.
130. Monteiro, R.Q. et al. Ixolaris: a factor Xa heparin-binding exosite inhibitor, *Biochem.J.* **387** (Pt 3), 871--877, 2005.
131. Nazareth, R.A. et al. Antithrombotic properties of Ixolaris, a potent inhibitor of the extrinsic pathway of the coagulation cascade, *Thromb.Haemost.* **96** (1), 7--13, 2006.
132. Francischetti, I.M. et al. Penthalaris, a novel recombinant five-Kunitz tissue factor pathway inhibitor (TFPI) from the salivary gland of the tick vector of Lyme disease, *Ixodes scapularis*, *Thromb.Haemost.* **91** (5), 886--898, 2004.
133. Francischetti, I.M. et al. The transcriptome of the salivary glands of the female western black-legged tick *Ixodes pacificus* (Acari: Ixodidae), *Insect Biochem.Mol.Biol.* **35** (10), 1142--1161, 2005.
134. Hovius, J.W. et al. Salivating for knowledge: potential pharmacological agents in tick saliva, *PLoS.Med.* **5** (2), e43 2008.

135. Kato, N. et al. Identification and characterization of the plasma kallikrein-kinin system inhibitor, haemaphysalin, from hard tick, *Haemaphysalis longicornis*, *Thromb.Haemost.* **93** (2), 359--367, 2005.
136. Kato, N. et al. Contribution of the N-terminal and C-terminal domains of haemaphysalin to inhibition of activation of plasma kallikrein-kinin system, *J.Biochem.* **138** (3), 225--235, 2005.
137. Tanaka, A.S. et al. A double headed serine proteinase inhibitor--human plasma kallikrein and elastase inhibitor--from *Boophilus microplus* larvae, *Immunopharmacology* **45** (1-3), 171--177, 1999.
138. Sasaki, S.D. et al. Boophilus microplus tick larvae, a rich source of Kunitz type serine proteinase inhibitors, *Biochimie* **86** (9-10), 643--649, 2004.
139. Sant'Anna, A.S. et al. Rhipicephalus sanguineus trypsin inhibitors present in the tick larvae: isolation, characterization, and partial primary structure determination, *Arch.Biochem.Biophys.* **417** (2), 176--182, 2003.
140. Mans, B.J. et al. Apyrase activity and platelet aggregation inhibitors in the tick *Ornithodoros savignyi* (Acari: Argasidae), *Exp.Appl.Acarol.* **22** (6), 353--366, 1998.
141. Ribeiro, J.M. et al. Antihemostatic, antiinflammatory, and immunosuppressive properties of the saliva of a tick, *Ixodes dammini*, *J.Exp.Med.* **161** (2), 332--344, 1985.
142. Ribeiro, J.M. et al. Saliva of the soft tick, *Ornithodoros moubata*, contains anti-platelet and apyrase activities, *Comp Biochem.Physiol A Comp Physiol* **100** (1), 109--112, 1991.
143. Keller, P.M. et al. Cloning of the cDNA and expression of moubatin, an inhibitor of platelet aggregation, *J.Biol.Chem.* **268** (8), 5450--5456, 1993.
144. Cheng, Y. et al. An inhibitor selective for collagen-stimulated platelet aggregation from the salivary glands of hard tick *Haemaphysalis longicornis* and its mechanism of action, *Sci.China C.Life Sci.* **42** (5), 457--464, 1999.
145. Karczewski, J. et al. An inhibitor from the argasid tick *Ornithodoros moubata* of cell adhesion to collagen, *Biochem.Biophys.Res.Commun.* **208** (2), 532--541, 1995.
146. Karczewski, J. et al. Disagregin is a fibrinogen receptor antagonist lacking the Arg-Gly-Asp sequence from the tick, *Ornithodoros moubata*, *J.Biol.Chem.* **269** (9), 6702--6708, 1994.
147. Mans, B.J. et al. Savignygrin, a platelet aggregation inhibitor from the soft tick *Ornithodoros savignyi*, presents the RGD integrin recognition motif on the Kunitz-BPTI fold, *J.Biol.Chem.* **277** (24), 21371--21378, 2002.
148. Wang, X. et al. Variabilin, a novel RGD-containing antagonist of glycoprotein IIb-IIIa and platelet aggregation inhibitor from the hard tick *Dermacentor variabilis*, *J.Biol.Chem.* **271** (30), 17785--17790, 1996.

149. Arolas, J.L. et al. A carboxypeptidase inhibitor from the tick *Rhipicephalus bursa*: isolation, cDNA cloning, recombinant expression, and characterization, *J.Biol.Chem.* **280** (5), 3441--3448, 2005.
150. Arolas, J.L. et al. The three-dimensional structures of tick carboxypeptidase inhibitor in complex with A/B carboxypeptidases reveal a novel double-headed binding mode, *J.Mol.Biol.* **350** (3), 489--498, 2005.
151. Gong, H. et al. Characterization of a carboxypeptidase inhibitor from the tick *Haemaphysalis longicornis*, *J.Insect Physiol* **53** (10), 1079--1087, 2007.
152. Prevot, P.P. et al. Anti-hemostatic effects of a serpin from the saliva of the tick *Ixodes ricinus*, *J.Biol.Chem.* **281** (36), 26361--26369, 2006.
153. Francischetti, I.M. et al. Cloning of a salivary gland metalloprotease and characterization of gelatinase and fibrin(ogen)lytic activities in the saliva of the Lyme disease tick vector *Ixodes scapularis*, *Biochem.Biophys.Res.Commun.* **305** (4), 869--875, 2003.
154. Bowman, A.S. et al. Biosynthesis of salivary prostaglandins in the lone star tick, *Amblyomma americanum*, *Insect Biochem.Mol.Biol.* **25** (6), 735--741, 1995.
155. Inokuma, H. et al. Comparison of prostaglandin E2 (PGE2) in salivary gland of *Boophilus microplus*, *Haemaphysalis longicornis* and *Ixodes holocyclus*, and quantification of PGE2 in saliva, hemolymph, ovary and gut of *B. microplus*, *J.Vet.Med.Sci.* **56** (6), 1217--1218, 1994.
156. Ribeiro, J.M. et al. *Amblyomma americanum*: characterization of salivary prostaglandins E2 and F2 alpha by RP-HPLC/bioassay and gas chromatography-mass spectrometry, *Exp.Parasitol.* **74** (1), 112--116, 1992.
157. Sa-Nunes, A. et al. Prostaglandin E2 is a major inhibitor of dendritic cell maturation and function in *Ixodes scapularis* saliva, *J.Immunol.* **179** (3), 1497--1505, 2007.
158. Ribeiro, J.M. & Mather, T.N. *Ixodes scapularis*: salivary kininase activity is a metallo dipeptidyl carboxypeptidase, *Exp.Parasitol.* **89** (2), 213--221, 1998.
159. Jarmey, J.M. et al. Carboxydiptidase from *Boophilus microplus*: a "concealed" antigen with similarity to angiotensin-converting enzyme, *Insect Biochem.Mol.Biol.* **25** (9), 969--974, 1995.
160. Riding, G.A. et al. A protective "concealed" antigen from *Boophilus microplus*. Purification, localization, and possible function, *J.Immunol.* **153** (11), 5158--5166, 1994.
161. Valenzuela, J.G. et al. Exploring the sialome of the tick *Ixodes scapularis*, *J.Exp.Biol.* **205** (Pt 18), 2843--2864, 2002.
162. Aljamali, M.N. et al. RNA interference in ticks: a study using histamine binding protein dsRNA in the female tick *Amblyomma americanum*, *Insect Mol.Biol.* **12** (3), 299--305, 2003.
163. Mans, B.J. et al. Structure, function, and evolution of biogenic amine-binding proteins in soft ticks, *J.Biol.Chem.* **283** (27), 18721--18733, 2008.

164. Paesen, G.C. et al. Tick histamine-binding proteins: isolation, cloning, and three-dimensional structure, *Mol.Cell* **3** (5), 661--671, 1999.
165. Sangamnatdej, S. et al. A high affinity serotonin- and histamine-binding lipocalin from tick saliva, *Insect Mol.Biol.* **11** (1), 79--86, 2002.
166. Valenzuela, J.G. et al. Purification, cloning, and expression of a novel salivary anticomplement protein from the tick, *Ixodes scapularis*, *J.Biol.Chem.* **275** (25), 18717--18723, 2000.
167. Nunn, M.A. et al. Complement inhibitor of C5 activation from the soft tick *Ornithodoros moubata*, *J.Immunol.* **174** (4), 2084--2091, 2005.
168. Tyson, K. et al. Biochemical and functional characterization of Salp20, an *Ixodes scapularis* tick salivary protein that inhibits the complement pathway, *Insect Mol.Biol.* **16** (4), 469--479, 2007.
169. Aljamali, M.N. et al. Transcriptome analysis of the salivary glands of the female tick *Amblyomma americanum* (Acari: Ixodidae), *Insect Mol.Biol.* **18** (2), 129--154, 2009.
170. Francischetti, I.M. et al. The role of saliva in tick feeding, *Front Biosci.* **14** 2051--2088, 2009.
171. Batista, I.F. et al. Expressed sequence tags (ESTs) from the salivary glands of the tick *Amblyomma cajennense* (Acari: Ixodidae), *Toxicon* **51** (5), 823--834, 2008.
172. Nene, V. et al. AvGI, an index of genes transcribed in the salivary glands of the ixodid tick *Amblyomma variegatum*, *Int.J.Parasitol.* **32** (12), 1447--1456, 2002.
173. Alarcon-Chaidez, F.J. et al. Transcriptome analysis of the salivary glands of *Dermacentor andersoni* Stiles (Acari: Ixodidae), *Insect Biochem.Mol.Biol.* **37** (1), 48--71, 2007.
174. Nene, V. et al. Genes transcribed in the salivary glands of female *Rhipicephalus appendiculatus* ticks infected with *Theileria parva*, *Insect Biochem.Mol.Biol.* **34** (10), 1117--1128, 2004.
175. Ribeiro, J.M. et al. An annotated catalog of salivary gland transcripts from *Ixodes scapularis* ticks, *Insect Biochem.Mol.Biol.* **36** (2), 111--129, 2006.
176. Chmellar, J. et al. Insight into the sialome of the castor bean tick, *Ixodes ricinus*, *BMC.Genomics* **9** 233 2008.
177. Francischetti, I.M. et al. An insight into the sialotranscriptome and proteome of the coarse bontlegged tick, *Hyalomma marginatum rufipes*, *J.Proteomics.* **74** (12), 2892--2908, 2011.
178. Francischetti, I.M. et al. An insight into the sialome of the soft tick, *Ornithodoros parkeri*, *Insect Biochem.Mol.Biol.* **38** (1), 1--21, 2008.
179. Mans, B.J. et al. Comparative sialomics between hard and soft ticks: implications for the evolution of blood-feeding behavior, *Insect Biochem.Mol.Biol.* **38** (1), 42--58, 2008.

180. Francischetti, I.M. et al. An insight into the salivary transcriptome and proteome of the soft tick and vector of epizootic bovine abortion, *Ornithodoros coriaceus*, *J.Proteomics.* **71** (5), 493--512, 2008.
181. *Critical Needs and Gaps in Understanding Prevention, Amelioration, and Resolution of Lyme and Other Tick-Borne Diseases: The Short-Term and Long-Term Outcomes: Workshop Report*; National Academies Press, Washington D.C.: 2011.
182. Dai, J. et al. Antibodies against a tick protein, Salp15, protect mice from the Lyme disease agent, *Cell host & microbe* **6** (5), 482--492, 2009.
183. Anguita, J. et al. Salp15, an *Ixodes scapularis* salivary protein, inhibits CD4(+) T cell activation, *Immunity*. **16** (6), 849--859, 2002.
184. Trimmell, A.R. et al. A cross-reactive tick cement antigen is a candidate broad-spectrum tick vaccine, *Vaccine* **23** (34), 4329--4341, 2005.
185. Labuda, M. et al. An antivector vaccine protects against a lethal vector-borne pathogen, *PLoS Pathog* **2** (4), e27 2006.
186. Trimmell, A.R. et al. Dual action ectoparasite vaccine targeting 'exposed' and 'concealed' antigens, *Vaccine* **20** (29-30), 3560--3568, 2002.
187. Lizotte-Waniewski, M. et al. Identification of potential vaccine and drug target candidates by expressed sequence tag analysis and immunoscreening of *Onchocerca volvulus* larval cDNA libraries, *Infect.Immun.* **68** (6), 3491--3501, 2000.
188. Tarleton, R.L. & Kissinger, J. Parasite genomics: current status and future prospects, *Curr.Opin.Immunol.* **13** (4), 395--402, 2001.
189. Andreotti, R. et al. BmTI antigens induce a bovine protective immune response against *Boophilus microplus* tick, *Int.Immunopharmacol.* **2** (4), 557--563, 2002.
190. Sugumar, P. et al. Recombinant mid gut antigen (Bm95) as a vaccine against Indian *Rhipicephalus haemaphysaloides* in *Bos indicus* cattle, *Res.Vet.Sci.* **90** (2), 262--268, 2011.
191. Willadsen, P. et al. Immunologic control of a parasitic arthropod. Identification of a protective antigen from *Boophilus microplus*, *J Immunol.* **143** (4), 1346--1351, 1989.
192. Willadsen, P. Tick control: thoughts on a research agenda, *Vet.Parasitol.* **138** (1-2), 161--168, 2006.
193. Mulenga, A. et al. Molecular characterization of a *Haemaphysalis longicornis* tick salivary gland-associated 29-kilodalton protein and its effect as a vaccine against tick infestation in rabbits, *Infect.Immun.* **67** (4), 1652--1658, 1999.
194. Imamura, S. et al. A serine protease inhibitor (serpin) from *Haemaphysalis longicornis* as an anti-tick vaccine, *Vaccine* **23** (10), 1301--1311, 2005.
195. Imamura, S. et al. Two serine protease inhibitors (serpins) that induce a bovine protective immune response against *Rhipicephalus appendiculatus* ticks, *Vaccine* **24** (13), 2230--2237, 2006.

196. Almazan, C. et al. Identification of protective antigens for the control of *Ixodes scapularis* infestations using cDNA expression library immunization, *Vaccine* **21** (13-14), 1492--1501, 2003.
197. Almazan, C. et al. Vaccination with recombinant tick antigens for the control of *Ixodes scapularis* adult infestations, *Vaccine* **23** (46-47), 5294--5298, 2005.
198. de la, F.J. et al. Evidence of the role of tick subolesin in gene expression, *BMC Genomics* **9** 372 2008.
199. Almazan, C. et al. Characterization of three *Ixodes scapularis* cDNAs protective against tick infestations, *Vaccine* **23** (35), 4403--4416, 2005.
200. Weiss, B.L. & Kaufman, W.R. Two feeding-induced proteins from the male gonad trigger engorgement of the female tick *Amblyomma hebraeum*, *Proc.Natl.Acad.Sci.U.S.A* **101** (16), 5874--5879, 2004.
201. Global Biodiversity Information Facility. <http://www.gbif.org/species/1425> Accessed July 11, 16 A.D.
202. Guglielmone, A.A. et al. The Argasidae, Ixodidae and Nuttalliellidae (Acari: Ixodida) of the world: a list of valid species names 2010.
203. Geevarghese, G.; Mishra, A. C. *Haemaphysalis Ticks of India*; Elsevier Science: London, Waltham USA, 2011.
204. Neumann, L.G. Revision de la famille des Ixodides (2e memoire), *Mem.Soc.Zool.Fr.* **10** 324--420, 1897.
205. Ticks: A Monograph of the Ixodoidea, *California State Journal of Medicine* **8** (1), 34--34, 1910.
206. Aiello, S. E.; Moses, M. A.; Merck, M. D. *The Merck Veterinary Manual*; Wiley: 2016.
207. Chen, Z. et al. Does *Haemaphysalis bispinosa* (Acari: Ixodidae) really occur in China?, *Exp Appl.Acarol.* **65** (2), 249--257, 2015.
208. Mourya, D.T. et al. Highly infectious tick-borne viral diseases: Kyasanur forest disease and Crimean–Congo haemorrhagic fever in India 2014.
209. Kho, K.L. et al. Prevalence and molecular heterogeneity of *Bartonella bovis* in cattle and *Haemaphysalis bispinosa* ticks in Peninsular Malaysia, *BMC.Vet Res* **11** 153 2015.
210. Taylor, M. A.; Coop, R. L.; Wall, R. L. *Veterinary Parasitology*; Wiley: 2007.
211. Wan, K. et al. [Investigation on primary vectors of *Borrelia burgdorferi* in China], *Zhonghua Liu Xing.Bing.Xue.Za Zhi.* **19** (5), 263--266, 1998.
212. Yu, Z. et al. Tick-borne pathogens and the vector potential of ticks in China, *Parasit.Vectors.* **8** 24 2015.
213. Arunachalam, K. & Harikrishnan, T.J. Occurrence of *Haemaphysalis bispinosa* in a Child, *Indian Vet.J.* **86** (1),--93, 2009.
214. Brahma, R.K. et al. Identification and characterization of *Rhipicephalus (Boophilus) microplus* and *Haemaphysalis bispinosa* ticks (Acari: Ixodidae) of

- North East India by ITS2 and 16S rDNA sequences and morphological analysis, *Exp.Appl.Acarol.* **62** (2), 253--265, 2014.
215. Diyes, G.C.P. & Rajakaruna, R.S. Diversity and distribution of tick species infesting goats with two new host records from Sri Lanka, *Journal of the National Science Foundation of Sri Lanka* **43** (3), 2015.
216. Ravindran, R. et al. Effects of solvents and surfactants against *Haemaphysalis bispinosa*, *Trop.Biomed.* **28** (3), 482--486, 2011.
217. Marimuthu, S. et al. Acaricidal activity of synthesized titanium dioxide nanoparticles using *Calotropis gigantea* against *Rhipicephalus microplus* and *Haemaphysalis bispinosa*, *Asian Pac.J Trop.Med* **6** (9), 682--688, 2013.
218. Ravindran, R. et al. In vitro evaluation of acaricidal activity of fipronil against *Haemaphysalis bispinosa* based on adult immersion test, *Trop.Biomed.* **29** (1), 61--64, 2012.
219. Bremner, K.C. Observations on the biology of *Haemaphysalis bispinosa* Neumann (Acarina: Ixodidae) with particular reference to its mode of reproduction by parthenogenesis, *Australian Journal of Zoology* **7** (1), 7--12, 1959.
220. Talukdar, S.K. et al. Passive transfer of immunity against *Haemaphysalis bispinosa* in rabbit, *Indian journal of animal sciences* **69** (6), 400--401, 1999.
221. Hoogstraal, H. et al. *Haemaphysalis (Kaiserianna) bispinosa* Neumann (Ixodoidea: Ixodidae): evidence for consideration as an introduced species in the Malay peninsula and Borneo, *J Parasitol.* **55** (5), 1075--1077, 1969.
222. Stark, K.R. & James, A.A. Anticoagulants in vector arthropods, *Parasitol.Today* **12** (11), 430--437, 1996.
223. Liao, M. et al. Hemalin, a thrombin inhibitor isolated from a midgut cDNA library from the hard tick *Haemaphysalis longicornis*, *J.Insect Physiol* **55** (2), 164--173, 2009.
224. Nakajima, C. et al. A novel gene encoding a thrombin inhibitory protein in a cDNA library from *Haemaphysalis longicornis* salivary gland, *J.Vet.Med.Sci.* **68** (5), 447--452, 2006.
225. Nava, S. et al. An overview of systematics and evolution of ticks, *Front Biosci.* **14** 2857--2877, 2009.
226. Lempereur, L. et al. Development and validation of a PCR-RFLP test to identify African *Rhipicephalus (Boophilus)* ticks, *Acta Trop.* **114** (1), 55--58, 2010.
227. Chao, L.L. et al. Molecular analysis of *Ixodes granulatus*, a possible vector tick for *Borrelia burgdorferi* sensu lato in Taiwan, *Exp.Appl.Acarol.* **48** (4), 329--344, 2009.
228. Miranpuri, G. S.; Gill, H. S. *Ticks of India*; Lindsay & Macleod: Edinburgh, 1983.

229. Chitimia, L. et al. Molecular characterization of hard and soft ticks from Romania by sequences of the internal transcribed spacers of ribosomal DNA, *Parasitol.Res.* **105** (4), 907--911, 2009.
230. Higgins, D.G. et al. Using CLUSTAL for multiple sequence alignments, *Methods Enzymol.* **266** 383--402, 1996.
231. Tamura, K. et al. MEGA5: molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods, *Mol.Biol.Evol.* **28** (10), 2731--2739, 2011.
232. Kimura, M. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences, *J Mol.Evol.* **16** (2), 111--120, 1980.
233. Ghosh, S. et al. Status of tick distribution in Bangladesh, India and Pakistan, *Parasitol.Res.* **101 Suppl 2** S207--S216, 2007.
234. Abdigoudarzi, M. et al. rDNA-ITS 2 identificaiton of *Hyalomma*, *Rhipicephalus*, *Dermacentor* collected from different regions of Iran, *Advanced Studies in Biology* **3** 221--238, 2011.
235. ADLER, S. & FELDMAN-MUEHSAM, B. A note on the genus *Hyalomma* Koch in Palestine, *Parasitology* **39** (1-2), 95--101, 1948.
236. Apanaskevich, D.A. & Horak, I.G. The genus *Hyalomma* Koch, 1844. i. reinstatement of *Hyalomma (euhyalomma) glabrum* Delpy, 1949 (Acari, Ixodidae) as a valid species with a redescription of the adults, the first description of its immature stages and notes on its biology, *Onderstepoort J.Vet.Res.* **73** (1), 1--12, 2006.
237. Barker, S.C. Distinguishing species and populations of Rhipicephaline ticks with its 2 ribosomal RNA, *J.Parasitol.* **84** (5), 887--892, 1998.
238. Zhu, X. et al. Characterisation of anisakid nematodes with zoonotic potential by nuclear ribosomal DNA sequences, *Int.J.Parasitol.* **28** (12), 1911--1921, 1998.
239. Kain, D.E. et al. Mitochondrial DNA sequence variation in *Ixodes pacificus* (Acari: ixodidae), *Heredity (Edinb.)* **83 (Pt 4)** 378--386, 1999.
240. Norris, D.E. et al. Population genetics of *Ixodes scapularis* (Acari: Ixodidae) based on mitochondrial 16S and 12S genes, *J Med.Entomol.* **33** (1), 78--89, 1996.
241. Fukunaga, M. et al. Molecular phylogenetic analysis of Ixodid ticks based on the ribosomal DNA spacer, internal transcribed spacer 2, sequences, *J.Parasitol.* **86** (1), 38--43, 2000.
242. Wesson, D.M. et al. Investigation of the validity of species status of *Ixodes dammini* (Acari: Ixodidae) using rDNA, *Proc.Natl.Acad.Sci.U.S.A* **90** (21), 10221--10225, 1993.
243. Beati, L. & Keirans, J.E. Analysis of the systematic relationships among ticks of the genera *Rhipicephalus* and *Boophilus* (Acari: Ixodidae) based on

- mitochondrial 12S ribosomal DNA gene sequences and morphological characters, *J.Parasitol.* **87** (1), 32--48, 2001.
244. Black, W.C. & Piesman, J. Phylogeny of hard- and soft-tick taxa (Acaria: Ixodida) based on mitochondrial 16S rDNA sequences, *Proc.Natl.Acad.Sci.U.S.A* **91** (21), 10034--10038, 1994.
245. Krakowetz, C.N. et al. Genetic variation in the mitochondrial 16S rRNA gene of the American dog tick, *Dermacentor variabilis* (Acaria: Ixodidae), *J.Vector.Ecol.* **35** (1), 163--173, 2010.
246. Barker, S.C. & Murrell, A. Systematics and evolution of ticks with a list of valid genus and species names, *Parasitology* **129 Suppl** S15--S36, 2004.
247. Tian, Z. et al. Discrimination between *Haemaphysalis longicornis* and *H. qinghaiensis* based on the partial 16S rDNA and the second internal transcribed spacer (ITS-2), *Exp.Appl.Acarol.* **54** (2), 165--172, 2011.
248. Caporale, D.A. et al. Discriminating between *Ixodes* ticks by means of mitochondrial DNA sequences, *Mol.Phylogenet.Evol.* **4** (4), 361--365, 1995.
249. Hlinka, O. et al. Evolution of the secondary structure of the rRNA internal transcribed spacer 2 (ITS2) in hard ticks (Ixodidae, Arthropoda), *Heredity (Edinb.)* **88** (4), 275--279, 2002.
250. Lempereur, L. et al. Development and validation of a PCR-RFLP test to identify African *Rhipicephalus* (*Boophilus*) ticks, *Acta Trop.* **114** (1), 55--58, 2010.
251. Edwards, K. T.; Goddard, J.; Varela-Stokes, A. S. Examination of the Internal Morphology of the Ixodid Tick, *Amblyomma maculatum* Koch, (Acaria: Ixodidae); a "How-to" Pictorial Dissection Guide. Midsouth Entomologist 2, 28-39. 2009.
252. Laemmli, U.K. Cleavage of structural proteins during the assembly of the head of bacteriophage T4, *Nature* **227** (5259), 680--685, 1970.
253. Doley, R. & Mukherjee, A. K. Purification and characterization of an anticoagulant phospholipase A2 from Indian monocled cobra (*Naja kaouthia*) venom. *Toxicon* **41** (1), 81--91, 2003.
254. Tambourgi, D.V. et al. *Loxosceles intermedia* spider envenomation induces activation of an endogenous metalloproteinase, resulting in cleavage of glycophorins from the erythrocyte surface and facilitating complement-mediated lysis, *Blood* **95** (2), 683--691, 2000.
255. Gutierrez, J.M. et al. An alternative in vitro method for testing the potency of the polyvalent antivenom produced in Costa Rica, *Toxicon* **26** (4), 411--413, 1988.
256. Chmellar, J. et al. Tick salivary secretion as a source of antihemostatics, *J.Proteomics.* **75** (13), 3842--3854, 2012.
257. Ciprandi, A. et al. *Boophilus microplus*: its saliva contains microphilin, a small thrombin inhibitor, *Exp.Parasitol.* **114** (1), 40--46, 2006.

258. Horn, F. et al. *Boophilus microplus* anticoagulant protein: an antithrombin inhibitor isolated from the cattle tick saliva, *Arch.Biochem.Biophys.* **384** (1), 68--73, 2000.
259. Patton, T.G. et al. Saliva, Salivary Gland, and Hemolymph Collection from *Ixodes scapularis* Ticks, *J.Vis.Exp.* (60), 2012.
260. Barker, R.W. et al. Composition of tick oral secretions obtained by three different collection methods, *J.Med.Entomol.* **10** (2), 198--201, 1973.
261. Ribeiro, J.M. et al. How much pilocarpine contaminates pilocarpine-induced tick saliva?, *Med.Vet.Entomol.* **18** (1), 20--24, 2004.
262. Burke, J.E. & Dennis, E.A. Phospholipase A2 structure/function, mechanism, and signaling, *J.Lipid Res* **50 Suppl** S237--S242, 2009.
263. Tirloni, L. et al. Proteomic analysis of cattle tick *Rhipicephalus* (*Boophilus*) *microplus* saliva: a comparison between partially and fully engorged females, *PLoS.One.* **9** (4), e94831 2014.
264. Jongejan, F. & Uilenberg, G. The global importance of ticks, *Parasitology* **129** S3--14, 2004.
265. Graf, J.F. et al. Tick control: an industry point of view, *Parasitology* **129 Suppl** S427--S442, 2004.
266. Lew-Tabor, A.E. & Rodriguez, V.M. A review of reverse vaccinology approaches for the development of vaccines against ticks and tick borne diseases, *Ticks.Tick.Borne.Dis.* **7** (4), 573--585, 2016.
267. Willadsen, P. et al. Immunologic control of a parasitic arthropod. Identification of a protective antigen from *Boophilus microplus*, *J.Immunol.* **143** (4), 1346--1351, 1989.
268. Andreotti, R. et al. Protective immunity against tick infestation in cattle vaccinated with recombinant trypsin inhibitor of *Rhipicephalus microplus*, *Vaccine* **30** (47), 6678--6685, 2012.
269. Soares, T.S. et al. BmTI-A, a Kunitz type inhibitor from *Rhipicephalus microplus* able to interfere in vessel formation, *Vet.Parasitol.* **219** 44--52, 2016.
270. Tellam, R.L. et al. Reduced oviposition of *Boophilus microplus* feeding on sheep vaccinated with vitellin, *Vet.Parasitol.* **103** (1-2), 141--156, 2002.
271. Yamada, S. et al. Cloning and characterization of *Rhipicephalus appendiculatus* voraxin-alpha and its effect as anti-tick vaccine, *Vaccine* **27** (43), 5989--5997, 2009.
272. Rodriguez-Mallon, A. et al. High efficacy of a 20 amino acid peptide of the acidic ribosomal protein P0 against the cattle tick, *Rhipicephalus microplus*, *Ticks.Tick.Borne.Dis.* **6** (4), 530--537, 2015.
273. Carreon, D. et al. Vaccination with BM86, subolesin and akirin protective antigens for the control of tick infestations in white tailed deer and red deer, *Vaccine* **30** (2), 273--279, 2012.

274. Guerrero, F.D. et al. *Rhipicephalus (Boophilus) microplus* aquaporin as an effective vaccine antigen to protect against cattle tick infestations, *Parasit.Vectors.* **7** 475 2014.
275. Mans, B.J. & Neitz, A.W. Adaptation of ticks to a blood-feeding environment: evolution from a functional perspective, *Insect Biochem.Mol.Biol.* **34** (1), 1--17, 2004.
276. Wilkins, M.R. et al. Protein identification and analysis tools in the ExPASy server, *Methods Mol.Biol.* **112** 531--552, 1999.
277. Davie, E.W. et al. The coagulation cascade: initiation, maintenance, and regulation, *Biochemistry* **30** (43), 10363--10370, 1991.
278. Crawley, J.T. et al. The central role of thrombin in hemostasis, *J Thromb.Haemost.* **5 Suppl** 1 95--101, 2007.
279. Di Cera, E. Thrombin interactions, *Chest* **124** (3 Suppl), 11S--17S, 2003.
280. Koh, C. Y.; Kini, R. M. Thrombin Inhibitors from Haematophagous Animals, in *Toxins and hemostasis*, Kini, R. M.; Clemetson, K. J.; Markland, F. S., editors; Springer: London, 2010; Chapter 15, pp. 239-254.
281. Bode, C. et al. Thrombolytic therapy in acute myocardial infarction--selected recent developments, *Ann.Hematol.* **69** (4), S35--S40, 1994.
282. Lombardi, A. et al. From natural to synthetic multisite thrombin inhibitors, *Biopolymers* **51** (1), 19--39, 1999.
283. LaVallie, E.R. et al. A thioredoxin gene fusion expression system that circumvents inclusion body formation in the *E. coli* cytoplasm, *Biotechnology (N.Y.)* **11** (2), 187--193, 1993.
284. Soares, T.S. et al. Expression and functional characterization of boophilin, a thrombin inhibitor from *Rhipicephalus (Boophilus) microplus* midgut, *Vet.Parasitol.* **187** (3-4), 521--528, 2012.
285. Xu, D. & Zhang, Y. Ab initio protein structure assembly using continuous structure fragments and optimized knowledge-based force field, *Proteins* **80** (7), 1715--1735, 2012.
286. Yang, J. & Zhang, Y. Protein Structure and Function Prediction Using I-TASSER, *Curr.Protoc.Bioinformatics.* **52** 5--15, 2015.
287. Lovell, S.C. et al. Structure validation by Calpha geometry: phi,psi and Cbeta deviation, *Proteins* **50** (3), 437--450, 2003.
288. Pierce, B.G. et al. ZDOCK server: interactive docking prediction of protein-protein complexes and symmetric multimers, *Bioinformatics* **30** (12), 1771--1773, 2014.
289. Borgohain, T. et al. Protective and Curative Effect of *Scoparia dulcis* Leave Extract Against Free Fatty Acid Induced Insulin Resistance in Rat L6 Myotubes, *Am.J.Phytomed.Clin.Ther.* **2** (7), 842--854, 2014.
290. Markwardt, F. et al. Studies on antithrombotic effects of recombinant hirudin, *Thrombosis research* **54** (5), 377--388, 1989.

291. Salzet, M. et al. Theromin, a novel leech thrombin inhibitor, *J.Biol.Chem.* **275** (40), 30774--30780, 2000.
292. Scharf, M. et al. Primary structures of new 'iso-hirudins', *FEBS Lett.* **255** (1), 105--110, 1989.
293. Stubbs, M.T. & Bode, W. A player of many parts: the spotlight falls on thrombin's structure, *Thromb.Res.* **69** (1), 1--58, 1993.
294. Waugh, D.S. An overview of enzymatic reagents for the removal of affinity tags, *Protein Expr.Purif.* **80** (2), 283--293, 2011.
295. Gallwitz, M. et al. The extended cleavage specificity of human thrombin, *PLoS One* **7** (2), e31756 2012.
296. Hoffman, M. & Monroe, D.M., III A cell-based model of hemostasis, *Thromb.Haemost.* **85** (6), 958--965, 2001.