

List of Tables

Chapter	Table	Title	Page no.
Chapter II			
	2.1	Properties of Tb ³⁺ doped Gd ₂ O ₃ nanocrystalline phosphors	37
	2.2	Decay time constants calculated from TR-PL spectra	41
	2.3	Average crystallite size (nm), lattice parameter (nm), microstrain and dimension of nanorods (nm) of as-synthesized Gd ₂ O ₃ nanorod systems	44
	2.4	Physical characteristics estimated from XRD data	55
Chapter III			
	3.1	Electronic energy loss (S_e), nuclear energy loss (S_n) and the projected range (R_p) of 80 MeV C ⁶⁺ ions in different material systems.	72
	3.2	Energy deposition and structural parameters associated with the Gd ₂ O ₃ nanorods subjected to 80 MeV C ⁶⁺ ion irradiation (through XRD and TEM analyses)	72
	3.3	Characteristic parameters as predicted from the analysis of the EPR spectra	82
Chapter IV			
	4.1	Physical parameters derived through XRD analyses of Eu ³⁺ :Gd ₄ O ₃ F ₆ nanosystems	94
	4.2	Judd-Ofelt intensity parameters (Ω_2) and asymmetric parameters obtained from luminescence spectra	98
Chapter V			
	5.1	Physical parameters related to rheological studies of Gd ₂ O ₃ nanorods based system.	111

List of Figures

Chapter	Figure no.	Caption	Page no.
Chapter I			
	1.1	Schematic diagrams of density of states vs. energy for $3D$, $2D$, $1D$ and $0D$ systems	2
	1.2	Part of the modern periodic table (lanthanide series)	4
	1.3	Phase diagram of rare earth sesquioxides (RE_2O_3)	4
	1.4	Different crystal structure of RE_2O_3 : (a) hexagonal (b) monoclinic and (c) cubic	5
	1.5	(a) HRTEM image of Gd_2O_3 nanorods [41] (b) SEM image of Dy_2O_3 nanotubes [42] (c) SEM image of $Gd_2O(CO_3)_2 \cdot H_2O$ nanoflowers	7
	1.6	Structure of gadolinium oxyfluoride ($Gd_3O_4F_6$) (a) tetragonal [56] and (b) rhombohedral [57] forms.	8
	1.7	Electron microscopy images of different RE oxyfluorides (a) GOF nanospheres [44], (b) EuOF nanowires [47] and (c) GOF nanorods [56].	8
	1.8	Schematic of different events during ion matter interaction process	10
	1.9	Flow curves of Newtonian and non-Newtonian fluids [104]	15

Chapter II

- 2.1 Synthesis protocol for preparing Tb^{3+} doped Gd_2O_3 nanosystems 35
- 2.2 (a) A series of X-ray diffractograms of undoped and Tb^{3+} doped Gd_2O_3 (b) HRTEM micrograph of nanoscale Gd_2O_3 system 37
- 2.3 (a) Optical absorption spectra of undoped and Tb^{3+} doped Gd_2O_3 nanophosphors. Tauc plots of respective samples are shown in (b). 38
- 2.4 Room temperature photoluminescence spectra of the undoped and Tb^{3+} doped Gd_2O_3 nanophosphors ($\lambda_{ex} = 300$ nm) 40
- 2.5 TR-PL spectra of (a) 1% and (b) 5% Tb^{3+} doped Gd_2O_3 nanoparticles. Black and red experimental curves represent the nature of PL decays corresponding to $\lambda_{em} = 490$ nm and 545 nm, respectively 41
- 2.6 FTIR spectra of undoped and Tb^{3+} doped Gd_2O_3 samples 42
- 2.7 (a) Block diagram of hydrothermally synthesized Gd_2O_3 nanorods, (b) XRD patterns of as-synthesized $Gd(OH)_3$ product (pH 10.8) and Gd_2O_3 nanorods derived from precursors of different pH 43
- 2.8 (a) and (b) represent HRTEM images of nanorod samples synthesized at pH 10.8 and 13.3, respectively. Magnified image of an isolated Gd_2O_3 nanorod (derived from pH 10.8 precursor) with crystal lattice fringes depicted in (c). The SAED 46

	pattern is being highlighted in the inset of (c)	
2.9	A scheme of growth mechanism illustrating formation of Gd ₂ O ₃ nanorods	47
2.10	Absorption spectra of Gd ₂ O ₃ nanorods synthesized at different pH	47
2.11	Room temperature PL emission spectra $\lambda_{\text{ex}} = 300$ nm with deconvolution of Gd ₂ O ₃ nanorods obtained from precursors at (a) pH 9.2, (b) pH 10.8 and (c) pH 13.3. a) PL excitation spectrum ($\lambda_{\text{em}} = 480$ nm) for pH=10.8 sample is shown in (d).	49
2.12	Thermogravimetric analysis of unsintered Gd(OH) ₃ product (pH= 10.8)	50
2.13	(a) Raman spectra of Gd ₂ O ₃ nanoparticles (GNP) and nanorods (GNR), (b) room temperature M~ H plot of the Gd ₂ O ₃ nanorods synthesized at pH=10.8. Inset shows enlarged view of the plot near zero-field	52
2.14	Block diagram on various steps involved in the synthesis Gd ₂ O ₃ nanorods	53
2.15	(a) XRD patterns of all the Gd ₂ O ₃ samples, HRTEM images of Gd ₂ O ₃ (b) seed nanoparticles, and nanorods synthesized at a processing temperature of (c) 140°C, and (d) 180°C. The feature shown in (d), characterize well developed nanorods with instances of hollow morphology. The SAED pattern is depicted in the inset of (d)	55
2.16	(a) Schematic growth mechanism of	58

Gd₂O₃ nanorods (upper panel) and a set of TEM images illustrating transformation of nanoparticle seeds to nanorods through oriented attachment (lower panel), (b) Arrhenius plot of the reaction constant k vs. inverse of temperature, T^{-1}

- 2.17 (a) PL emission spectra of different Gd₂O₃ samples: nanoparticles (GNP) (i), and hydrothermally processed nanorods (GNR) at a temperature of (ii) 140 °C and (iii) 180 °C. The deconvoluted PL curves of (b) GNP and (c) GNR systems are shown independently 60
- 2.18 Room temperature EPR spectra of the corresponding GNP and GNR systems 61

Chapter III

- 3.1 (a) XRD patterns of the (i) pristine and irradiated Gd₂O₃ nanorods at fluences of (ii) 1×10^{11} , (iii) 3×10^{11} and (iv) 1×10^{12} ions/cm². The HRTEM imaging of (b) pristine and irradiated (c) 1×10^{11} , (d) 3×10^{11} , (e) 1×10^{12} and (f) 3×10^{12} ions/cm² Gd₂O₃ nanorods. The histograms, shown as figure inset, represent size distribution of the nanorods 72
- 3.2 Tamarind-like shape evolution upon irradiation at a fluence of 1×10^{12} ions/cm² is depicted in (a), with regular deformation indicated by arrow marks for the case (b) 3×10^{12} ions/cm², and (c) image on real look of mature tamarinds.(source:<http://www.in.all.biz/img/in/catalog/23346.jpeg>).The smooth and bumpy surface features can 74

- be visualized in magnified TEM images meant for the (d) un-irradiated nanorod and the one (e) irradiated at a fluence of 1×10^{12} ions/cm²
- 3.3 Raman spectra of a) pristine, and irradiated Gd₂O₃ nanorods at a fluence of 76
b) 1×10^{12} ions/cm², c) 3×10^{12} ions/cm². Note the shifting of the prominent peak at very high fluence
- 3.4 (a) Variation of energy deposited per 79
atom during irradiation vs. effective diameter of cylindrical zones created due to swift ion impact, (b) scheme illustrating shape evolution of Gd₂O₃ nanorods as a result of overlapping effect accompanied by impact of multiple ions
- 3.5 (a) A magnified view of an isolated 80
nanorod with zoomed view of a segment highlighting lattice fringe and defects. The SAED pattern that highlights diffused diffraction rings is shown as inset of (a) at the bottom left. An EDX pattern illustrating elemental composition is depicted in Figure (b)
- 3.6 (a) PL spectra ($\lambda_{\text{ex}} = 300$ nm) of un- 81
irradiated and irradiated Gd₂O₃ nanorod systems (i: 0, ii: 1×10^{11} , iii: 3×10^{11} , iv: 1×10^{12} and v: 3×10^{12} ions/cm²), and (b-f) deconvoluted PL spectra of the corresponding systems. Note the shadow areas under the curves representing mainly V_{Ox} and V₀⁺ defects
- 3.7 First-derivative EPR absorption spectra of 82
the un-irradiated and irradiated Gd₂O₃ nanorods (i: 0, ii: 1×10^{11} , iii: 3×10^{11} , iv: 1

- $\times 10^{12}$ and $v: 3 \times 10^{12}$ ions/cm²) acquired at (a) 300 K and (b) 77 K
- 3.8 (a) Curves of relative PL intensity (V_{Ox}/V_0^+) and τ_{ss} with ion fluence, (b) schematic representation of mediated spin distribution ($d' > d$), d being the inter-spin separation in case of un-irradiated nanorods and d' that for irradiated systems. The spin factor was calculated with pristine sample as reference. The response of the irradiated nanorods, in RT and LNT environments, are highlighted in (c) and (d), respectively. 84

Chapter IV

- 4.1 (a) XRD patterns of undoped and Eu³⁺ doped Gd₄O₃F₆ nanosystems, (b) zoomed version of XRD patterns to highlight peak-shifting with Eu³⁺ doping 93
- 4.2 (a) HRTEM images of Gd₄O₃F₆ nanoparticles, and (b) 7% Eu³⁺ doped GOF sample (c) an isolated GOF nanoparticle depicting lattice fringe, (d) EDX patterns of (lower) undoped and (upper) 7% Eu³⁺ doped GOF specimens 93
- 4.3 (a) Optical absorption spectra of undoped and Eu³⁺ doped Gd₄O₃F₆ nanosystems, (b) corresponding first derivative spectra of the samples 95
- 4.6 (a) PL emission spectra of undoped and Eu³⁺ doped GOF samples. The schematic diagram on radiative transitions is illustrated in figure inset. The deconvoluted PL spectra of 3% Eu doped Gd₄O₃F₆ nanosystem is shown in (b) 96

- Chapter IV 4.7 FTIR spectra of undoped and 7% Eu³⁺ 99

doped $\text{Gd}_4\text{O}_3\text{F}_6$ nanosystems

- Chapter IV** 4.8 (a) Raman spectra of un-doped and Eu^{3+} doped $\text{Gd}_4\text{O}_3\text{F}_6$ nanosystems, (b) deconvoluted Raman spectra of undoped and 7% Eu^{3+} doped GOF nanosystems 99

Chapter V

- 5.1 Distribution of colloidal particles (a) at equilibrium, (b) under shear, showing shear thinning and (c) shear thickening behaviour 107
- 5.2 (a) shear stress vs. shear rate of pristine Gd_2O_3 (concentration 0.5 mg/mL) nanorods, (b) Apparent viscosity vs. shear rate curves for pristine MR fluid subjected to different magnetic fields 108
- 5.3 Variation of shear stress vs. shear rate for different sample (a) Pristine (b) 1kGy and (c) 6 kGy samples and the corresponding variation of shear rate with viscosity shown in (d), (e) and (f) 109
- 5.4 Schematic diagram of shear thickening and shear thinning feature 111
- 5.5 (a), (b), (c), (d), (e) and (f) represents both shear thickening and shear thinning part of pristine, 1kGy and 6kGy samples 112

Chapter VI

- 6.1 (a) Effect of GNP and GNR treatment on the cell viability of PBMC. The digital photograph and membrane stability activity of nanoparticles and nanorods are highlighted in (b) and (c); respectively 122

6.2	Schematic representation of hemolysis activity	122
6.3	Histograms on (a) HepG2 and (b) MDA-MB-231 cell viability as measured by MTT assay with GNP and GNR loading	123
6.4	Optical microscopic images (scale bar: 100 μm) of MDA-MB-231 cells incubated without and with (a) GNP and (b) GNR treatment for 24h. Note the concentration dependent inhibition of cell growth	124
6.5	Apoptotic analysis of MDA-MB-231 cells after GNP and GNR treatment. Fluorescent images (scale bar: 100 μm) of AO/EB staining of (a) GNP and (b) GNR with different concentration of MDA-MB-231 cell lines. Colors in fluorescent images represent specific cells mentioned in the figure	125