List of Figures

Chapter No	Figure No	Figure caption	Page No
1	1.1	Schematic diagram of a typical spherically symmetric gravito-	8
		thermally bounded dust molecular cloud (DMC).	
	1.2	Schematic diagram of the Sun and its ambient atmosphere	10
		according to the standard solar model (SSM).	
	1.3	Schematic diagram of the Sun and its ambient atmosphere	11
		according to the gravito-electrostatic sheath (GES) model.	
2	2.1	Schematic diagram of the considered magnetized plasma sheath	18
		configuration.	
	2.2	The spatial profiles of the normalized (a) electron and ion	26
		population densities (N_e and N_i), (b) ion Mach number (M_i), (c)	
		electrostatic potential (Φ), and (d) potential curvature	
		$(\partial^2\Phi/\partial\xi^2)$ under different strengths of the applied magnetic field	
		(B). The two distinct line sets (solid and dashed) in figure 2.2(a)	
		depict the electron and ion densities for $B = 0.1 \text{ T}$, 0.2 T , and 0.3 T	
		T; respectively. The blue, red and black distinct lines in figures	
		2.1(b)-2.1(d) link to the same respective B-values. Fine details	
		are given in the text.	
	2.3	Same as figure 2.2, but with $B = 0.1 \text{ T}$ and $\theta = 30^{\circ}$. Different	27
		lines link to $\sigma = (T_e/T_i) = 2.5$, 1.42, and 1; respectively. Here,	
		$T_e = 1$ eV (fixed), and different $T_i = 0.4$ eV, $T_i = 0.7$ eV, and	
		$T_i = 1 \text{ eV}; \text{ respectively.}$	
3	3.1	Schematic of the considered plasma sheath configuration, same	35
		as figure 2.1.	
	3.2	The spatial profiles of the normalized (a) electrostatic potential	40

- (Φ), and (b) electrostatic potential curvature ($\partial^2 \Phi/\partial \xi^2$) as a measure of deviation from quasi-neutrality under the different B-values. Different lines link to B=0.10~T (blue), 0.20 T (red), and 0.30 T (black); respectively. The related fine details are presented in the text.
- 3.3 Same as figure 3.2, but with B = 0.20 T (fixed). Different lines 41 correspond to $\theta = 10^{\circ}$, 30° , and 50° ; respectively.
- 4 4.1 Spatial profile of the normalized electrostatic (a) potential (Φ , 54 blue line), field strength ($\partial \Phi/\partial \xi$, red line), potential curvature ($\partial^2 \Phi/\partial \xi^2$, green line), and gradient scale length (L_e , black line); and (b) phase portrait (in a phase space defined by Φ and $\partial \Phi/\partial \xi$). Different input and initial values are given in the text.
 - 4.2 Spatiotemporal profile of electrostatic potential fluctuations. 55

 Input details can be found in the text.
 - 4.3 Spatial profile of normalized self-gravitational (a) potential (Ψ , 56 blue line), field strength ($\partial \Psi/\partial \xi$, red line), potential curvature ($\partial^2 \Psi/\partial \xi^2$, green line), and gradient scale length (L_g , black line); and (b) phase portrait (in a phase space defined by Ψ and $\partial \Psi/\partial \xi$). Different input and initial values are described in the text.
 - 4.4 Spatiotemporal profile of self-gravitational potential 56 fluctuations. Different input and initial values used are described in the text.
- 5 5.1 Profile of the normalized (a) solar self-gravity ($g_s = d\eta/d\xi$, 66 upper curves) and electric field ($d\theta/d\xi$, lower curves), (b) electrostatic potential (θ), (c) Mach number (M_i) and (d) net electric current density (J) on the SIP scale with inset for the SSB. The different lines link to $q_e = 0.50$ (blue lines), 0.55 (red

- lines), 0.60 (green lines) and 1.00 (black lines); respectively. The related fine details are given in the text.
- 5.2 Profile of the normalized (a) electrostatic potential (θ), (b) 67 Mach number (M_i) and (c) net electric current density (J) on the SWP scale. The different lines link to $q_e = 0.90$ (blue solid), 0.94 (red dashed), 0.98 (green dotted), and 1.00 (black dashed dotted); respectively. The related fine details are presented in the text.
- 6 6.1 Profile of linear growth rate (ω_i) with variable polytropic index 78 (α). Different lines correspond to different cases with velocity v=250 (blue line), 400 (red line), 550 (green line), and 700 km s^{-1} (black line); respectively. The fine details are described in the text.
 - Profile of linear growth rate (ω_i) with position (r normalised by 79
 R⊙) and polytropic index (α) for the solar interior (a) and for the solar exterior scale (b). The different input and initial values adopted here are described in the text.