

CONTENTS

ABSTRACT	i-iii
DECLARATION	iv
CERTIFICATES	v
ACKNOWLEDGEMENTS	vi
LIST OF FIGURES	xiv
LIST OF TABLE	xix
LIST OF ABBREVIATIONS	xxi

CHAPTER 1: INTRODUCTION	1-5
--------------------------------	-----

CHAPTER 2: REVIEW OF LITERATURE	6-29
--	------

2.1. Definition of probiotics	7
2.2. Technological properties of probiotics	7
2.2.1. Oxidative stress tolerance	8
2.2.2. Heat and osmotic stress tolerance	9
2.2.3. Tolerance to storage conditions	9
2.3. Functional properties of probiotics	9
2.3.1. Acid tolerance	9
2.3.2. Bile tolerance	9
2.3.3. Adherence to intestinal mucosa	9
2.4. Desirable physiological properties of probiotics	10
2.4.1. Cholesterol metabolism	10
2.4.2. Antagonism towards gastrointestinal pathogens	10
2.4.3. Immunomodulation	11
2.4.4. Anticancer properties	12
2.4.5. Prevention of antibiotic associated diarrhea	12
2.5. Evaluation of yeast as probiotics	12
2.6. Incorporation of probiotics into functional foods	13

2.7.	Antibiofilm properties of probiotics and probiotic derived metabolites	16
2.8.	Antifungal properties of probiotics	18
2.9.	Bibliography	18

**CHAPTER 3: ASSESSMENT OF PROBIOTIC DIVERSITY IN DIFFERENT
FERMENTED FOODS OF ASSAM AND ARUNACHAL PRADESH** 30-48

3.1.	Abstract	31
3.2.	Introduction	31
3.3.	Materials and methods	32
3.3.1.	Collection of samples	32
3.3.2.	Microbial analysis	32
3.3.2.1.	Isolation of microorganisms	32
3.3.2.2.	Reference strains used	33
3.3.2.3.	Physiological and biochemical characterization	33
3.3.2.4.	Cluster analysis	34
3.3.3.	Probiotic characterization	34
3.3.3.1.	Acid tolerance	34
3.3.3.2.	Bile tolerance	34
3.3.3.3.	Hydrophobicity	34
3.3.4.4.	Cluster analysis	35
3.4.	Results and discussions	35
3.4.1.	Sample collection	35
3.4.2.	Microbial analysis	36
3.4.3.	Probiotic characterization	43
3.4.3.1.	Acid and bile tolerance, hydrophobicity	43
3.4.3.2	Clustering of strains for determining the most promising probiotic strain	45
3.5.	Conclusion	46
3.6.	Bibliography	46

CHAPTER 4: INHIBITION OF BIOFILM FORMATION OF *LISTERIA MONOCYTOGENES* BY BACTERIOCIN - PRODUCING *PEDIOCOCCUS PENTOSACEUS* DS1 ON SELECTED BIOTIC AND ABIOTIC SURFACES

4.1.	Abstract	50
4.2.	Introduction	50
4.3.	Materials and methods	52
4.3.1.	Bacterial strains, media and growth conditions	52
4.3.2.	Identification of bacterial strains	52
4.3.3.	Assessment of probiotic properties of the isolates	53
4.3.3.1.	<i>In vitro</i> gastrointestinal stress tolerance	53
4.3.3.2.	Adhesion to Caco-2 cell line	53
4.3.4.	Detection of bacteriocin production gene	54
4.3.5.	Autoaggregation assay	55
4.3.6.	Bacterial adhesion to solvent assay	55
4.3.7.	Probiotic mediated biofilm inhibition assay	55
4.3.8.	Scanning electron microscopic observations of biofilm inhibition	56
4.3.9.	Effect of probiotics on Caco-2 cell adhesion of <i>Listeria monocytogenes</i>	56
4.3.10.	Effect of probiotics on Caco-2 cell invasion of <i>Listeria monocytogenes</i>	57
4.3.11.	Antagonistic effect of <i>P. pentosaceus</i> DS1 against <i>L. monocytogenes</i> in milk	57
4.4.	Results and discussions	57
4.4.1.	Strain identification	57
4.4.2	Probiotic characterization	58
4.4.2.1.	Tolerance to simulated gastrointestinal transit	58
4.4.2.2.	Adhesion to Caco-2 cell line	59
4.4.3.	Detection of bacteriocin producing gene	60
4.4.4.	Detection of bacteriocin production in culture media	62
4.4.5.	Autoaggregation and bacterial adhesion to solvent assay	63
4.4.6.	Probiotic mediated biofilm inhibition assay	64

4.4.7.	Scanning electron microscopic observations of biofilm inhibition	65
4.4.8.	Inhibition of <i>L. monocytogenes</i> Caco-2 cell adhesion and invasion by <i>P. pentosaceus</i> DS1	66
4.4.9.	Antagonistic effect of <i>P. pentosaceus</i> DS1 against <i>L. monocytogenes</i> in milk	67
4.5	Conclusions	69
4.6	Bibliography	69

**CHAPTER 5: OPTIMIZATION OF CULTURE CONDITIONS FOR THE
PRODUCTION OF BACTERIOCIN- LIKE SUBSTANCE (BLIS) BY
BACILLUS SP. NK7 ISOLATED FROM KHAROLI FROM ASSAM, INDIA** 74-98

5.1.	Abstract	75
5.2.	Introduction	75
5.3.	Materials and methods	76
5.3.1.	Selection of microorganisms and growth conditions	76
5.3.2.	Molecular identification of bacterial strain	77
5.3.3.	Assessment of probiotic properties of the isolates	78
5.3.3.1.	<i>In vitro</i> gastrointestinal stress tolerance	78
5.3.3.2.	Adhesion to Caco-2 cell line	78
5.3.4.	Single factor experiments for the determination of factors influencing BLIS production in culture media	79
5.3.5.	Statistical analysis for the optimization of factors using response surface methodology	80
5.3.6.	Cell lysis	80
5.3.7.	Partial purification of BLIS	80
5.3.8.	Effect of enzymes, pH, and temperature on BLIS activity	81
5.3.9.	Safety evaluation of BLIS producing strain	81
5.3.9.1.	Assessment of antibiotic susceptibility	81

5.3.9.2.	Assessment for haemolysis	82
5.4.	Results and discussions	82
5.4.1.	Identification of BLIS producing bacteria	82
5.4.2.	Probiotic characterization	83
5.4.2.1.	Tolerance to gastrointestinal stress conditions	83
5.4.2.2.	Adhesion to Caco-2 cell line	84
5.4.3.	Single factor experiments for the determination of factors influencing BLIS production	85
5.4.4.	Optimization of culture conditions using response surface methodology	86
5.4.5.	Validation of optimal culture conditions	89
5.4.6.	Cell lysis	90
5.4.7.	Partial purification of BLIS	91
5.4.8.	Effect of enzymes, pH, and temperature on BLIS activity	92
5.4.9.	Safety evaluations	93
5.5.	Conclusions	94
5.6.	Bibliography	95

CHAPTER 6: INHIBITION OF FOOD SPOILAGE ISOLATE 99-120
***CANDIDA TROPICALIS* BSS7 EXPRESSING VIRULENCE**
FACTORS IN A FRUIT JUICE MODEL USING
***LACTOBACILLUS-* DERIVED EXTRACELLULAR**
METABOLITES

6.1.	Abstract	100
6.2.	Introduction	100
6.3.	Material and methods	101
6.3.1.	Isolation of microbial strains and culture conditions for different strains used	101
6.3.2.	Molecular identification	102

6.3.3.	Extraction of antifungal metabolites (AFMs) from <i>Lactobacillus paracasei</i> D6 spent broth	103
6.3.4.	Antifungal assays	103
6.3.5.	Antibiofilm assay and inhibition of germ tube formation	103
6.3.6.	Caco-2 cell culture and inhibition of <i>Candida</i> adhesion to Caco-2 cell line by AFM	104
6.3.7.	Identification of AFMs	105
6.3.8.	Inhibition of <i>Candida</i> in fruit juice	105
6.4.	Results and discussions	106
6.4.1.	Isolation and identification of strains	106
6.4.2.	Antifungal assays	107
6.4.3.	Antibiofilm assay and visualization of hyphal transition inhibition	109
6.4.4.	Inhibition of <i>Candida</i> adhesion to Caco-2 cell line	110
6.4.5.	Identification of AFMs	111
6.4.6.	Inhibition of <i>Candida</i> in fruit juice	113
6.7.	Conclusion	115
6.8.	Bibliography	116

CHAPTER 7: HYPOCHOLESTEROLEMIC ACTIVITY OF INDIGENOUS PROBIOTIC ISOLATE *SACCHAROMYCES CEREVISIAE* ARDMC1 121-141

7.1.	Abstract	122
7.2.	Introduction	122
7.3.	Materials and methods	124
7.3.1.	Yeast and bacterial strains, culture media, and growth conditions	124
7.3.2.	Molecular Identification of isolates	124
7.3.3.	<i>In vitro</i> gastrointestinal stress tolerance test	125
7.3.4.	Hydrophobicity	125
7.3.5.	Autoaggregation and coaggregation	125
7.3.6.	Probiotic adhesion to Caco-2 cells	126
7.3.7.	Assimilation of cholesterol by isolates	127
7.3.8.	Cholesterol-lowering ability of isolates in Wistar rat model	127

7.3.9.	Analysis of serum lipid profile	128
7.4.	Results and discussions	129
7.4.1.	Molecular Identification of isolates	129
7.4.2.	Simulated gastrointestinal tract and bile tolerance	129
7.4.3.	Hydrophobicity, autoaggregation and coaggregation	131
7.4.4.	Microbial adhesion to Caco-2 cells	131
7.4.5.	In vitro assimilation of cholesterol and scanning electron microscopic studies of cholesterol binding to cellular surface	133
7.4.6.	Cholesterol-lowering ability of probiotic strains in Wistar rat model	134
7.6.	Conclusion	135
7.7.	Ethical approval	135
7.7.	Bibliography	137

CHAPTER 8: SUMMARY AND FUTURE PROSPECTS142-145
