

Contents

List of Figures	xvii
1 Introduction	1
1.1 Propagation of electromagnetic waves in plasmas	1
1.2 The Ponderomotive Force	4
1.3 Laser-driven electron acceleration	5
1.4 Hot electron generation	9
1.5 Laser-driven ion acceleration	13
1.6 Magnetic field generation	23
1.7 High-order harmonic generation	25
1.8 Methodology: Particle-in-Cell (PIC)	30
Bibliography	37
2 Role of target thickness in proton acceleration from mass-limited plasmas	57
2.1 Background of the study	58
2.2 3D-PIC Simulation Model	60
2.3 Results and Discussion	61
2.4 Conclusion	71
Bibliography	74
3 Proton acceleration from magnetized overdense plasmas	77
3.1 Background of the study	78
3.2 Electron dynamics induced by a circularly polarized laser in presence of an axial magnetic field	80

3.3	3D-PIC Simulation Model	80
3.4	Acceleration in the presence of magnetic field	81
3.5	Conclusion	90
	Bibliography	93
4	Collimated proton beams from magnetized near-critical plasmas	97
4.1	Background of the study	98
4.2	3D-PIC Simulation Model	100
4.3	Generation of collimated proton beams	101
4.4	Conclusion	109
	Bibliography	111
5	Formation of periodic magnetic field structures in overdense plasmas	115
5.1	Background of the study	116
5.2	3D-PIC Simulation Model	117
5.3	Results and Discussion	119
5.4	Conclusion	126
	Bibliography	127
6	Second harmonic generation by an obliquely incident s-polarized laser from a magnetized plasma	131
6.1	Background of the study	131
6.2	Theoretical Formulation	133
6.3	Relativistic factor in presence of magnetic field	134
6.4	Second harmonic conversion efficiency	137
6.5	Results and Discussion	140
6.6	Conclusion	144
	Bibliography	145
7	Summary and Outlook	149
7.1	Summary	149

7.2 Outlook and future prospects	152
--------------------------------------------	-----

Bibliography	154
---------------------	------------