

## TABLE OF CONTENTS

|  |           |
|--|-----------|
| Abstract .....                                       | i-ix      |
| Declaration .....                                    | x         |
| Certificate of the Supervisor .....                  | xi        |
| Certificate of the External Examiner and ODEC .....  | xii       |
| Acknowledgement .....                                | xiii-xiv  |
| Table of contents .....                              | xv-xviii  |
| List of schemes .....                                | xix-xx    |
| List of figures .....                                | xxi-xxvii |
| List of tables .....                                 | xxviii    |
| List of abbreviations .....                          | xxix-xxxi |
| <b>Chapter 1. Porous organic polymers</b>            | 1-36      |
| 1.1 Introduction .....                               | 1-2       |
| 1.2 Classification of POPs .....                     | 2-11      |
| 1.2.1 Crystalline POPs .....                         | 3-7       |
| 1.2.2 Amorphous POPs .....                           | 7-11      |
| 1.2.2.1 Porous Aromatic Frameworks (PAFs) .....      | 8-9       |
| 1.2.2.2 Microporous Organic Polymers (MOPs) .....    | 9-10      |
| 1.2.2.3 Conjugated Microporous Polymers (CMPs) ..... | 10-11     |
| 1.3 Synthesis of POPs .....                          | 11-14     |
| 1.3.1 Ionothermal process .....                      | 12        |
| 1.3.2 Microwave process .....                        | 12        |
| 1.3.3 Mechanochemical grinding .....                 | 12-13     |
| 1.3.4 Solvothermal process .....                     | 13-14     |
| 1.4 Characterization of POPs .....                   | 14-18     |
| 1.5 Applications of POPs .....                       | 18-26     |
| 1.5.1 Gas Adsorption and Separation .....            | 18-20     |
| 1.5.2 Ion and/or Chemical Sensing .....              | 20-21     |
| 1.5.3 Conduction .....                               | 22-23     |
| 1.5.4 Biomedicine .....                              | 23-24     |
| 1.5.5 Catalysis .....                                | 25-26     |
| 1.5 Summary .....                                    | 27        |

|   |       |
|---|-------|
| 1.6 References .....  | 27-36 |
| <b>Chapter 2. Two dimensional amide linked porous polymer as organocatalyst to promote selective oxidation reactions</b>                    | 37-62 |
| 2.1 Abstract .....  | 37    |
| 2.2 Introduction .....  | 37-39 |
| 2.3 Results and discussion .....  | 40-54 |
| 2.3.1 Synthesis of 2D porous polymeric framework POP-Am .....   | 40    |
| 2.3.2 Characterization of POP-Am .....  | 40-44 |
| 2.3.3 POP-Am as organic catalyst in selective oxidation of benzyl alcohols .....  | 45-50 |
| 2.3.4 Catalyst reusability test .....   | 50-51 |
| 2.3.5 Reaction Mechanism Study .....  | 51-54 |
| 2.4 Summary .....   | 54    |
| 2.5 Experimental .....  | 54-57 |
| 2.5.1 Materials .....   | 54    |
| 2.5.2 Synthetic procedure for amide linked porous polymeric network (POP-Am) .....  | 54-55 |
| 2.5.3 Characterization/Instrumentation .....  | 55-57 |
| 2.6 References .....  | 57-62 |
| <b>Chapter 3. Impregnated Cu(II) onto a pyridine-based porous organic polymer as robust heterogeneous catalyst for nitroarene reduction</b> | 63-88 |
| 3.1 Abstract .....  | 63    |
| 3.2 Introduction .....  | 63-66 |
| 3.3 Results and Discussion .....  | 66-80 |
| 3.3.1 Synthesis of pyridine based porous polymer .....  | 66    |
| 3.3.2 Characterization of POP-Am1 .....   | 67-70 |
| 3.3.3 Synthesis and characterization of Cu@POP-Am1 .....  | 70-72 |
| 3.3.4 Kinetics Study of catalytic reduction of nitroarenes by Cu@POP-Am1 .....  | 73-77 |
| 3.3.5 Catalytic reusability of Cu@POP-Am1 .....   | 77-78 |
| 3.3.6 Reaction mechanism study of 4NP reduction .....   | 79-80 |
| 3.4 Summary .....   | 80    |

|   |         |
|---|---------|
| 3.5 Experimental Section .....  | 80-83   |
| 3.5.1 Materials .....   | 80      |
| 3.5.2 Synthesis of POP-Am1 and Cu@POP-Am1 .....   | 81      |
| 3.5.2.1 Synthesis of 2,4,6-Tris(4-aminophenyl)pyridine (TAPPY) ....   | 81      |
| 3.5.2.2 Synthesis of POP-Am1 .....  | 81      |
| 3.5.2.3 Synthesis of copper loaded POP-Am1 (Cu@POP-Am1) ....  | 81      |
| 3.5.3 Characterization/Instrumentation .....  | 82-83   |
| 3.6 References .....  | 83-88   |
| <b>Chapter 4. Triazine-based porous organic polymer for selective oxidation of <math>\alpha</math>-aryl substituted olefins cleavage into benzaldehydes</b> | 89-111  |
| 4.1 Abstract .....  | 89      |
| 4.2 Introduction .....  | 89-91   |
| 4.3 Result and discussion .....   | 91-104  |
| 4.3.1 Synthesis of nitrogen rich triazine based porous polymer .....  | 91-92   |
| 4.3.2 Characterization of POP-Am2 .....   | 92-96   |
| 4.3.3 Oxidation of $\alpha$ -aryl substituted olefins .....   | 96-99   |
| 4.3.4 Catalytic reusability of POP-Am2 .....  | 99-100  |
| 4.3.5 Reaction mechanism study.....   | 100-104 |
| 4.4 Summary .....   | 105     |
| 4.5 Experimental Section .....  | 105-107 |
| 4.5.1 Materials .....   | 105     |
| 4.5.2 Synthesis of 2,4,6-tris-(4-aminophenyl)triazine (TAPT) .....  | 105     |
| 4.5.3 Synthesis of amide linked triazine ring based organic polymer (POP-Am2) .....   | 106     |
| 4.5.4 Characterization/Instrumentation .....  | 106-107 |
| 4.6 References .....  | 107-111 |
| <b>Chapter 5. Cu(II) complex loaded triazine based porous organic polymer to promote benzylic C–H activation reactions</b>                                  | 112-132 |
| 5.1 Abstract .....  | 112     |
| 5.2 Introduction .....  | 112-115 |
| 5.3 Results and Discussion .....  | 115-125 |
| 5.3.1 Synthesis of Cu@POP-Am2 .....   | 115     |
| 5.3.2 Characterization of Cu@POP-Am2 .....  | 115-119 |

|   |         |
|---|---------|
| 5.3.3 Oxidation of TEXM (T= toluene, E= ethyl benzene, X= xylene,<br>M= mesitylene) ..... | 119-122 |
| 5.3.4 Catalytic reusability of Cu@POP-Am2 .....   | 122-124 |
| 5.3.5 Mechanistic study .....   | 124-125 |
| 5.4 Summary .....   | 125     |
| 5.5 Experimental Section .....  | 125     |
| 5.5.1 Materials .....   | 125     |
| 5.5.2 Synthesis of nitrogen rich porous polymer POP-Am2 .....                             | 125     |
| 5.5.3 Synthesis of copper impregnated POP-Am2 (Cu@POP-Am2) ....                           | 126     |
| 5.5.4 Characterization/Instrumentation .....  | 126-127 |
| 5.6 References .....  | 127-132 |
| <b>Chapter 6. Conclusion and future prospects</b>   | 133-140 |
| 6.1 Conclusion .....  | 133-137 |
| 6.2 Future prospects .....  | 138     |
| 6.3 References .....  | 138-140 |
| <b>Appendices</b>   |         |
| A. NMR spectra of the oxidized products in Chapter 2 .....                                | a-h     |
| B. GC-MS spectra of oxidized products in Chapter 4 .....                                  | i-k     |
| C. GC-MS spectra of benzylic sp <sup>3</sup> C–H oxidized product in Chapter 5            | k-l     |
| D. List of publications .....   | m       |
| E. List of Conference / Seminar /Symposium/Workshop Attended ....                         | n       |