

LIST OF SCHEMES

Schemes in Chapter 1

Scheme 1.1.	Schematic representation of the synthesis of chroman derivatives via IFCEAC reactions.....	11
Scheme 1.2.	AuCl ₃ /3AgOTf-catalyzed IFCEAC of aryl glycidyl ethers.	11
Scheme 1.3.	FeBr ₃ -catalyzed IFCEAC of aryl glycidyl ethers.....	12
Scheme 1.4.	Synthesis of catechins via thiourea/AuCl ₃ /3AgOTf-catalyzed IFCEAC of aryl glycidyl ethers.....	12
Scheme 1.5.	Synthesis of a catechin derivative via PPh ₃ /AuCl ₃ /3AgOTf-catalyzed IFCEAC of aryl glycidyl ethers.....	13
Scheme 1.6.	HFIP-promoted IFCEAC reactions.....	13
Scheme 1.7.	Further application of HFIP-promoted IFCEAC reactions..	13
Scheme 1.8.	Strategies for chromans via intramolecular ring-opening of epoxides by phenols.....	14
Scheme 1.9.	Strategies for chromans via intramolecular ring-opening of epoxides by phenols.....	14
Scheme 1.10.	Synthesis of chroman derivatives by Panda et al.....	15
Scheme 1.11.	Phenolate-induced epoxide ring-opening — cyclization as a key step for the synthesis of (−)-heliannuol E.....	15
Scheme 1.12.	Phenolate-induced epoxide ring-opening — cyclization as a key step for the synthesis of (±)-heliannuol E.....	16
Scheme 1.13.	Phenolate-induced ring-opening — cyclization of <i>syn</i> -epoxy ester.....	16
Scheme 1.14.	Acid catalyzed intramolecular ring-opening of epoxide by tethered phenolic-OH.....	17
Scheme 1.15.	Synthesis of (−)-5,7-dideoxy-gallocatechin gallatevia acid catalyzed intramolecular ring-opening of epoxide by tethered phenolic-OH.....	17
Scheme 1.16.	Use of acid catalyzed intramolecular ring-opening of epoxide in the synthesis of xiamenmycin A	17
Scheme 1.17.	Synthesis of chromans via intramolecular Friedel-Crafts	18

	aziridine-arene cyclization.....	
Scheme 1.18.	Synthesis of epigallocatechin-3-gallate via chiral vicinal diol.....	19
Scheme 1.19.	Enantioselective Synthesis of flavan-3-ols using chiral vicinal diols.....	19
Scheme 1.20.	Synthesis of (<i>S</i>)-(2-methylchroman-2-yl)methanol using chiral vicinal diol.....	20
Scheme 1.21.	Synthesis of chroman derivative from <i>syn</i> -2,3-dihydroxy ester.....	20

Schemes in Chapter 2

Scheme 2.1.	Summary of previous efforts on the synthesis of <i>trans</i> -4-arylchroman-3-ols by IFCEAC.....	31
Scheme 2.2.	Diastereoselective synthesis of <i>cis</i> -4-arylchroman-3-ols by Finet et al.....	31
Scheme 2.3.	Possible reaction pathways of <i>trans</i> -2-aryl-3-(aryloxymethyl)oxiranes.....	32
Scheme 2.4.	Synthesis of tosylates of <i>trans</i> -3-arylglycidols.....	34
Scheme 2.5.	Gram-scale synthesis of racemic 8a	42
Scheme 2.6.	Synthesis of <i>trans</i> -4-arylchroman-3-ol with free phenolic -OH groups.....	43
Scheme 2.7.	Confirmation of the enantiospecific nature of the developed IFCEAC.....	44
Scheme 2.8.	Proposed mechanisms for the <i>trans</i> -diastereoselectivity in the TsOH·H ₂ O catalyzed IFCEAC of <i>trans</i> -2-aryl-3-(aryloxymethyl)oxiranes.....	45
Scheme 2.9.	Two-step epimerization of <i>trans</i> -4-arylchroman-3-ols 8a and 8w	46
Scheme 2.10.	Synthesis of a chroman-fused 2,3-dihydrobenzofuran 33 ...	47

Schemes in Chapter 3

Scheme 3.1.	Retrosynthetic analysis of the chroman-fused tetralins.....	10
Scheme 3.2.	Challenges associated with the synthesis of 7 via IFCEAC of 8	100
Scheme 3.3.	Synthesis of tetralin-embedded epoxy tosylate 15	101

Scheme 3.4.	Recent literature reports of <i>syn</i> -diastereoselective synthesis of tri- and tetracyclic molecules (containing two-fused six-membered rings) via IFCEAC.....	106
Scheme 3.5.	Proposed reaction mechanism.....	107
Scheme 3.6.	Stereoselective reductive dehydroxylation of 7k	108
Schemes in Chapter 4		
Scheme 4.1.	First asymmetric total synthesis of (<i>S,R,R,R</i>)-nebivolol 1a	151
Scheme 4.2.	Chiral pool approach for the asymmetric synthesis of (<i>S,R,R,R</i>)-nebivolol 1a	152
Scheme 4.3.	Chiral sulfoxides-induced asymmetric synthesis of (<i>S,R,R,R</i>)-nebivolol 1a	153
Scheme 4.4.	Synthetic strategies toward late-stage intermediates of (<i>S,R,R,R</i>)-nebivolol 1a	155
Scheme 4.5.	Envisioned construction of (<i>R,R</i>)- 25 from a chiral triol precursor.....	156
Scheme 4.6.	Synthesis of the triol precursor.....	157
Scheme 4.7.	Envisioned construction of (<i>S,S</i>)- 38 from a chiral diol precursor based on Borhan's approach.....	158
Scheme 4.8.	Synthesis of chiral <i>syn</i> -2,3-dihydroxy esters.....	159
Scheme 4.9.	Attempted cyclization by Borhan's method.....	159
Scheme 4.10.	Synthesis of β -hydroxy- α -tosyloxy esters.....	160
Scheme 4.11.	Speculation of one-pot epoxidation/epoxide ring-opening..	161
Scheme 4.12.	Synthesis of chroman containing 1,2-diols.....	161
Scheme 4.13.	Epimerization of (<i>S,S</i>)- 25 via Mitsunobu inversion.....	162
Scheme 4.14.	Synthesis of chroman epoxide (<i>S,R</i>)- 29	162
Schemes in Chapter 5		
Scheme 5.1.	Failed synthetic approach for chroman-linked α -amino alcohol.....	185
Scheme 5.2.	Revised synthetic approach for chroman-linked α -amino alcohol.....	186
Scheme 5.3.	Synthesis of precursor diols.....	187
Scheme 5.4.	Synthesis of Synthesis of <i>N</i> -Boc-protected α -hydroxy- β -	187

amino esters.....	
-------------------	--

Schemes in Chapter 6

Scheme 6.1.	Common problems associated with intermolecular ring-opening of aziridines by phenols.....	214
Scheme 6.2.	Our envisioned approach for the synthesis of benzoxacycles.....	215
Scheme 6.3.	Synthesis of <i>E</i> -allylic alcohols 5a,b	216
Scheme 6.4.	Synthesis of <i>E</i> -allylic alcohols 8a-c	217
Scheme 6.5.	Synthesis of <i>E</i> -allylic alcohols 8a-c	217
Scheme 6.6.	Synthesis of 2,3-dihydrobenzofuran derivative by intramolecular aziridine ring-openingcyclization of vinyl aziridine.....	222
Scheme 6.7.	Attempted synthesis of 1,4-benzodioxane derivatives by intramolecular aziridine ring-opening cyclization.....	224
Scheme 6.8.	Successful synthesis of 1,4-benzodioxane derivatives.....	224

Schemes in Chapter 7

Scheme 7.1.	Literature method for the preparation of 6,7-dihydrobenzo[<i>f</i>]benzo[4,5]imidazo[1,2- <i>d</i>][1,4]oxazepines	268
Scheme 7.2.	Our envisioned strategy for the preparation of 6,7-dihydrobenzo[<i>f</i>]benzo[4,5] imidazo[1,2- <i>d</i>][1,4]oxazepines and their chroman-linked analogues.....	269
Scheme 7.3.	Synthesis of 2-(2-fluorophenyl)-benzimidazole.....	269
Scheme 7.4.	Synthesis of aryl glycidyl ethers.....	269
Scheme 7.5.	Synthesis of terminal epoxide 7f	270
Scheme 7.6.	Synthesis of 6,7-dihydrobenzo[<i>f</i>]benzo[4,5]imidazo[1,2- <i>d</i>][1,4]oxazepine 1a	271
Scheme 7.7.	Synthesis of chroman-linked 6,7-dihydrobenzo[<i>f</i>]benzo[4,5] imidazo[1,2- <i>d</i>][1,4] oxazepine	274