

## LIST OF FIGURES

### Figures in Chapter 1

Figure 1.1.	Structures of 2,3-dihydrobenzofuran, chroman, 1,4-benzodioxane, and 1-benzoepoxide skeletons.....	4
Figure 1.2.	Representative examples of biologically active chroman derivatives.....	6
Figure 1.3.	The most well-known strategies used for constructing the chroman ring.....	7
Figure 1.4.	Bent bonding in ethylene oxide (the parent epoxide).....	7
Figure 1.5.	Unsubstituted-, activated- and non-activated aziridines.....	9
Figure 1.6.	Vicinal diols.....	9

### Figures in Chapter 2

Figure 2.1.	General structures of chroman-3-ol, flavon-3-ols, 4-arylflavan-3-ols, and 4-arylchroman -3-ols and representative examples of biologically important chroman-3-ols.....	30
Figure 2.2.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8a</b> .....	90
Figure 2.3.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8a</b> .....	90
Figure 2.4.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8g</b> .....	91
Figure 2.5.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8g</b> .....	91
Figure 2.6.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8s</b> .....	92
Figure 2.7.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8s</b> .....	92
Figure 2.8.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8w</b> .....	93
Figure 2.9.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8w</b> .....	93
Figure 2.10.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>30b</b> .....	94
Figure 2.11.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>30b</b> .....	94
Figure 2.12.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>31b</b> .....	95
Figure 2.13.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>31b</b> .....	95
Figure 2.14.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>33</b> .....	96
Figure 2.15.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>33</b> .....	96

### **Figures in Chapter 3**

Figure 3.1.	Brazilin family of natural products.....	98
Figure 3.2.	Tetralinanalogs of brazilin and haematoxylin.....	98
Figure 3.3.	Lactone, lactam and tetrahydroquinolineanalogs of brazilin/brazilane.....	99
Figure 3.4.	Chroman-fused tetralins as B-ring-modified analogues of brazilin.....	99
Figure 3.5.	ORTEP diagram of <b>7k</b> .....	105
Figure 3.6.	ORTEP diagram of <b>7k</b> with 35% probability ellipsoid.....	127
Figure 3.7.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8a</b> .....	131
Figure 3.8.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8a</b> .....	132
Figure 3.9.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8b</b> .....	133
Figure 3.10.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8b</b> .....	134
Figure 3.11.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8c</b> .....	135
Figure 3.12.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8c</b> .....	136
Figure 3.13.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8d</b> .....	137
Figure 3.14.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>8d</b> .....	138
Figure 3.15.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7a</b> .....	139
Figure 3.16.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7a</b> .....	140
Figure 3.17.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7i</b> .....	141
Figure 3.18.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7i</b> .....	142
Figure 3.19.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7j</b> .....	143
Figure 3.20.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7j</b> .....	144
Figure 3.21.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7m</b> .....	145
Figure 3.22.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>7m</b> .....	146
Figure 3.23.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>16</b> .....	147
Figure 3.24.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>16</b> .....	148

### **Figures in Chapter 4**

Figure 4.1.	Antihypertensive drug nebivolol and its biologically active stereoisomers.....	150
Figure 4.2.	Late-stage intermediates for the asymmetric synthesis of	154

( <i>S,R,R,R</i> )-nebivolol <b>1a</b> .....	
Figure 4.3. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>42</b> .....	177
Figure 4.4. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>42</b> .....	177
Figure 4.5. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>2R,3S</i> )- <b>43</b> .....	178
Figure 4.6. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>2R,3S</i> )- <b>43</b> .....	178
Figure 4.7. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>R,S</i> )- <b>47</b> ...	179
Figure 4.8. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>R,S</i> )- <b>47</b> ..	179
Figure 4.9. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>R,R</i> )- <b>25</b> ..	180
Figure 4.10. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>S,R</i> )- <b>28</b> ...	180
Figure 4.11. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>S,R</i> )- <b>29</b> ...	181
Figure 4.12. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound ( <i>S,R</i> )- <b>29</b> ..	181

### Figures in Chapter 5

Figure 5.1. Representative examples of biologically important $\beta$ -amino alcohols.....	183
Figure 5.2. Representative examples of biologically important $\beta$ -amino alcohols.....	185
Figure 5.3. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12a</b> .....	206
Figure 5.4. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12a</b> .....	206
Figure 5.5. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12b</b> .....	207
Figure 5.6. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12b</b> .....	207
Figure 5.7. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>15a</b> .....	208
Figure 5.8. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>15a</b> .....	208
Figure 5.9. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>15b</b> .....	209
Figure 5.10. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>15b</b> .....	209
Figure 5.11. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>5a</b> .....	210
Figure 5.12. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>5a</b> .....	210
Figure 5.13. $^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>5b</b> .....	211
Figure 5.14. $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>5b</b> .....	211
Figure 5.15. HPLC chromatogram of <b>12a</b> .....	212

Figure 5.16.	HPLC chromatogram of <b>12b</b> .....	212
--------------	---------------------------------------	-----

### Figures in Chapter 6

Figure 6.1.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) and $^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectra (partial) of <b>13a</b> .....	220
Figure 6.2.	ORTEP of compound <b>13e</b> with 35% probability ellipsoid (only one asymmetric molecule is displayed for clarity).....	221
Figure 6.3.	Structure confirmation of <b>15</b> by $^1\text{H}$ NMR.....	223
Figure 6.4.	Hydrogen bonding in the solid-state structure of <b>13e</b> .....	252
Figure 6.5.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12c</b> .....	256
Figure 6.6.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12c</b> .....	256
Figure 6.7.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12e</b> .....	257
Figure 6.8.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12e</b> .....	257
Figure 6.9.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12h</b> .....	258
Figure 6.10.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>12h</b> .....	258
Figure 6.11.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>13c</b> .....	259
Figure 6.12.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>13c</b> .....	259
Figure 6.13.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>13g</b> .....	260
Figure 6.14.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>13g</b> .....	260
Figure 6.15.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>13h</b> .....	261
Figure 6.16.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>13h</b> .....	261
Figure 6.17.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>15</b> .....	262
Figure 6.18.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>15</b> .....	262
Figure 6.19.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>23</b> .....	263
Figure 6.20.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>23</b> .....	263
Figure 6.21.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>25</b> .....	264
Figure 6.22.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>25</b> .....	264

### Figures in Chapter 7

Figure 7.1.	Benzimidazole and 2-arylbenzimidazoles.....	266
Figure 7.2.	1,4-Benzoxazepine scaffold.....	266
Figure 7.3.	The chemical structures of the designed target compounds.....	267
Figure 7.4.	2-Aryloxiranes <b>7g</b> and <b>7h</b> .....	270

Figure 7.5.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1b</b> .....	293
Figure 7.6.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1b</b> .....	293
Figure 7.7.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1c</b> .....	294
Figure 7.8.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1c</b> .....	294
Figure 7.9.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1f</b> .....	295
Figure 7.10.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1f</b> .....	295
Figure 7.11.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1h</b> .....	296
Figure 7.12.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>1h</b> .....	296
Figure 7.13.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>23</b> .....	297
Figure 7.14.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>23</b> .....	297
Figure 7.15.	$^1\text{H}$ NMR (400 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>24</b> .....	298
Figure 7.16.	$^{13}\text{C}$ NMR (100 MHz, $\text{CDCl}_3$ ) spectrum of compound <b>24</b> .....	298