

<b>Contents</b>	<b>Page No</b>
<b>Abstract</b>	i
<b>Declaration by the Candidate</b>	vii
<b>Certificate of the Supervisor</b>	viii
<b>Certificate of the External Examiner and ODEC</b>	ix
<b>Acknowledgements</b>	x
<b>Table of Contents</b>	xii
<b>List of Tables</b>	xix
<b>List of Figures</b>	xxi
<b>List of Schemes</b>	xxv
<b>List of Abbreviations</b>	xxvii
<b>General Experimental Information</b>	xxix
<b>Chapter 1: General Introduction</b>	<b>1-31</b>
1.1. Evolution of Palladium Catalyzed Cross-Coupling Reaction	1
1.1.1. Oxidative Addition	4
1.1.2. Transmetalation	5
1.1.3. Reductive Elimination	5
1.2. Sonogashira Cross-Coupling Reaction	6
1.2.1. Mechanistic Aspects	6
1.2.2. Copper-Free Sonogashira Coupling Reaction	7
1.2.3. Palladium-Free Sonogashira Coupling Reaction	8
1.3. Suzuki-Miyaura Cross-Coupling Reaction	9
1.3.1. Mechanistic Aspects	10
1.4. The ligands Influence on the Palladium Catalyst	11
1.5. Ligand-Free Sonogashira Cross-Coupling Reaction	13
1.6. Ligand-Free Suzuki-Miyaura Cross-Coupling Reaction	15
1.7. Cross-coupling Reaction in Green Solvent	16
1.8. Conclusions	18
1.9. Thesis outline	18
1.10. References	19

<b>Contents</b>	<b>Page No</b>
<b>Chapter 2: Development of a mild and efficient methodology for palladium catalyzed Sonogashira cross coupling reaction</b>	<b>32-41</b>
2.1 Introduction	32
2.2. Experimental	32
2.2.1. General experimental procedure	32
2.3. Results and Discussion	33
2.3.1. Optimization of catalytic system for Sonogashira coupling reaction	33
2.3.2. Optimization of solvent and base for Sonogashira coupling reaction	34
2.3.3. Substrate scope for Sonogashira coupling reaction	35
2.4. Conclusions	36
2.5. Analytical data of the synthesized alkynyl derivatives	37
2.6. References	40
<b>Chapter 3: Studies on dual role of water extract of agro-waste ash in Pd-catalyzed C<sub>sp2</sub>-C<sub>sp2</sub> and C<sub>sp2</sub>-C<sub>sp</sub> bond forming reaction</b>	<b>42-72</b>
3.0. Introduction	42
3.1. Analysis of water extract of papaya bark ash and its application as in situ base in ligand-free Suzuki-Miyaura and Sonogashira cross-coupling reaction	<b>43-60</b>
3.1.1. Outline	44
3.1.2. Experimental	44
3.1.2.1. Procedure for preparation of WEPBA	44
3.1.2.2. General procedure for Suzuki-Miyaura cross-coupling reaction	45
3.1.2.3. General procedure for Sonogashira cross-coupling reaction	45
3.1.3. Results and Discussion	46
3.1.3.1. Analysis of water-extract (WEPBA)	46
3.1.3.2. Optimization of catalytic system for Suzuki-Miyaura coupling reaction	47
3.1.3.3. Substrate scope for Suzuki-Miyaura coupling reaction	49
3.1.3.4. Reusability for Suzuki-Miyaura coupling reaction	50

Contents	Page No
3.1.3.5. Optimization of the catalytic system for Sonogashira coupling reaction	50
3.1.3.6. Substrate scope for Sonogashira coupling reaction	52
3.1.4. Conclusions	53
3.1.5. Analytical data of the synthesized biaryl and alkynyl derivatives	54
3.2. Extraction of base from naturally abundant aquatic biomass and its implication in palladium catalyzed Suzuki-Miyaura cross-coupling reaction	<b>61-69</b>
3.2.1. Outlines	62
3.2.2. Experimental	62
3.2.2.1. Procedure for preparation of Ash water Extract of Water Hyacinth (AWEH)	62
3.2.2.2. General procedure for Suzuki-Miyaura cross-coupling reaction	63
3.2.3. Results and Discussion	63
3.2.3.1. Analysis of water-extract (AWEH)	63
3.2.3.2. Optimization of catalytic system for Suzuki-Miyaura coupling reaction	64
3.2.3.3. Substrate scope for Suzuki-Miyaura coupling reaction	65
3.2.4. Conclusions	66
3.2.5. Analytical data of the synthesized biaryl derivatives	67
3.3. References	70
<b>Chapter 4: Development of sustainable methodologies for generation of <i>in situ</i> Pd NPs and investigation of catalytic activity in C<sub>sp2</sub>-C<sub>sp2</sub> and C<sub>sp2</sub>-C<sub>sp</sub> bond forming reaction</b>	<b>73-117</b>
4.1. Gallic acid assisted <i>in situ</i> generation of Pd NPs and its catalytic application in Sonogashira cross-coupling reaction	<b>73-86</b>
4.1.1. Introduction	74
4.1.2. Experimental	75
4.1.2.1. General procedure for Sonogashira cross-coupling reaction	75
4.1.2.2. General procedure for preparation of Pd NPs by <i>ex situ</i> method	75
4.1.3. Results and Discussion	75

Contents	Page No
4.1.3.1. Optimization of catalytic system for Sonogashira coupling reaction	75
4.1.3.2. Optimization of solvent and base for Sonogashira coupling reaction	77
4.1.3.3. Characterization of the catalytic system	78
4.1.3.4. Mechanism of generation of Pd NPs	80
4.1.3.5. Substrate scope for Sonogashira coupling reaction	81
4.1.3.6. Catalyst reusability	82
4.1.4. Conclusions	83
4.1.5. Analytical data of the synthesized alkynyl derivatives	84
4.2. Application of plant extract towards NOSE approach: A comparative study of catalytic activity in $C_{sp^2}$ - $C_{sp^2}$ and $C_{sp^2}$ - $C_{sp}$ cross-coupling reaction	<b>87-111</b>
4.2.1. Introduction	88
4.2.2. Experimental	88
4.2.2.1. Procedure for isolation of plant extracts	88
4.2.2.2. General method of preparation of Pd NPs by <i>ex situ</i> method	89
4.2.2.3. Experimental procedure for the catalytic reactions	89
4.2.3. Results and Discussion	90
4.2.3.1. Characterization of Pd NPs	90
4.2.3.2. Catalytic activity of the Pd NPs	95
4.2.3.2.1. Optimization of reaction conditions for Suzuki-Miyaura reaction	95
4.2.3.2.2. Substrate scope for Suzuki-Miyaura reaction	98
4.2.3.2.3. Recyclability of Pd <sub>AV</sub> NPs <sub>in situ</sub> in Suzuki-Miyaura reaction	99
4.2.3.2.4. Optimization of reaction conditions for Sonogashira reaction	100
4.2.3.2.5. Substrate scope for Sonogashira reaction	102
4.2.3.3. Hot filtration test	104

<b>Contents</b>	<b>Page No</b>
4.2.4. Conclusions	104
4.2.5. Analytical data of the synthesized biaryl derivatives	105
4.3 References	112
<b>Chapter 5: Development of green methodology for the synthesis of reusable metal NPs using agro-waste and its application in oxidative C<sub>sp2</sub>-C<sub>sp2</sub> and C<sub>sp2</sub>-C<sub>sp</sub> bond forming reaction</b>	<b>118-153</b>
5.1. Synthesis of efficient Pd NPs using papaya peel and its implication in Suzuki-Miyaura and Sonogashira cross-coupling reaction	<b>118-136</b>
5.1.1. Introduction	119
5.1.2. Experimental	120
5.1.2.1. General procedure for preparation of Pd NPs	120
5.1.2.2. Experimental procedure for the catalytic reactions	120
5.1.3. Results and Discussion	121
5.1.3.1. Characterizations of Pd NPs	121
5.1.3.2. Catalytic activity of Pd NP	123
5.1.3.2.1. Optimization of catalytic system for Suzuki-Miyaura coupling reaction	123
5.1.3.2.2. Substrate scope for Suzuki-Miyaura coupling reaction	124
5.1.3.2.3. Optimization of catalytic system for Sonogashira coupling reaction	126
5.1.3.2.4. Substrate scope for Sonogashira coupling reaction	127
5.1.3.2.5. Catalyst reusability	129
5.1.4. Conclusions	129
5.1.5. Analytical data of the synthesized biaryl and alkynyl derivatives	130
5.2 Synthesis of Cu NPs using papaya peel extract and its catalytic activity towards Sonogashira cross-coupling reaction	<b>137-150</b>
5.2.1. Introduction	138
5.2.2. Experimental	139

Contents	Page No
5.2.2.1. General procedure for preparation of Cu <sub>2</sub> O/Cu NPs	139
5.2.2.2. General procedure for Sonogashira cross-coupling reactions	139
5.2.3. Results and Discussion	140
5.2.3.1. Controlled experiment using both the synthesised copper NPs	140
5.2.3.2. Characterizations of the synthesised copper NPs	140
5.2.3.3. Catalytic activity of the Cu <sub>2</sub> O/Cu NPs (Cu-463K)	144
5.2.3.3.1. Optimization of catalytic system for Sonogashira coupling reaction	144
5.2.3.3.2. Substrate scope for Sonogashira coupling reaction	145
5.2.3.4. Catalyst reusability	146
5.2.3.5. Study of synergistic action of Cu <sub>2</sub> O/Cu in Sonogashira coupling reaction	147
5.2.4. Conclusions	148
5.2.5. Analytical data of the synthesized alkynyl derivatives	148
5.3. References	151
<b>Chapter 6: Synthesis of mesoporous cellulose matrices: Its application as a heterogeneous support for Pd NPs and study of its catalytic activity in C<sub>sp2</sub>-C<sub>sp2</sub> and C<sub>sp2</sub>-C<sub>sp</sub> cross coupling reaction</b>	<b>154-178</b>
6.1. Introduction	154
6.2. Experimental	156
6.2.1. Procedure for preparation of biodegradable heterogeneous material (BHM)	156
6.2.2. General procedure for fabrication of synthesized PPR(M) with Pd NPs	156
6.2.3. General procedure for Suzuki-Miyaura cross-coupling reaction	156
6.2.4. General procedure for Sonagashira cross-coupling reaction	157
6.3. Results and Discussion	158

<b>Contents</b>	<b>Page No</b>
6.3.1. Characterization of catalysts	158
6.3.2. Application of catalysts in Suzuki-Miyaura cross-coupling reaction	163
6.3.2.1. Optimization of catalytic system for Suzuki-Miyaura coupling reaction	163
6.3.2.2. Substrate scope for Suzuki-Miyaura coupling reaction	164
6.3.2.3. Recyclability of Pd@PPR(M) in Suzuki-Miyaura reaction	165
6.3.3. Application of catalysts in Sonogashira cross-coupling reaction	167
6.3.3.1. Optimization of catalytic system for Sonogashira coupling reaction	167
6.3.3.2. Substrate Scope for Sonogashira coupling reaction	169
6.3.3.3. Recyclability of Pd@PPR(M) in Sonogashira cross-coupling reaction	169
6.3.4. Hot filtration test	170
6.4. Conclusions	170
6.5. Analytical data of the synthesized biaryl derivatives	171
6.6. References	177
<b>Annexure I</b> List of Publications	179
<b>Annexure II</b> List of Conference/Workshops attended	180