

# CONTENTS

<i>a. Abstract</i>	<i>i</i>
<i>b. Declaration</i>	<i>xi</i>
<i>c. Certificate</i>	<i>xii</i>
<i>d. Dedication</i>	<i>xiii</i>
<i>e. Acknowledgement</i>	<i>xv</i>
<i>f. Contents</i>	<i>xix</i>
<i>g. List of Tables</i>	<i>xxvii</i>
<i>h. List of Figures</i>	<i>xxxi</i>
<i>i. List of abbreviations</i>	<i>lv</i>
<b>CHAPTER I: INTRODUCTION</b>	<b>[1-50]</b>
1.1 General introduction to conducting polymers (CPs) and its interesting features	1
1.1.1 Conducting polymers (CPs)	1
1.1.2 Requirements of electrical conductivity in CPs	3
1.1.2.1 Conjugated alternation of double bonds	3
1.1.2.2 Doping	4
1.1.3 Charge carriers in CPs	5
1.1.4 Polyaniline (PAni)	10
1.1.5 Poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene] (MEH-PPV)	12
1.2 Tissue engineering and biomaterials	14
1.3 CPs in biomedical applications	16
1.3.1 Biosensors	18
1.3.2 Tissue engineering	19
1.3.3 Neural probe	20
1.3.4 Drug delivery	21
1.3.5 Bioactuators	21
1.4 CP based biomaterial scaffolds: Biomimetic properties	22
1.5 One dimensional (1D) CP based nanostructures	24

1.6	Synthesis and modification strategies of nanostructured CP based biomaterials	26
1.6.1	Synthesis of 1D CP nanostructures	26
1.6.1.1	Hard physical template method	28
1.6.1.2	Soft chemical template method	28
1.6.1.3	Reactive template method	29
1.6.1.4	Nanoimprint lithography or embossing	29
1.6.1.5	Electrochemical approach	30
1.6.1.6	Directed electrochemical nanowire assembly	31
1.6.1.7	Electrospinning	31
1.6.2	Surface functionalization of CP based biomaterials	32
1.6.2.1	Biomolecule immobilization	33
1.6.2.1.1	Physical adsorption	34
1.6.2.1.2	Entrapment	34
1.6.2.1.3	Covalent modification	34
1.6.2.1.4	Doping	35
1.6.2.2	Surface functionalization by polar groups	35
1.6.2.2.1	Wet chemical	37
1.6.2.2.2	Silane monolayers	38
1.6.2.2.3	Ionized gas treatments	38
1.6.2.2.4	UV irradiation	39
1.7	Electrical stimulation through CP based biomaterials	40
1.8	Motivation of the thesis	41
1.9	Scope of the thesis and statement of the problem	44
<b>CHAPTER II: THEORETICAL ASPECTS</b>		<b>[51-77]</b>
2.1	Chemical polymerization	51
2.1.1	Thermodynamics of nucleation and growth of a material	51
2.1.1.1	Homogeneous nucleation and growth	52
2.1.1.2	Heterogeneous nucleation and growth	53
2.1.2	Polymerization mechanisms of Polyaniline (PAni)	53
2.1.2.1	Dilute polymerization mechanisms	55
2.1.2.2	Interfacial polymerization mechanisms	57
2.2	Theory of electrospinning	59

2.2.1	Charge generation and transport in polymer solution	60
2.2.2	Droplet generation	61
2.2.3	Taylor cone formation	62
2.2.4	Launching of the jet	62
2.2.5	Elongation of straight segment	62
2.2.6	Whipping instability region	63
2.2.7	Solidification into nanofiber	63
2.3	Current-voltage ( <i>I-V</i> ) characteristics	63
2.3.1	Ohmic conduction	64
2.3.2	Space charge limited conduction	64
2.3.3	Non-linear <i>I-V</i> characteristics: <i>Kaiser Equation</i>	65
2.4	Determination of binding sites and binding constant ( $K_A$ ): Fluorescence resonance energy transfer (FRET)	66
2.5	Determination of surface energy and its components: Contact angle measurement	70
2.5.1	Owens, Went, Rabel and Kaelble (OWRK) method	71
2.5.2	Van Oss-Chaudhury-Good theory (OCG) or Acid-base (AB) method	72
2.6	Enzyme kinetics	73
2.6.1	Michaelis-Menten equation	74
2.6.2	Lineweaver-Burk equation	76
<b>CHAPTER III: EXPERIMENTAL DETAILS</b>		<b>[79-116]</b>
3.1	Materials	79
3.2	Synthesis and surface functionalization of conducting polymer (CP) based nanostructures	82
3.2.1	Synthesis of polyaniline (PAni) nanofibers	82
3.2.2	Surface functionalization of polyaniline (PAni) nanofibers	83
3.2.3	Synthesis of polyaniline nanofibers:chitosan (PAni:Ch) nanocomposites	85
3.2.4	Surface functionalization of polyaniline nanofibers:chitosan (PAni:Ch) nanocomposites	86
3.2.4.1	Using Glutaraldehyde	86
3.2.4.2	Using BOC-Glycine N-hydroxysuccinimide (NHS)	86

ester	
3.2.5 Electrospinning of MEH-PPV:PCL nanofibers	87
3.2.5.1 Doping of MEH-PPV	87
3.2.5.2 Simple electrospinning of MEH-PPV:PCL nanofibers	87
3.2.5.3 Coaxial electrospinning of MEH-PPV:PCL nanofibers	88
3.2.5.4 Surface functionalization of MEH-PPV:PCL nanofibers	89
3.2.5.4.1 Using (3-Aminopropyl)triethoxysilane (APTES)	89
3.2.5.4.2 Using 1,6-Hexanediamine	89
3.3 Characterization techniques	90
3.3.1 Transmission electron microscopy (TEM)	90
3.3.2 Scanning electron microscopy (SEM)	91
3.3.3 X-ray diffraction (XRD)	92
3.3.3.1 Calculation of d-spacing, domain length ( $L$ ) and microstrain ( $\epsilon$ )	93
3.3.3.2 Degree of crystallinity	96
3.3.4 Thermogravimetric analysis (TGA)	97
3.3.5 Current-voltage ( $I$ - $V$ ) characteristics	98
3.3.6 Mechanical property measurement	98
3.3.7 Contact angle measurements	99
3.3.8 Fourier transform infrared spectroscopy (FT-IR) spectroscopy	99
3.3.9 Nuclear magnetic resonance (NMR) spectroscopy	100
3.3.10 X-ray photoelectron spectroscopy (XPS)	101
3.3.11 Ultra violet-visible (UV-Vis) spectroscopy	102
3.3.12 Fluorescence spectroscopy	103
3.3.13 Stability test	103
3.4 Biochemical properties	104
3.4.1 Urease immobilization	104
3.4.2 Urease activity test	104
3.5 Biological characterization	105

3.5.1	Hemolysis activity assay	105
3.5.2	Cell culture	106
3.5.2.1	MDA-MB-231 cell culture	107
3.5.2.2	3T3 cell culture	107
3.5.2.3	PC12 cell culture	107
3.5.3	Sample preparation for cell culture	108
3.5.4	MTS proliferation assay	108
3.5.5	Acridine orange/ethidium bromide (AO/EtBr) staining	109
3.5.6	Live/dead assay	110
3.5.7	Beta (III) tubulin immunochemistry	111
3.5.8	Image analysis	111
3.5.9	Cell adhesion test	112
3.5.9.1	MDA-MB-231 cell attachment	112
3.5.9.2	3T3 cell attachment	112
3.5.9.3	PC12 cell attachment	112
3.6	Electrical stimulation of PC12 cells	113
3.7	Statistical analysis	115
<b>CHAPTER IV: POLYANILINE NANOFIBRES FOR BIOMEDICAL APPLICATIONS</b>		<b>[117-165]</b>
4.1	Introduction	117
4.2	Physicochemical characterization	121
4.2.1	Electron microscopy	121
4.2.2	X-ray diffraction analysis	122
4.2.3	Current-voltage ( <i>I-V</i> ) characteristics	124
4.2.4	Mechanical strength test	127
4.2.5	Stability test	128
4.2.6	Thermogravimetric analysis (TGA)	129
4.2.7	FT-IR spectroscopy	130
4.2.8	<sup>1</sup> H NMR spectroscopy	132
4.2.9	UV-visible absorption spectroscopy	134
4.2.10	Fluorescence spectroscopy	136
4.3	Surface functionalization induced variation in redox state of PANi	137
4.4	Enhancement in surface free energy and surface polarity after	139

surface functionalization	
4.5 Fluorescence enhancement of SF-PNFs in presence of aromatic amino acids	143
4.5.1 Absorption & emission spectroscopy	143
4.5.2 FT-IR spectroscopy	147
4.5.3 <sup>1</sup> H NMR spectroscopy	149
4.5.4 Study of interaction mechanisms by fluorescence enhancement equation	154
4.5.5 Comparative interference study	156
4.6 Biological characterization	158
4.6.1 Hemolysis activity assay	158
4.6.2 MTS proliferation assay	159
4.6.3 Acridine orange/ethidium bromide (AO/EB) staining	160
4.6.4 Cell adhesion test	163
4.7 Summary	163

**CHAPTER V: SYNTHESIS AND SURFACE [167-226]**

**FUNCTIONALIZATION OF POLYANILINE**

**NANOFIBRES:CHITOSAN NANOCOMPOSITES FOR BIOMEDICAL APPLICATIONS**

5.1 Introduction	167
5.2 Physicochemical characterization	172
5.2.1 Electron microscopy	172
5.2.2 X-ray diffraction analysis	173
5.2.3 Current-voltage ( <i>I-V</i> ) characteristics	174
5.2.4 Mechanical strength test	177
5.2.5 Stability test	179
5.2.6 Thermogravimetric (TGA) analysis	181
5.2.7 Surface properties	183
5.2.7.1 Surface chemistry of glutaraldehyde functionalized PAni:Ch nanocomposites	183
5.2.7.2 Surface chemistry of glycine NHS ester functionalized PAni:Ch nanocomposites	187

5.2.7.3	Enhancement in wettability and surface energy after surface functionalization	192
5.3	Biomedical applications of GFPAni:Ch nanocomposites	197
5.3.1	Enhanced urease activity and kinetics on GFPAni:Ch nanocomposites	197
5.3.1.1	Urease activity	197
5.3.1.2	Reusability	201
5.3.1.3	Kinetics of immobilized urease	202
5.3.2	Biocompatible GFPAni:Ch nanocomposites for enhanced MDA-MB-231 cell adhesion and proliferation	203
5.3.2.1	Hemolysis activity	203
5.3.2.2	MTS proliferation assay	205
5.3.2.3	Acridine orange/ethidium bromide (AO/EB) staining	206
5.3.2.4	Cell attachment	208
5.4	Biomedical applications of EFPAni:Ch nanocomposites	209
5.4.1	Biocompatible EFPAni:Ch nanocomposites for enhanced 3T3 fibroblast adhesion and proliferation	209
5.4.1.1	Hemolysis activity	209
5.4.1.2	MTS proliferation assay	210
5.4.1.3	Improved 3T3 fibroblast adhesion and morphology	212
5.4.1.3.1	Live/dead assay	212
5.4.1.3.2	3T3 cell attachment	214
5.4.1.4	PC12 cell behaviour	216
5.4.1.4.1	Beta (III) tubulin immunocytochemistry	216
5.4.1.4.2	PC12 cell attachment	218
5.5	Electrical stimulation of PC12 cells	219
5.6	Summary	223
<b>CHAPTER VI: ELECTROSPINNING AND SURFACE FUNCTIONALIZATION OF MEH-PPV:PCL NANOFIBERS FOR TISSUE ENGINEERING APPLICATIONS</b>		<b>[227-295]</b>
6.1	Introduction	227
6.2	Physicochemical characterization	231

6.2.1	Electron microscopy	231
6.2.2	X-ray diffraction analysis	233
6.2.3	Thermogravimetric (TGA) analysis	235
6.2.4	Current-voltage ( <i>I-V</i> ) characteristics	237
6.2.5	Mechanical strength test	244
6.2.6	Stability test	247
6.2.7	Surface chemistry	250
6.2.7.1	FT-IR spectroscopy	250
6.2.7.2	X-ray photoelectron spectroscopy	253
6.2.7.3	Mechanisms of surface functionalization	258
6.3	Biological characterization	261
6.3.1	Hemolysis activity assay	261
6.3.2	MTS proliferation assay	263
6.4	Enhanced 3T3 fibroblast adhesion, spreading and proliferation on amine functionalized electrospun MEH-PPV:PCL nanofibers	265
6.4.1	Live/dead assay	265
6.4.2	3T3 cell attachment	271
6.5	PC12 cell behaviour	274
6.5.1	Beta (III) tubulin immunochemistry	274
6.5.2	PC12 cell attachment	281
6.6	Electrical stimulation of PC12 cells	283
6.7	Summary	292
<b>CHAPTER VII: CONCLUSIONS AND FUTURE PROSPECTS</b>		<b>[297-310]</b>
7.1	Conclusions	297
7.1.1	Conclusions from Chapter IV	297
7.1.2	Conclusions from Chapter V	301
7.1.3	Conclusions from Chapter VI	306
7.2	Future prospects	309
<b>REFERENCES</b>		<b>[311-354]</b>
<b>LIST OF PUBLICATIONS</b>		<b>[355-357]</b>