

# Bibliography

- [1] Abd-Alla, A., Mahmoud, S., and Abo-Dahab, S. On problem of transient coupled thermoelasticity of an annular fin. *Meccanica*, 47:1295–1306, 2012.
- [2] Arauzo, I., Campo, A., and Corts, C. Quick estimate of the heat transfer characteristics of annular fins of hyperbolic profile with the power series method. *Applied Thermal Engineering*, 25:623–634, 2005.
- [3] Arslanturk, C. Performance analysis and optimization of a thermally non-symmetric annular fin. *International Communications in Heat and Mass Transfer*, 31:1143–1153, 2004.
- [4] Arslanturk, C. Correlation equations for optimum design of annular fins with temperature dependent thermal conductivity. *Heat and Mass Transfer*, 45: 519–525, 2009.
- [5] Azarkish, H., Sarvari, S., and Behzadmehr, A. Optimum design of a longitudinal fin array with convection and radiation heat transfer using a genetic algorithm. *International Journal of Thermal Sciences*, 49:2222–2229, 2010.
- [6] Azarkish, H., Sarvari, S. M. H., and Behzadmehr, A. Optimum geometry design of a longitudinal fin with volumetric heat generation under the influences of natural convection and radiation. *Energy Conversion and Management*, 51: 1938–1946, 2010.
- [7] Aziz, A. and Fang, T. Thermal analysis of an annular fin with (a) simultaneously imposed base temperature and base heat flux and (b) fixed base and tip temperatures. *Energy Conversion and Management*, 52:2467–2478, 2011.
- [8] Bar-Cohen, A., Iyengar, M., and Kraus, A. D. Design of Optimum Plate-Fin Natural Convective Heat Sinks. *Journal of Electronic Packaging*, 125:208–216, 2003.
- [9] Bas, H. and Keles, I. Novel Approach to Transient Thermal Stress in an Annular Fin. *Journal of Thermophysics and Heat Transfer*, 29:705–710, 2015.
- [10] Brown, A. Optimum dimensions of uniform annular fins. *International Journal of Heat and Mass Transfer*, 8:655–662, 1965.
- [11] Buccini, A. and Soliman, H. M. Optimum dimensions of annular fin assemblies. *Journal of Heat Transfer*, 108:459–462, 1986.

- [12] Casarosa, C. and Franco, A. On the optimum thermal design of individual longitudinal fins with rectangular profile. *Heat Transfer Engineering*, 22:51–71, 2001.
- [13] Charters, W. and Theerakulpisut, S. Efficiency equations for constant thickness annular fins. *International Communications in Heat and Mass Transfer*, 16: 547–558, 1989.
- [14] Chen, H.-T. and Hsu, W.-L. Estimation of heat-transfer characteristics on a vertical annular circular fin of finned-tube heat exchangers in forced convection. *International Journal of Heat and Mass Transfer*, 51:1920–1932, 2008.
- [15] Chen, W.-L., Yang, Y.-C., and Lee, H.-L. Inverse problem in determining convection heat transfer coefficient of an annular fin. *Energy Conversion and Management*, 48:1081–1088, 2007.
- [16] Cheng, C.-Y. and Chen, C.-K. Transient response of annular fins subjected to constant base temperatures. *International Communications in Heat and Mass Transfer*, 25:775–785, 1998.
- [17] Chiba, R. Stochastic thermal stresses in an FGM annular disc of variable thickness with spatially random heat transfer coefficients. *Meccanica*, 44:159–176, 2009.
- [18] Chiu, C.-H. and Chen, C.-K. Application of the decomposition method to thermal stresses in isotropic circular fins with temperature-dependent thermal conductivity. *Acta Mechanica*, 157:147–158, 2002.
- [19] Chiu, C.-H. and Chen, C.-K. Thermal stresses in annular fins with temperature-dependent conductivity under periodic boundary condition. *Journal of Thermal Stresses*, 25:475–492, 2002.
- [20] Das, R., Mallick, A., and Ooi, K. T. A fin design employing an inverse approach using simplex search method. *Heat and Mass Transfer*, 49:1029–1038, 2013.
- [21] Datta, D. and Figueira, J. R. Graph partitioning by multi-objective real-valued metaheuristics: A comparative study. *Applied Soft Computing*, 11:3976–3987, 2011.
- [22] Deb, K. *Multi-Objective Optimization Using Evolutionary Algorithms*. John Wiley & Sons, Chichester, England, 2001.
- [23] Deb, K., Pratap, A., Agarwal, S., and Meyarivan, T. A fast and elitist multi-objective genetic algorithm: NSGA-II. *IEEE Transactions on Evolutionary Computation*, 6:182–197, 2002.
- [24] Ganji, D. D., Ganji, Z. Z., and Ganji, H. D. Determination of temperature distribution for annular fins with temperature dependent thermal conductivity by HPM. *Thermal Science*, 15:S111–S115, 2011.

- [25] Hirbodi, K. and Yaghoubi, M. Experimental investigation of natural dehumidification over an annular finned-tube. *Experimental Thermal and Fluid Science*, 57:128–144, 2014.
- [26] Huang, C.-H. and Chung, Y.-L. The determination of optimum shapes for fully wet annular fins for maximum efficiency. *Applied Thermal Engineering*, 73:438–448, 2014.
- [27] Huang, C.-H. and Chung, Y.-L. An inverse problem in determining the optimum shapes for partially wet annular fins based on efficiency maximization. *International Journal of Heat and Mass Transfer*, 90:364–375, 2015.
- [28] Huang, C.-H. and Chung, Y.-L. A nonlinear fin design problem in determining the optimum shapes of fully wet annular fins. *Applied Thermal Engineering*, 103:195–204, 2016.
- [29] Kang, H.-S. Optimization of a rectangular profile annular fin based on fixed fin height. *Journal of Mechanical Science and Technology*, 23:3124–3131, 2009.
- [30] Kang, H. S. and Look, D. C. Thermally asymmetric annular rectangular fin optimization. *Journal of Thermophysics and Heat Transfer*, 18:406–409, 2004.
- [31] Kang, H. S. and Look, Jr., D. C. Optimization of a thermally asymmetric convective and radiating annular fin. *Heat Transfer Engineering*, 28:310–320, 2007.
- [32] Kang, H. S. and Look, Jr., D. C. Optimization of a trapezoidal profile annular fin. *Heat Transfer Engineering*, 30:359–367, 2009.
- [33] Kou, H.-S., Lee, J.-J., and Lai, C.-Y. Thermal analysis of a longitudinal fin with variable thermal properties by recursive formulation. *International Journal of Heat and Mass Transfer*, 48:2266–2277, 2005.
- [34] Kraus, A. D., Aziz, A., and Welty, J. *Extended Surface Heat Transfer*. John Wiley & Sons, New York, 2001.
- [35] Kundu, B. Analysis of thermal performance and optimization of concentric circular fins under dehumidifying conditions. *International Journal of Heat and Mass Transfer*, 52:2646–2659, 2009.
- [36] Kundu, B. and Barman, D. An analytical prediction for performance and optimization of an annular fin assembly of trapezoidal profile under dehumidifying conditions. *Energy*, 36:2572–2588, 2011.
- [37] Kundu, B. and Das, P. Performance analysis of eccentric annular fins with a variable base temperature. *Numerical Heat Transfer, Part A: Applications*, 36:751–766, 1999.
- [38] Kundu, B. and Das, P. Performance analysis and optimization of eccentric annular disk fins. *Journal of Heat Transfer*, 121:128–135, 1999.

- [39] Kundu, B. and Das, P. Performance analysis and optimization of annular fin with a step change in thickness. *Journal of Heat Transfer*, 123:601–604, 2001.
- [40] Kundu, B. and Das, P. Performance analysis and optimization of elliptic fins circumscribing a circular tube. *International Journal of Heat and Mass Transfer*, 50:173–180, 2007.
- [41] Kundu, B. and Das, P. K. Performance and optimum design analysis of convective fin arrays attached to flat and curved primary surfaces. *International Journal of Refrigeration*, 32:430–443, 2009.
- [42] Kundu, B. and Lee, K.-S. Analytical tools for calculating the maximum heat transfer of annular stepped fins with internal heat generation and radiation effects. *Energy*, 76:733–748, 2014.
- [43] Kundu, B., Lee, K.-S., and Campo, A. Exact and approximate analytic methods to calculate maximum heat flow in annular fin arrays with a rectangular step profile. *International Journal of Thermophysics*, 33:1314–1333, 2012.
- [44] Kundu, B., Lee, K.-S., and Campo, A. An ease of analysis for optimum design of an annular step fin. *International Journal of Heat and Mass Transfer*, 85:221–227, 2015.
- [45] Lai, C.-Y., Kou, H.-S., and Lee, J.-J. Optimum thermal analysis of annular fin heat sink by adjusting outer radius and fin number. *Applied Thermal Engineering*, 26:927–936, 2006.
- [46] Lai, C.-Y., Kou, H.-S., and Lee, J.-J. Recursive formulation on thermal analysis of an annular fin with variable thermal properties. *Applied Thermal Engineering*, 29:779–786, 2009.
- [47] Lalot, S., Tournier, C., and Jensen, M. Fin efficiency of annular fins made of two materials. *International Journal of Heat and Mass Transfer*, 42:3461–3467, 1999.
- [48] Laor, K. and Kalman, H. Performance and optimum dimensions of different cooling fins with a temperature-dependent heat transfer coefficient. *International Journal of Heat and Mass Transfer*, 39:1993–2003, 1996.
- [49] Lee, H.-L. and Yang, Y.-C. Function estimation in predicting time-dependent heat flux of an annular fin. *Journal of Thermal Stresses*, 26:799–813, 2003.
- [50] Lee, H.-L., Yang, Y.-C., and Chu, S.-S. Transient thermoelastic analysis of an annular fin with coupling effect and variable heat transfer coefficient. *Journal of Thermal Stresses*, 25:1105–1120, 2002.
- [51] Lee, H.-L., Wu, T.-S., and Yang, Y.-C. Prediction of unknown base heat flux in an annular fin by strain measurement. *International Communications in Heat and Mass Transfer*, 30:115–125, 2003.

- [52] Lee, H.-L., Chang, W.-J., Wu, S.-C., and Yang, Y.-C. An inverse problem in estimating the base heat flux of an annular fin based on the hyperbolic model of heat conduction. *International Communications in Heat and Mass Transfer*, 44:31–37, 2013.
- [53] Leung, C. and Probert, S. Heat exchanger performance: effect of orientation. *Applied Energy*, 33:235–252, 1989.
- [54] Lin, Y. and Chen, C.-K. Annular hyperbolic profile fins with variable thermal conductivity using differential transform and double-decomposition methods. *Numerical Heat Transfer, Part A: Applications*, 69:327–333, 2016.
- [55] Littlefield, J. M. and Cox, J. E. Optimization of annular fins on a horizontal tube. *Warme - und Stoffubertragung*, 7:87–93, 1974.
- [56] Look, Jr., D. C. Fin (on a pipe) effectiveness: One dimensional and two dimensional. *Journal of Heat Transfer*, 121:227–230, 1999.
- [57] Malekzadeh, P. and Rahideh, H. IDQ two-dimensional nonlinear transient heat transfer analysis of variable section annular fins. *Energy Conversion and Management*, 48:269–276, 2007.
- [58] Malekzadeh, P. and Rahideh, H. Two-dimensional nonlinear transient heat transfer analysis of variable section pin fins. *Energy Conversion and Management*, 50:916–922, 2009.
- [59] Malekzadeh, P., Rahideh, H., and Setoodeh, A. Optimization of non-symmetric convective-radiative annular fins by differential quadrature method. *Energy Conversion and Management*, 48:1671–1677, 2007.
- [60] Mallick, A. and Das, R. Application of simplex search method for predicting unknown parameters in an annular fin subjected to thermal stresses. *Journal of Thermal Stresses*, 37:236–251, 2014.
- [61] Mallick, A., Ghosal, S., Sarkar, P. K., and Ranjan, R. Homotopy perturbation method for thermal stresses in an annular fin with variable thermal conductivity. *Journal of Thermal Stresses*, 38:110–132, 2015.
- [62] Mallick, A., Ranjan, R., and Das, R. Application of homotopy perturbation method and inverse prediction of thermal parameters for an annular fin subjected to thermal load. *Journal of Thermal Stresses*, 39:298–313, 2016.
- [63] Mallick, A., Ranjan, R., and Sarkar, P. K. Effect of heat transfer on thermal stresses in annular hyperbolic fin: An approximate analytical solution. *Journal of Theoretical and Applied Mechanics*, 54:437–448, 2016.
- [64] Martin, A. and Boyd, I. D. Variant of the Thomas algorithm for opposite-bordered tridiagonal systems of equations. *International Journal for Numerical Methods in Biomedical Engineering*, 26:752–759, 2010.

- [65] Moinuddin, A., Sharqawy, M. H., and Zubair, S. M. Heat and mass transfer from annular fins of different cross sectional area. Part II. Optimal dimensions of fins. *International Journal of Refrigeration*, 35:377–385, 2012.
- [66] Moitsheki, R. Steady one-dimensional heat flow in a longitudinal triangular and parabolic fin. *Communications in Nonlinear Science and Numerical Simulation*, 16:3971–3980, 2011.
- [67] Moitsheki, R. J., Rashidi, M. M., Basiriparsa, A., and Mortezaei, A. Analytical solution and numerical simulation for one-dimensional steady nonlinear heat conduction in a longitudinal radial fin with various profiles. *Heat Transfer-Asian Research*, 44:20–38, 2015.
- [68] Mosayebidorcheh, S., Farzinpoor, M., and Ganji, D. Transient thermal analysis of longitudinal fins with internal heat generation considering temperature-dependent properties and different fin profiles. *Energy Conversion and Management*, 86:365–370, 2014.
- [69] Nagarani, N., Mayilsamy, K., and Murugesan, A. Fin effectiveness optimization of elliptical annular fins by genetic algorithm. *Procedia Engineering*, 38:2939–2948, 2012.
- [70] Naphon, P. Study on the heat transfer characteristics of the annular fin under dry-surface, partially wet-surface, and fully wet-surface conditions. *International Communications in Heat and Mass Transfer*, 33:112–121, 2006.
- [71] Nemati, H. and Samivand, S. Performance optimization of annular elliptical fin based on thermo-geometric parameters. *Alexandria Engineering Journal*, 54:1037–1042, 2015.
- [72] Netrakanti, M. N. and Huang, C. L. D. Optimization of annular fins with variable thermal parameters by invariant imbedding. *Journal of Heat Transfer*, 107:966–968, 1985.
- [73] Niazm, H. and Dabzadeh, I. Numerical simulation of heat and mass transfer in adsorbent beds with annular fins. *International Journal of Refrigeration*, 35:581–593, 2012.
- [74] Pashah, S., Moinuddin, A., and Zubair, S. M. Thermal performance and optimization of hyperbolic annular fins under dehumidifying operating conditions-Analytical and numerical solutions. *International Journal of Refrigeration*, 65:42–54, 2016.
- [75] Piegel, L. and Tiller, W. *The NURBS Book*. Springer-Verlag, Berlin, 1997.
- [76] Rasouli, S., Golriz, M., and Hamidi, A. Effect of annular fins on heat transfer of a horizontal immersed tube in bubbling fluidized beds. *Powder Technology*, 154:9–13, 2005.
- [77] Razelos, P. and Imre, K. The optimum dimensions of circular fins with variable thermal parameters. *Journal of Heat Transfer*, 102:420–425, 1980.



- [78] Senapati, J. R., Dash, S. K., and Roy, S. Numerical investigation of natural convection heat transfer over annular finned horizontal cylinder. *International Journal of Heat and Mass Transfer*, 96:330–345, 2016.
- [79] Sharqawy, M. H. and Zubair, S. M. Efficiency and optimization of an annular fin with combined heat and mass transfer—An analytical solution. *International Journal of Refrigeration*, 30:751–757, 2007.
- [80] Timoshenko, S. P. and Goodier, J. N. *Theory of Elasticity*. McGraw-Hill, New York, 1970.
- [81] Turkyilmazoglu, M. Stretching/shrinking longitudinal fins of rectangular profile and heat transfer. *Energy Conversion and Management*, 91:199–203, 2015.
- [82] Ullmann, A. and Kalman, H. Efficiency and optimized dimensions of annular fins of different cross-section shapes. *International Journal of Heat and Mass Transfer*, 32:1105–1110, 1989.
- [83] Wang, C.-C., Chen-Hung, H., and Yang, D.-J. Hybrid spline difference method for steady-state heat conduction. *Numerical Heat Transfer, Part B: Fundamentals*, 60:472–485, 2011.
- [84] Wang, C.-C., Chao, L.-P., and Liao, W.-J. Hybrid spline difference method (HSDM) for transient heat conduction. *Numerical Heat Transfer, Part B: Fundamentals*, 61:129–146, 2012.
- [85] Wang, C.-C., Liao, W.-J., and Hsu, Y.-S. Hybrid spline difference method for the Burgers' equation. *Applied Mathematics and Computation*, 219:1031–1039, 2012.
- [86] Wang, C.-C., Liao, W.-J., and Yang, C.-Y. Hybrid spline difference method for heat transfer and thermal stresses in annular fins. *Numerical Heat Transfer, Part B: Fundamentals*, 64:71–88, 2013.
- [87] Waszkiewicz, S., Tierney, M., and SaidaniScott, H. Development of coated, annular fins for adsorption chillers. *Applied Thermal Engineering*, 29:2222–2227, 2009.
- [88] Wegman, E. J. Hyperdimensional data analysis using parallel coordinates. *Journal of the American Statistical Association*, 85:664–675, 1990.
- [89] Wu, S.-S. Analysis on transient thermal stresses in an annular fin. *Journal of Thermal Stresses*, 20:591–615, 1997.
- [90] Wu, S.-S., Shiu, C.-L., and Wu, W.-J. Analysis on transient heat transfer in annular fins of various shapes with their bases subjected to a heat flux varying as a sinusoidal time function. *Computers & Structures*, 61:725–734, 1996.
- [91] Yang, Y.-C. and Chu, S.-S. Transient coupled thermoelastic analysis of an annular fin. *International Communications in Heat and Mass Transfer*, 28:1103–1114, 2001.

- [92] Yu, L.-T. and Chen, C.-K. Application of taylor transformation to the thermal stresses in isotropic annular fins. *Journal of Thermal Stresses*, 21:781–809, 1998.
- [93] Yu, L.-T. and Chen, C.-K. Optimization of circular fins with variable thermal parameters. *Journal of The Franklin Institute*, 336:77–95, 1999.