Bibliography

- [1] Abe, M., Nakamura, S., Shikano, K., and Kuwabara, H. Voice conversion through vector quantization. In *Proceedings of the International Conference on Acoustics, Speech, and Signal Processing(ICASSP)*, pages 655–658. IEEE, 1988.
- [2] Aihara, R., Takashima, R., Takiguchi, T., and Ariki, Y. GMM-based emotional voice conversion using spectrum and prosody features. *American Journal of Signal Processing*, 2(5):134–138, 2012.
- [3] Al-Tamimi, J. Static and dynamic cues in vowel production: A cross dialectal study in Jordanian and Moroccan Arabic. In 16th International Congress of Phonetic Sciences (ICPhS), Saarbrücken, Germany. Paper retrieved from www. ddl. ish-lyon. cnrs. fr/fulltext/al.../al-tamimi_2007_icphs_draft. pdf, 2007.
- [4] Al-Tamimi, J. Spectral tilt as an acoustic correlate to pharyngealisation in Jordanian and Moroccan Arabic. 2015.
- [5] AlDahri, S. S. A study for the effect of the Emphaticness and language and dialect for Voice Onset Time (VOT) in Modern Standard Arabic (MSA). arXiv preprint arXiv:1305.2680, 2013.
- [6] Allen, J., Hunnicutt, M. S., Klatt, D. H., Armstrong, R. C., and Pisoni, D. B. From text to speech: The MITalk system. Cambridge University Press, 1987.
- [7] Anumanchipalli, G. K., Oliveira, L. C., and Black, A. W. A style capturing approach to F0 transformation in voice conversion. In *Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 6915–6919. IEEE, 2013.
- [8] Aryal, S. and Gutierrez-Osuna, R. Can voice conversion be used to reduce non-native accents? In *Proceedings of the IEEE International Conference on*

- Acoustics, Speech and Signal Processing (ICASSP), pages 7879–7883. IEEE, 2014.
- [9] Bahmaninezhad, F., Sameti, H., and Khorram, S. Hmm-based Persian speech synthesis using limited adaptation data. In *Proceedings of the IEEE 11th International Conference on Signal Processing (ICSP)*, volume 1, pages 585–589. IEEE, 2012.
- [10] Barreda, S. Investigating the use of formant frequencies in listener judgments of speaker size. *Journal of Phonetics*, 55:1–18, 2016.
- [11] Benki, J. R. Place of articulation and first formant transition pattern both affect perception of voicing in English. *Journal of Phonetics*, 29(1):1–22, 2001.
- [12] Beskow, J. and Gustafson, J. Experiments with Synthesis of Swedish Dialects. *FONETIK*, *Stockholm*, pages 28–29, 2009.
- [13] Black, A. W., Bunnell, H. T., Dou, Y., Perry, D., Polzehl, T., et al. New parameterizations for Emotional Speech Synthesis. 2011.
- [14] Bob, M. Klattworks: A [somewhat] new systematic approach to formant-based speech synthesis for empirical research. 2009.
- [15] Boersma, P. and Weenink, D. Praat: doing phonetics by computer. 2013. Available form: URL: http://www. fon. hum. uva. nl/praat, 2013.
- [16] Bõhm, T. and Németh, G. Algorithm for formant tracking, modification and synthesis. GYULA SALLAI-president, Scientific Association for Infocommunications ÁKOS DETREKÔI-president, National Council of Hungary for Information and Communications Technology, page 15, 2007.
- [17] Bollepalli, B., Beskow, J., and Gustafson, J. Non-linear Pitch Modification in Voice Conversion Using Artificial Neural Networks. In *Advances in Nonlinear Speech Processing*, pages 97–103. Springer, 2013.
- [18] Brown, L. and Yeon, J. *The handbook of Korean linguistics*. John Wiley & Sons, 2015.
- [19] Bulyko, I., Ostendorf, M., and Price, P. On the relative importance of different prosodic factors for improving speech synthesis. In *Proceedings of ICPhs*, volume 99, page 81, 1999.

- [20] Burkhardt, F. and Sendlmeier, W. F. Verification of acoustical correlates of emotional speech using formant-synthesis. In ISCA Tutorial and Research Workshop (ITRW) on Speech and Emotion, 2000.
- [21] Chao-angthong, P., Suchato, A., and Punyabukkana, P. Northern Thai Dialect Text to Speech. In *Proceedings of the 14th International Joint Conference on Computer Science and Software Engineering (JCSSE)*, pages 1–6. IEEE, 2017.
- [22] Chen, G. The Voice Source in Speech Production: From Models to Applications. University of California, Los Angeles, 2014.
- [23] Chen, G., Garellek, M., Kreiman, J., Gerratt, B. R., and Alwan, A. A perceptually and physiologically motivated voice source model. In *Proceedings of Meetings on Acoustics ICA2013*, volume 19, page 060160. ASA, 2013.
- [24] Chen, L.-m., Chao, K.-Y., and Peng, J.-F. VOT productions of word-initial stops in Mandarin and English: A cross-language study. In *ROCLING*, 2007.
- [25] Chiang, C.-Y. Cross-Dialect Adaptation Framework for Constructing Prosodic Models for Chinese Dialect Text-to-Speech Systems. IEEE/ACM Transactions on Audio, Speech, and Language Processing, 2017.
- [26] Childers, D. G., Wu, K., Hicks, D., and Yegnanarayana, B. Voice conversion. Speech Communication, 8(2):147–158, 1989.
- [27] Cho, T. and Ladefoged, P. Variation and universals in VOT: evidence from 18 languages. *Journal of Phonetics*, 27(2):207–229, 1999.
- [28] Clopper, C. G., Pisoni, D. B., and De Jong, K. Acoustic characteristics of the vowel systems of six regional varieties of American English. *The Journal* of the Acoustical Society of America, 118(3):1661–1676, 2005.
- [29] Collomb, C. Burg's method, algorithm and recursion. *K. Elissa, unpublished*, 2010.
- [30] Conway, E. A. An analysis of Somali pronunciation errors. 2008.
- [31] Desai, S., Black, A. W., Yegnanarayana, B., and Prahallad, K. Spectral mapping using artificial neural networks for voice conversion. *IEEE Transactions on Audio, Speech, and Language Processing*, 18(5):954–964, 2010.

- [32] Donovan, R. E. *Trainable speech synthesis*. PhD thesis, University of Cambridge, 1996.
- [33] Dorn, A. and Chasaide, A. N. Effects of Focus on f₋0 and Duration in Irish (Gaelic) Declaratives. In *Proceedings of Twelfth Annual Conference of the International Speech Communication Association*, 2011.
- [34] Enflo, L. Spectral Tilt used for Automatic Detection of Prominence: A Comparison between Electroglottography and Audio. *Term Paper for Machine Learning*, a GSLT course, 2009.
- [35] Ewald, O., Asu, E. L., and Schötz, S. The formant dynamics of long close vowels in three varieties of Swedish. In *Interspeech 2017*, pages 1412–1416, 2017.
- [36] Fant, G. Acoustic theory of speech production: with calculations based on X-ray studies of Russian articulations. Mouton & Company, 1970.
- [37] Ferragne, E. and Pellegrino, F. Diphthongization as cue for the automatic identification of British English dialects. *The Journal of the Acoustical Society of America*, 116(4):2630–2630, 2004.
- [38] Flynn, N. and Foulkes, P. Comparing vowel formant normalization methods. In *Proceedings of the 17th International Congress of Phonetic Sciences (ICPhS XVII)*, pages 683–686. City University of Hong Kong) (Hong Kong, 2011.
- [39] Fox, R. A. and Jacewicz, E. Analysis of total vowel space areas in three regional dialects of American English. *Journal of the Acoustical Society of America*, 123(5):3068, 2008.
- [40] Fox, R. A. and Jacewicz, E. Cross-dialectal variation in formant dynamics of American English vowels. The Journal of the Acoustical Society of America, 126(5):2603–2618, 2009.
- [41] Frarrar, K., Grabe, E., and Nolan, F. English intonation in the British isles. Leeds Studies in English, 30:243, 1999.
- [42] Godoy, E., Rosec, O., and Chonavel, T. Voice conversion using dynamic frequency warping with amplitude scaling, for parallel or nonparallel corpora. *IEEE Transactions on Audio, Speech and Language Processing*, 20(4):1313–1323, 2012.

- [43] Gopinath, D. P., Veena, S., and Nair, A. S. Modeling of Vowel Duration in Malayalam Speech using Probability Distribution. *ISCA Archive, Speech Prosody, Campinas, Brazil*, pages 6–9, 2008.
- [44] Gordon, M. and Ladefoged, P. Phonation types: a cross-linguistic overview. Journal of phonetics, 29(4):383–406, 2001.
- [45] Goswami, G. C. and Tamuli, J. Asamiya. In Cardona, G. and Jain, D., editors, *The Indo-Aryan Languages*, pages 391–443. Routledge, London, 2003.
- [46] Groner, G., Bernstein, J., Ingber, E., Pearlman, J., and Toal, T. A real-time text-to-speech converter. *Speech Technology*, 1(2):73–76, 1982.
- [47] Gu, C. et al. Smoothing spline anova models: R package gss. *Journal of Statistical Software*, 58(5):1–25, 2014.
- [48] Hagiwara, R. Dialect variation and formant frequency: The American English vowels revisited. The Journal of the Acoustical Society of America, 102(1): 655–658, 1997.
- [49] Hallahan, W. I. DECtalk software: Text-to-speech technology and implementation. *Digital Technical Journal*, 7(4):5–19, 1995.
- [50] Hart, J. Prosodic differences among dialects of American English. PhD thesis, The Ohio State University, 2013.
- [51] Hershey, J. R. and Olsen, P. A. Approximating the Kullback Leibler divergence between Gaussian mixture models. In *Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing*, volume 4, pages IV–317. IEEE, 2007.
- [52] Hinton, G., Deng, L., Yu, D., Dahl, G. E., Mohamed, A.-r., Jaitly, N., Senior, A., Vanhoucke, V., Nguyen, P., Sainath, T. N., et al. Deep neural networks for acoustic modeling in speech recognition: The shared views of four research groups. *IEEE Signal processing magazine*, 29(6):82–97, 2012.
- [53] Hojo, N., Ijima, Y., and Mizuno, H. An Investigation of DNN-Based Speech Synthesis Using Speaker Codes. In INTERSPEECH, pages 2278–2282, 2016.
- [54] Holliday, J. J. and Kong, E. J. Dialectal variation in the acoustic correlates of Korean stops. In Proceedings of the 17th International Congress of Phonetic Sciences, pages 878–881, 2011.

- [55] Holt, Y., Jacewicz, E., and Fox, R. Temporal variation in African American English: The Distinctive Use of Vowel Duration. J Phonet Audiol, 2(121):2, 2016.
- [56] Hou, J., Liu, Y., Zheng, T. F., Olsen, J., and Tian, J. Using cepstral and prosodic features for Chinese accent identification. In *Proceedings of the 7th International Symposium on Chinese Spoken Language Processing (ISCSLP)*, pages 177–181. IEEE, 2010.
- [57] Hung, P. N., Loan, T. V., and Quang, N. H. Automatic identification of Vietnamese dialects. *Journal of Computer Science and Cybernetics*, 32(1): 19–30, 2016.
- [58] Hunt, A. J. and Black, A. W. Unit selection in a concatenative speech synthesis system using a large speech database. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 1, pages 373–376. IEEE, 1996.
- [59] Hwang, H.-T., Tsao, Y., Wang, H.-M., Wang, Y.-R., and Chen, S.-H. Incorporating global variance in the training phase of GMM-based voice conversion. In Signal and Information Processing Association Annual Summit and Conference (APSIPA), 2013 Asia-Pacific, pages 1–6. IEEE, 2013.
- [60] Inanoglu, Z. Transforming pitch in a voice conversion framework. *M.Phil Dissertation, St. Edmonds College, University of Cambridge*, 2003.
- [61] Jacewicz, E. and Fox, R. A. Cross-dialectal differences in dynamic formant patterns in American English vowels. In *Vowel inherent spectral change*, pages 177–198. Springer, 2013.
- [62] Jacewicz, E., Fox, R., and Salmons, J. Vowel duration in three American English dialects. *American Speech*, 82(4):367–385, 2007.
- [63] Jacewicz, E., Fox, R. A., and Wei, L. Between-speaker and within-speaker variation in speech tempo of American English. The Journal of the Acoustical Society of America, 128(2):839–850, 2010.
- [64] Jiao, Y., Xie, X., Na, X., and Tu, M. Improving voice quality of HMM-based speech synthesis using voice conversion method. In *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 7914–7918. IEEE, 2014.

- [65] Joo, Y.-S., Jun, W.-S., and Kang, H.-G. Efficient deep neural networks for speech synthesis using bottleneck features. In Signal and Information Processing Association Annual Summit and Conference (APSIPA), 2016 Asia-Pacific, pages 1–4. IEEE, 2016.
- [66] Kain, A. and Macon, M. W. Spectral voice conversion for text-to-speech synthesis. In *Proceeding of IEEE International Conference on Acoustics*, Speech and Signal Processing, volume 1, pages 285–288. IEEE, 1998.
- [67] Kakati, B. Assamese, its formation and development. Guwahati: LBS Publication, 1941.
- [68] Kakouros, S., Räsänen, O., and Alku, P. Evaluation of Spectral Tilt Measures for Sentence Prominence Under Different Noise Conditions. *Proceedings of Interspeech 2017*, pages 3211–3215, 2017.
- [69] Kang, S., Qian, X., and Meng, H. Multi-distribution deep belief network for speech synthesis. In Acoustics, Speech and Signal Processing (ICASSP), 2013 IEEE International Conference on, pages 8012–8016. IEEE, 2013.
- [70] Karjalainen, M., Altosaar, T., and Vainio, M. Speech synthesis using warped linear prediction and neural networks. In *Proceedings of the 1998 IEEE In*ternational Conference on Acoustics, Speech and Signal Processing, volume 2, pages 877–880. IEEE, 1998.
- [71] Keerio, A., Dhomeja, L., Shaikh, A., and Malkani, Y. Comparative Analysis of Vowels, Diphthongs and Glides in Sindhi. *Signal and Image Processing:* An International Journal (SIPIJ), 2(4), 2011.
- [72] Kelly Jr, J. L. and Gerstman, L. J. An artificial talker driven from a phonetic input. The Journal of the Acoustical Society of America, 33(6):835–835, 1961.
- [73] Khaw, Y.-M. J. and Tan, T.-P. A Fast Adaptation Technique for building Dialectal Malay Speech Synthesis Acoustic Model. *Jurnal Teknologi, Malaysia*, pages 57–66, 2015.
- [74] Kiruthiga, S. and Krishnamoorthy, K. Annotating Speech Corpus for Prosody Modeling in Indian Language Text to Speech Systems. 2012.
- [75] Klatt, D. The Klattalk text-to-speech conversion system. In *Proceedings of IEEE International Conference on Acoustics, Speech, and Signal Processing, ICASSP'82.*, volume 7, pages 1589–1592. IEEE, 1982.

- [76] Klatt, D. H. Software for a cascade/parallel formant synthesizer. the Journal of the Acoustical Society of America, 67(3):971–995, 1980.
- [77] Koneva, E. V. and Gural, S. K. The role of dialects in the German society. Procedia-Social and Behavioral Sciences, 200:248–252, 2015.
- [78] Konno, H., Kudo, M., Imai, H., and Sugimoto, M. Whisper to normal speech conversion using pitch estimated from spectrum. Speech Communication, 83: 10–20, 2016.
- [79] Koolagudi, S. G., Vishwanath, B. K., Akshatha, M., and Murthy, Y. V. Performance Analysis of LPC and MFCC Features in Voice Conversion Using Artificial Neural Networks. In *Proceedings of the International Conference on Data Engineering and Communication Technology*, pages 275–280. Springer, 2017.
- [80] Labov, W. Principles of linguistic change, cognitive and cultural factors, volume 3. John Wiley & Sons, 2011.
- [81] Laskar, R. H., Chakrabarty, D., Talukdar, F. A., Rao, K. S., and Banerjee, K. Comparing ANN and GMM in a voice conversion framework. Applied Soft Computing, 12(11):3332–3342, 2012.
- [82] Lazaridis, A., Zervas, P., and Kokkinakis, G. Segmental duration modeling for Greek speech synthesis. In *Proceedings of the 19th IEEE International Conference on Tools with Artificial Intelligence,ICTAI 2007.*, volume 2, pages 518–521. IEEE, 2007.
- [83] Lei, M., Yamagishi, J., Richmond, K., Ling, Z.-H., King, S., and Dai, L.-R. Formant-Controlled HMM-Based Speech Synthesis. In *INTERSPEECH*, pages 2777–2780, 2011.
- [84] Lein, T., Kupisch, T., and van de Weijer, J. Voice onset time and global foreign accent in German–French simultaneous bilinguals during adulthood. *International Journal of Bilingualism*, 20(6):732–749, 2016.
- [85] Lengerisa, A., Kainadaa, E., Baltazanib, M., and Iversonc, P. Dialectal effects on the perception of Greek vowels. 2015.
- [86] Liao, W.-W. and Shen, J.-L. Improved Prosody Module in a Text-to-Speech System. In ROCLING, 2004.

- [87] Lisker, L. and Abramson, A. S. A cross-language study of Voicing in Initial Stops: Acoustical Measurements. In *Proceedings of the 6th international* congress of phonetic sciences, volume 20, pages 384–422, 1964.
- [88] MacKay, I. R. *Phonetics: The science of speech production*. Little, Brown, 1987.
- [89] Magen, H. S. Perception of diphthongized vowels in Rhode Island English. In Proceedings of 15th International Congress of Phonetic Sciences. Causal Productions: Barcelona (1453-1456), 2003.
- [90] Mannepalli, K., Sastry, P. N., and Suman, M. MFCC-GMM based accent recognition system for Telugu speech signals. *International Journal of Speech Technology*, 19(1):87–93, 2016.
- [91] Martony, J. and Franzen, O. Dept. for Speech, Music and Hearing. STL-QPSR, 7(1):017–022, 1966.
- [92] Mayr, R. and Davies, H. A cross-dialectal acoustic study of the monophthongs and diphthongs of Welsh. *Journal of the International Phonetic Association*, pages 01–25, 2011.
- [93] Miller, J. L. and Volaitis, L. E. Effect of speaking rate on the perceptual structure of a phonetic category. *Perception & Psychophysics*, 46(6):505–512, 1989.
- [94] Mitra, V., Sivaraman, G., Nam, H., Espy-Wilson, C., and Saltzman, E. Articulatory features from deep neural networks and their role in speech recognition. In *Proceedings of 2014 IEEE International Conference on Acoustics*, Speech and Signal Processing (ICASSP), pages 3017–3021. IEEE, 2014.
- [95] Mizuno, H., Abe, M., and Hirokawa, T. Waveform-based speech synthesis approach with a formant frequency modification. In *Proceedings of 1993 IEEE International Conference on Acoustics, Speech, and Signal Processing, 1993. ICASSP-93.*, volume 2, pages 195–198. IEEE, 1993.
- [96] Mohammadi, S. H. and Kain, A. An overview of voice conversion systems. Speech Communication, 2017.
- [97] Narendranath, M., Murthy, H. A., Rajendran, S., and Yegnanarayana, B. Voice conversion using artificial neural networks. In *Automatic Speaker Recognition*, *Identification and Verification*, 1994.

- [98] Nirmal, J., Patnaik, S., and Zaveri, M. A. Voice transformation using radial basis function. In Proceedings of the Third International Conference on Trends in Information, Telecommunication and Computing, pages 345–351. Springer, 2013.
- [99] Nordhoff, S. A grammar of Upcountry Sri Lanka Malay. LOT, 2009.
- [100] Okati, F., Helgason, P., and Jahani, C. Diphthongization in five Iranian Balochi dialects. *Orientalia Suecana*, 61:107–119, 2013.
- [101] Olive, J. P. A new algorithm for a concatenative speech synthesis system using an augmented acoustic inventory of speech sounds. In *The ESCA Workshop on Speech Synthesis*, 1991.
- [102] Oliveira, L. C. Estimation of source parameters by frequency analysis. In EUROSPEECH, 1993.
- [103] Onaolapo, J., Idachaba, F., Badejo, J., Odu, T., and Adu, O. A simplified overview of text-to-speech synthesis. 2014.
- [104] Paulo, S. and Oliveira, L. C. Automatic phonetic alignment and its confidence measures. In Advances in Natural Language Processing, pages 36–44. Springer, 2004.
- [105] Peng, J.-F., Chen, L.-m., and Lee, C.-C. Tonal Effects on Voice Onset Time. 14(4):341–361, 2009.
- [106] Pucher, M., Neubarth, F., Strom, V., Moosmuller, S., Hofer, G., Kranzler, C., Schuchmann, G., and Schabus, D. Resources for speech synthesis of Viennese varieties. In *Proceedings of the International Conference on Language Resources and Evaluation*, LREC'2010, 2010.
- [107] Pucher, M., Kerschhofer-Puhalo, N., and Schabus, D. Phone set selection for HMM-based dialect speech synthesis. In *Proceedings of the First Workshop on Algorithms and Resources for Modelling of Dialects and Language Varieties*, pages 65–69. Association for Computational Linguistics, 2011.
- [108] Pucher, M., Kerschhofer-Puhalo, N., Schabus, D., Moosmüller, S., and Hofer, G. Language resources for the adaptive speech synthesis of dialects. *Proceedings of SIDG*, Vienna, Austria, 2012.

- [109] Pucher, M., Xhafa, V., Dika, A., and Toman, M. Adaptive speech synthesis of Albanian dialects. In *Proceedings of the International Conference on Text*, Speech, and Dialogue, pages 158–164. Springer, 2015.
- [110] Pucher, M., Lozo, C., and Moosmüller, S. Phone Mapping and Prosodic Transfer in Speech Synthesis of similar Dialect Pairs. In 28. Konferenz Elektronische Sprachsignalverarbeitung 2017, Saarbrücken, pages 180–185, 2017.
- [111] Qian, Y., Fan, Y., Hu, W., and Soong, F. K. On the training aspects of deep neural network (dnn) for parametric tts synthesis. In Acoustics, Speech and Signal Processing (ICASSP), 2014 IEEE International Conference on, pages 3829–3833. IEEE, 2014.
- [112] Qutaish, F. Pharyngealization Spread in Ibbi Dialect of Yemeni Arabic: An Acoustic Study. *International Journal of Humanities and Social Sciences*, 3(9):2098, 2016. URL http://waset.org/abstracts/Humanities-and-Social-Sciences.
- [113] Raitio, T. et al. Voice source modelling techniques for statistical parametric speech synthesis. 2015.
- [114] Rami, M. K., Kalinowski, J., Stuart, A., and Rastatter, M. P. Voice onset times and burst frequencies of four velar stop consonants in Gujarati. The Journal of the Acoustical Society of America, 106(6):3736–3738, 1999.
- [115] Rao, K. S. Voice conversion by mapping the speaker-specific features using pitch synchronous approach. *Computer Speech & Language*, 24(3):474–494, 2010.
- [116] Rao, K. S. Predicting Prosody from Text for Text-to-Speech Synthesis. Springer Science & Business Media, 2012.
- [117] Rao, K. S., Nandy, S., and Koolagudi, S. G. Identification of Hindi dialects using speech. WMSCI-2010, 2010.
- [118] Reddy, V. R. and Rao, K. S. Intensity Modeling for Syllable Based Textto-Speech Synthesis. In *Contemporary Computing*, pages 106–117. Springer, 2012.
- [119] Reddy, V. R. and Rao, K. S. Prosody modeling for syllable based text-to-speech synthesis using feedforward neural networks. *Neurocomputing*, 171: 1323–1334, 2016.

- [120] Rentzos, D., Vaseghi, S., Yan, Q., and Ho, C.-H. Parametric formant modelling and transformation in voice conversion. *International Journal of Speech Technology*, 8(3):227–245, 2005.
- [121] Rickford, J. R. How linguists approach the study of language and dialect. *Retrieved on January*, 20:2013, 2002.
- [122] Rothenberg, M. Voice onset time versus articulatory modeling for stop consonants. *Logopedics Phoniatrics Vocology*, 34(4):171–180, 2009.
- [123] Sagisaka, Y. ATR v-talk speech synthesis system. Proceedings of ICSLP, 1992, 1992.
- [124] Sandoval, S., Berisha, V., Utianski, R. L., Liss, J. M., and Spanias, A. Automatic assessment of vowel space area. The Journal of the Acoustical Society of America, 134(5):EL477–EL483, 2013.
- [125] Sarwar, A., Ahmed, S., and Tarar, A. Diphthongs in Urdu language and analysis of their acoustic properties. Annual Student Report, CRULP:09–15, 2003.
- [126] Shaikh, H., Mahar, J. A., and Malah, G. A. Digital Investigation of Accent Variation in Sindhi Dialects. *Indian Journal of Science and Technology*, 6 (10):5429–5433, 2013.
- [127] Sharma, C., Mahar, and Talukdar, P. Dialect variation in Boro Language and Grapheme-to-Phoneme conversion rules to handle lexical lookup fails in Boro TTS System. *International Journal of Scientific and Research Publications*, 2(9), 2012.
- [128] Shikano, K., Nakamura, S., and Abe, M. Speaker adaptation and voice conversion by codebook mapping. In *Circuits and Systems*, 1991., *IEEE International Sympoisum on*, pages 594–597. IEEE, 1991.
- [129] Shue, Y.-L. and Alwan, A. A new voice source model based on high-speed imaging and its application to voice source estimation. In *Proceedings of the 2010 IEEE International Conference on Acoustics Speech and Signal Processing (ICASSP)*, pages 5134–5137. IEEE, 2010.
- [130] Shue, Y.-L., Kreiman, J., and Alwan, A. A novel codebook search technique for estimating the open quotient. In *Interspeech*, pages 2895–2898, 2009.

- [131] Sinha, S., Agrawal, S. S., and Jain, A. Dialectal influences on acoustic duration of Hindi phonemes. In *Oriental COCOSDA held jointly with 2013 Conference on Asian Spoken Language Research and Evaluation (O-COCOSDA/CASLRE)*, 2013 International Conference, pages 1–5. IEEE, 2013.
- [132] Sinha, S., Jain, A., and Agrawal, S. S. Speech processing for Hindi dialect recognition. In *Advances in Signal Processing and Intelligent Recognition Systems*, pages 161–169. Springer, 2014.
- [133] Sitaram, S. Pronunciation modeling for synthesis of low resource languages. PhD thesis, Ph. D. dissertation, Carnegie Mellon University, 2015.
- [134] Srikanth, R., Bajibabu, B., and Prahallad, K. Duration modelling in voice conversion using artificial neural networks. In *Proceedings of the 19th Inter*national Conference on Systems, Signals and Image Processing (IWSSIP), pages 556–559. IEEE, 2012.
- [135] Stylianou, Y., Cappé, O., and Moulines, E. Continuous probabilistic transform for voice conversion. *IEEE Transactions on Speech and Audio Processing*, 6(2):131–142, 1998.
- [136] Suendermann, D., Höge, H., and Black, A. Challenges in Speech Synthesis. In Speech Technology, pages 19–32. Springer, 2010.
- [137] Sunija, A., Rajisha, T., and Riyas, K. Comparative Study of Different Classifiers for Malayalam Dialect Recognition System. *Procedia Technology*, 24: 1080–1088, 2016.
- [138] Takeda, K., Abe, K., and Sagisaka, Y. On the basic scheme and algorithms in non-uniform unit speech synthesis. Amsterdam, The Netherlands: North-Holland, 1992.
- [139] Taylor, P. Text-to-speech synthesis. Cambridge university press, 2009.
- [140] Teutenberg, J. and Watson, C. Vowel quality in accent modification. In Proceedings of the Australian International Conference on Speech Science & Technology, University of Auckland, New Zealand, pages 292–295, 2006.
- [141] Toda, T., Ohtani, Y., and Shikano, K. Eigenvoice Conversion Based on Gaussian Mixture Model. 2006.

- [142] Toda, T., Black, A. W., and Tokuda, K. Voice conversion based on maximum-likelihood estimation of spectral parameter trajectory. *IEEE Transactions on Audio, Speech, and Language Processing*, 15(8):2222–2235, 2007.
- [143] Türk, O. and Schröder, M. A comparison of voice conversion methods for transforming voice quality in emotional speech synthesis. In *INTERSPEECH* 2008, pages 2282–2285, 2008.
- [144] Turk, O. and Schroder, M. Evaluation of expressive speech synthesis with voice conversion and copy resynthesis techniques. *IEEE Transactions on Audio, Speech, and Language Processing*, 18(5):965–973, 2010.
- [145] Uslu, I. B., Ilk, H. G., and Yilmaz, A. E. A rule based prosody model for Turkish text-to-speech synthesis. *Tehnicki Vjesnik*, 20(1):217–223, 2013.
- [146] Vainio, M., Airas, M., Järvikivi, J., and Alku, P. Laryngeal voice quality in the expression of focus. In *Proceedings of Eleventh Annual Conference of the International Speech Communication Association*, 2010.
- [147] Valbret, H., Moulines, E., and Tubach, J.-P. Voice transformation using PSOLA technique. *Speech communication*, 11(2-3):175–187, 1992.
- [148] Violante, L., Zivic, P. R., and Gravano, A. Improving speech synthesis quality by reducing pitch peaks in the source recordings. In *HLT-NAACL*, pages 502– 506, 2013.
- [149] Wang, M., Wen, M., Hirose, K., and Minematsu, N. Emotional voice conversion for Mandarin using tone nucleus model—small corpus and high efficiency. In Speech Prosody 2012, 2012.
- [150] Wang, Z., Wang, R., Shuang, Z., and Ling, Z. A novel voice conversion system based on codebook mapping with phoneme-tied weighting. In *Eighth International Conference on Spoken Language Processing*, 2004.
- [151] Watts, O., Yamagishi, J., King, S., and Berkling, K. Synthesis of child speech with HMM adaptation and voice conversion. *IEEE Transactions on Audio*, Speech, and Language Processing, 18(5):1005–1016, 2010.
- [152] Wayland, R. and Jongman, A. Acoustic correlates of breathy and clear vowels: the case of Khmer. *Journal of Phonetics*, 31(2):181–201, 2003.

- [153] Williams, D. and Escudero, P. A cross-dialectal acoustic comparison of vowels in Northern and Southern British English. *The Journal of the acoustical society of America*, 136(5):2751–2761, 2014.
- [154] Wu, Z. and Li, H. Voice conversion and spoofing attack on speaker verification systems. In Signal and Information Processing Association Annual Summit and Conference (APSIPA), 2013 Asia-Pacific, pages 1–9. IEEE, 2013.
- [155] Wu, Z., Virtanen, T., Chng, E. S., and Li, H. Exemplar-based sparse representation with residual compensation for voice conversion. *IEEE/ACM Transactions on Audio, Speech and Language Processing (TASLP)*, 22(10): 1506–1521, 2014.
- [156] Wu, Z., Swietojanski, P., Veaux, C., Renals, S., and King, S. A study of speaker adaptation for DNN-based speech synthesis. In Sixteenth Annual Conference of the International Speech Communication Association, 2015.
- [157] Xydas, G., Spiliotopoulos, D., and Kouroupetroglou, G. Modeling improved prosody generation from high-level linguistically annotated corpora. *IEICE TRANSACTIONS on Information and Systems*, 88(3):510–518, 2005.
- [158] Yang, B. A voice onset time comparison of English and Korean stop consonants. 20:41–59, 1993.
- [159] Yanushevskaya, I., Gobl, C., Kane, J., and Ní_Chasaide, A. An exploration of voice source correlates of focus. In *Proceedings of Eleventh Annual Conference* of the International Speech Communication Association, 2010.
- [160] Yoon, K.-C. The role of prosody in dialect synthesis and authentication. Journal of the Korean society of speech sciences, 1(1):25–31, 2009.
- [161] Ze, H., Senior, A., and Schuster, M. Statistical parametric speech synthesis using deep neural networks. In Acoustics, Speech and Signal Processing (ICASSP), 2013 IEEE International Conference on, pages 7962–7966. IEEE, 2013.
- [162] Ze, H., Senior, A., and Schuster, M. Statistical parametric speech synthesis using deep neural networks. In Acoustics, Speech and Signal Processing (ICASSP), 2013 IEEE International Conference on, pages 7962–7966. IEEE, 2013.

- [163] Zen, H., Nose, T., Yamagishi, J., Sako, S., Masuko, T., Black, A. W., and Tokuda, K. The HMM-based speech synthesis system (HTS) version 2.0. In SSW, pages 294–299. Citeseer, 2007.
- [164] Zen, H., Tokuda, K., and Black, A. W. Statistical parametric speech synthesis. *Speech Communication*, 51(11):1039–1064, 2009.
- [165] Zetterholm, E. Same speaker-different voices. A study of one impersonator and some of his different imitations. In *Proceedings of the 11th Australian Int. Conf. on Speech Science & Technology*, pages 70–75, 2006.
- [166] Zheng, D. C. Accent Conversion via Formant-based Spectral Mapping and Pitch Contour Modification. M.Phil. Dissertation, Dept. of Engineering, Univ. of Wolverhampton, 2011.