
Bibliography

- [1] Adleman, L. Molecular computation of solutions to combinatorial problems. *Science*, 266(5187): 1021-1024, 1994.
- [2] Adelman, L. Computing with DNA. *Scientific American*, 2792: 54-61, 1994.
- [3] Amos, M., Dunne, P.E. and Gibbons, A. DNA simulation of Boolean circuits. In *3rd Annual Genetic Programming Conference*, pages 679-683, 1997.
- [4] Ogihara, M. and Ray, A. DNA - based self - propagating algorithm for solving bounded-fan-in Boolean circuits. *Genetic Programming*, 98: 725-730, 1998.
- [5] Ogihara, M. and Ray, A. Simulating Boolean circuits on a DNA computer. *Algorithmica*, 25: 239-250, 1999.
- [6] Erik, K. Simulating Boolean circuits by finite splicing. In *1999 Congress on Evolutionary Computation (CEC 99)*, 2, pages 1279-1285, Washington, DC, USA, 6-9 July 1999, IEEE.
- [7] Mulawka, J.J., Wasiewicz, P. and Plucienniczak, A. Another logical molecular NAND gate system. In *7th International Conference on Microelectronics for Neural, Fuzzy and Bio-Inspired Systems (MicroNeuro'99)*, pages 340-345, Granada, Spain, 9 April 1999, IEEE.

- [8] Liu, W., Zhu, X., Wang, X., Yin, Z. and Wang, S. Simulating the XOR Gates Based on the Induced Hairpin Formation, *Current Nanoscience*, 4(1): 108-110, 2008.
- [9] Liu, W., Shi, X., Zhang, S., Liu, X. and Xu, J. A new DNA computing model for the NAND gate based on induced hairpin formation. *Biosystems*, 77: 87-92, 2004.
- [10] Zoraida, B.S.E., Arock, M., Ronald, B.S.M. and Ponalagusamy, R. A novel generalized design methodology and realization of Boolean operations using DNA. *Biosystems*, 97(3): 146-153, 2009.
- [11] Liu, D. and Balasubramanian, S. A Proton-Fuelled DNA Nanomachine. *Angewandte Chemie International Edition*, 42(46): 5734-5736, 2003.
- [12] Liedl, T. and Simmel, F.C. Switching the conformation of a DNA molecule with a chemical oscillator. *Nano letters*, 5(10): 1894-1898, 2005.
- [13] Bugaut, A., Murat, P. and Balasubramanian, S. An RNA hairpin to G-quadruplex conformational transition. *Journal of the American Chemical Society*, 134(49): 19953-19956, 2012.
- [14] Day, H.A., Huguin, C. and Waller, Z.A. Silver cations fold i-motif at neutral pH. *Chemical Communications*, 49(70): 7696-7698, 2013.
- [15] Rodriguez, R., Pantos, G.D., Goncalves, D.P., Sanders, J.K. and Balasubramanian, S. Ligand-Driven G-Quadruplex Conformational Switching By Using an Unusual Mode of Interaction. *Angewandte Chemie*, 119(28): 5501-5503, 2007.
- [16] Howell, L.A., Waller, Z.A., Bowater, R., O'Connell, M. and Searcey, M. A small molecule that induces assembly of a four way DNA junction at low temperature. *Chemical Communications*, 47(29): 8262-8264, 2011.

- [17] Amato, J., Iaccarino, N., Randazzo, A., Novellino, E. and Pagano, B. Non-canonical DNA Secondary Structures as Drug Targets: the Prospect of the i-Motif. *ChemMedChem*, 9(9): 2026-2030, 2014.
- [18] Kendrick, S., Kang, H.J., Alam, M.P., Madathil, M.M., Agrawal, P., Gokhale, V., Yang, D., Hecht, S.M. and Hurley, L.H. The dynamic character of the BCL2 promoter i-motif provides a mechanism for modulation of gene expression by compounds that bind selectively to the alternative DNA hairpin structure. *Journal of the American Chemical Society*, 136(11): 4161-4171, 2014.
- [19] Roy, B., Talukder, P., Kang, H.J., Tsuen, S.S., Alam, M.P., Hurley, L.H. and Hecht, S.M. Interaction of individual structural domains of hnRNP LL with the BCL2 promoter i-motif DNA. *Journal of the American Chemical Society*, 138(34): 10950-10962, 2016.
- [20] Modi, S., Swetha, M.G., Goswami, D., Gupta, G.D., Mayor, S. and Krishnan, Y. A DNA nanomachine that maps spatial and temporal pH changes inside living cells. *Nature nanotechnology*, 4(5): 325-330, 2009.
- [21] Ma, D.L., Kwan, M.H.T., Chan, D.S.H., Lee, P., Yang, H., Ma, V.P.Y., Bai, L.P., Jiang, Z.H. and Leung, C.H. Crystal violet as a fluorescent switch-on probe for i-motif: label-free DNA-based logic gate. *Analyst*, 136(13): 2692-2696, 2011.
- [22] Shi, Y., Sun, H., Xiang, J., Chen, H., Yang, Q., Guan, A., Li, Q., Yu, L. and Tang, Y. Construction of DNA logic gates utilizing a H^+ / Ag^+ induced i-motif structure. *Chemical Communications*, 50(97): 15385-15388, 2014.
- [23] Alberti, P., Bourdoncle, A., Sacca, B., Lacroix, L. and Mergny, J.L. DNA nanomachines and nanostructures involving quadruplexes. *Organic & Biomolecular Chemistry*, 4(18): 3383-3391, 2006.

- [24] Liu, H. and Liu, D. DNA nanomachines and their functional evolution. *Chemical Communications*, 19: 2625-2636, 2009.
- [25] Wang, Z.G., Elbaz, J. and Willner, I. DNA machines: bipedal walker and stepper. *Nano letters*, 11(1): 304-309, 2010.
- [26] Tan, W., Fang, X., Li, J. and Liu, X. Molecular beacons: a novel DNA probe for nucleic acid and protein studies. *Chemistry-A European Journal*, 6(7): 1107-1111, 2000.
- [27] Du, H., Strohsahl, C.M., Camera, J., Miller, B.L. and Krauss, T.D. Sensitivity and specificity of metal surface-immobilized molecular beacon biosensors. *Journal of the American Chemical Society*, 127(21): 7932-7940, 2005.
- [28] Ambrus, A., Chen, D., Dai, J., Bialis, T., Jones, R.A. and Yang, D. Human telomeric sequence forms a hybrid-type intramolecular G-quadruplex structure with mixed parallel/antiparallel strands in potassium solution. *Nucleic acids research*, 34(9): 2723-2735, 2006.
- [29] Roberts, R.J. and Murray, K. Restriction endonuclease. *CRC critical reviews in biochemistry*, 4(2): 123-164, 1976.
- [30] Kessler, C. and Manta, V. Specificity of restriction endonucleases and DNA modification methyltransferases a review (Edition 3). *Gene*, 92(1): 1-240, 1990.
- [31] Arber, W. and Linn, S. DNA modification and restriction. *Annual review of biochemistry*, 38(1): 467-500, 1969.
- [32] Kruger, D.H. and Bickle, T.A. Bacteriophage survival: multiple mechanisms for avoiding the deoxyribonucleic acid restriction systems of their hosts. *Microbiological reviews*, 47(3): 345-360, 1983.
- [33] Roberts, R.J. Restriction and modification enzymes and their recognition sequences. *Gene*, 8(4): 329-343, 1980.

- [34] Feynman, R.P. There's plenty of room at the bottom. *Engineering and science*, 23(5): 22-36, 1960.
- [35] Hartmanis, J. On the weight of computations. *Bulletin of the European Association for Theoretical Computer Science*, 55: 136138, 1995.
- [36] Bennett, C.H. The thermodynamics of computation - a review. *International Journal of Theoretical Physics*, 21(12): 905-940, 1982.
- [37] Rothemund, P.W.K. A DNA and restriction enzyme implementation of Turing machines. *DNA based computers*, 27: 75-119, 1995.
- [38] Reif, J.H. Parallel biomolecular computation: Models and simulations. *Algorithmica*, 25: 142-175, 1999.
- [39] Lipton, R.J. DNA solution of hard computational problems. *Science*, 268(5210): 542-545, 1995.
- [40] Lipton, R.J. Using DNA to solve NP-complete problems. *Science*, 268(4): 542-545, 1995.
- [41] Amos, M., Gibbons, A. and Hodgson, D. Error-resistant implementation of DNA computations. *DNA Based Computers II*, 44: 151-161, 1999.
- [42] Baum, E. B. A DNA associative memory potentially larger than the brain. *DNA Based Computers*, 23-28, 1995.
- [43] Guameiri, F., Fliss, M. and Bancroft, C. Making DNA add. *Science*, 273(5272): 220-223, 1996.
- [44] Guameiri, F. and Bancroft, C. Use of horizontal chain reaction for DNA-based addition. *DIMACS Series in Discrete Mathematics and Theoretical Computer Science*, 44: 105-111, 1999.

- [45] Guo, M. and Chang, W.L. Fast parallel molecular solution to the dominating-set problem on massively parallel bio-computing. *Parallel Computing*, 30: 1109-1125, 2004.
- [46] Chang, W. L., Guo, M. and Wu, J. Solving the independent-set problem in a DNA-based supercomputer model. *Parallel Processing Letters*, 15(04): 469-479, 2005.
- [47] Braich, R.S., Chelyapov, N., Johnson, C., Rothmund, P.W. and Adleman, L. Solution of a 20-variable 3-SAT problem on a DNA computer. *Science*, 296(5567): 499-502, 2002.
- [48] Liu, Y., Xu, J., Pan, L. and Wang, S. DNA solution of a graph coloring problem. *Journal of chemical information and computer sciences*, 42(3): 524-528, 2002.
- [49] Liu, W., Zhang, F. and Xu, J. A DNA algorithm for the graph coloring problem. *Journal of chemical information and computer sciences*, 42(5): 1176-1178, 2002.
- [50] Xu, J., Qiang, X., Gang, F. and Zhou, K. A DNA computer model for solving vertex coloring problem. *Chinese science bulletin*, 51(20): 2541-2549, 2006.
- [51] Ouyang, Q., Kaplan, P.D., Liu, S. and Libchaber, A. DNA solution of the maximal clique problem. *Science*, 278(5337): 446-449, 1997.
- [52] Pérez-Jiménez, M.J. and Sancho, F. Minimal Set Cover Problem: On a DNA Solution of Selection Stage. In *Pre-proceedings of Workshop on Membrane Computing*, Curtea de Arges, Romania, August, pages 20-25, 2001.
- [53] Chang, W.L. and Guo, M. Solving the set cover problem and the problem of exact cover by 3-sets in the AdlemanLipton model. *BioSystems*, 72(3): 263-275, 2003.

- [54] Zhou, K. and Chen, J. Simulation DNA algorithm of set covering problem. *Applied Mathematics & Information Sciences*, 8(1): 139, 2014.
- [55] Sanches, C.A.A. and Soma, N.Y. A polynomial-time DNA computing solution for the Bin-Packing Problem. *Applied Mathematics and Computation*, 215(6): 2055-2062, 2009.
- [56] Chang, W.L. Fast parallel DNA-based algorithms for molecular computation: the set-partition problem. *IEEE Transactions on Nanobioscience*, 6(4): 346-353, 2007.
- [57] Zhang, F., Liu, B., Liu, W. and Zhang, Q. DNA computing model based on lab-on-a-chip and its application on solving the timetabling problem. *Progress in Natural Science*, 18(5): 633-637, 2008.
- [58] Cheng, Z., Chen, Z., Huang, Y., Zhang, X. and Xu, J. Implementation of the timetable problem using self-assembly of DNA tiles. *International Journal of Computers Communications & Control*, 5(4): 490-505, 2010.
- [59] Popov, I.Y., Vorobyova, A.V. and Blinova, I.V. DNA-algorithm for timetable problem. *International journal of bioinformatics research and applications*, 10(2): 145-156, 2014.
- [60] P.E. Dunne. *The Complexity of Boolean Networks*. Academic Press Professional, Inc., San Diego, CA, USA, 1988.
- [61] Ahrabian, H., Ganjtabesh, M. and Nowzari-Dalini, A. DNA algorithm for an unbounded fan-in Boolean circuit. *Biosystems*, 82(1):52-60,2005.
- [62] Smith, E.A., Kyo, M., Kumasawa, H., Nakatani, K., Saito, I. and Corn, R.M. Chemically induced hairpin formation in DNA monolayers. *Journal of the American Chemical Society*, 124(24): 6810-6811, 2002.
- [63] Ahrabian, H. and Nowzari-Dalini, A. DNA simulation of NAND Boolean circuits. *Advanced modeling and optimization*, 6(2): 33-41, 2004.

- [64] Kadkhoda, M. and Pouyan, A.A. A New Approach for Modelling Circuits Containing NAND Gates Using Biomolecular Computing. In *2008 Second International Conference on Quantum, Nano and Micro Technologies*, pages 50-54, Sainte Luce, Martinique, 10-15 February 2008, IEEE.
- [65] Kadkhoda, M. and Pouyan, A. Simulation of Parallel Logical Operations with Biomolecular Computing. *American Journal of Applied Sciences*, 5(12): 1758-1763, 2008.
- [66] Shapiro, E. and Gil, B. Biotechnology: Logic goes in vitro. *Nature nanotechnology*, 2(2): 84, 2007.
- [67] Frezza, B.M., Cockroft, S.L. and Ghadiri, M.R. Modular multi-level circuits from immobilized DNA-based logic gates. *Journal of the American Chemical Society*, 129(48): 14875-14879, 2007.
- [68] Park, K.S., Jung, C. and Park, H.G. Illusionary Polymerase Activity Triggered by Metal Ions: Use for Molecular Logic-Gate Operations. *Angewandte Chemie International Edition*, 49(50): 9757-9760, 2010.
- [69] Goel, A. and Ibrahimi, M. A renewable, modular, and time-responsive DNA circuit. *M. Nat. Comput.*, 10(1): 467-485, 2011.
- [70] Genot, A.J., Bath, J. and Turberfield, A.J. Reversible logic circuits made of DNA. *Journal of the American Chemical Society*, 133(50): 20080-20083, 2011.
- [71] Li, W., Yang, Y., Yan, H. and Liu, Y. Three-input majority logic gate and multiple input logic circuit based on DNA strand displacement. *Nano letters*, 13(6): 2980-2988, 2013.
- [72] Li, W., Zhang, F., Yan, H. and Liu, Y. DNA based arithmetic function: a half adder based on DNA strand displacement. *Nanoscale*, 8(6): 3775-3784, 2016.

- [73] Ma, D.L., He, H.Z., Chan, D.S.H. and Leung, C.H. Simple DNA-based logic gates responding to biomolecules and metal ions. *Chemical Science*, 4(9): 3366-3380, 2013.
- [74] Stojanovic, M.N., Semova, S., Kolpashchikov, D., Macdonald, J., Morgan, C. and Stefanovic, D. Deoxyribozyme-based ligase logic gates and their initial circuits. *Journal of the American Chemical Society*, 127(19): 6914-6915, 2005.
- [75] Pu, F., Wang, C., Hu, D., Huang, Z., Ren, J., Wang, S. and Qu, X. Logic gates and pH sensing devices based on a supramolecular telomere DNA / conjugated polymer system. *Molecular Biosystems*, 6(10): 1928-1932, 2010.
- [76] Zhu, J., Li, T., Zhang, L., Dong, S. and Wang, E. G-quadruplex DNzyme based molecular catalytic beacon for label-free colorimetric logic gates. *Biomaterials*, 32(30): 7318-7324, 2011.
- [77] Xu, X., Zhang, J., Yang, F. and Yang, X. Colorimetric logic gates for small molecules using split / integrated aptamers and unmodified gold nanoparticles. *Chemical Communications*, 47(33): 9435-9437, 2011.
- [78] Li, T., Wang, E. and Dong, S. Potassiumlead-switched G-quadruplexes: a new class of DNA logic gates. *Journal of the American Chemical Society*, 131(42): 15082-15083, 2009.
- [79] Miyoshi, D., Inoue, M. and Sugimoto, N. DNA logic gates based on structural polymorphism of telomere DNA molecules responding to chemical input signals. *Angewandte Chemie International Edition*, 45(46): 7716-7719, 2006.
- [80] Zhou, J., Amrane, S., Korkut, D. N., Bourdoncle, A., He, H. Z., Ma, D. L. and Mergny, J. L. Combination of i-Motif and G-Quadruplex Structures within the Same Strand: Formation and Application. *Angewandte Chemie International Edition*, 52(30): 7742-7746, 2013.

- [81] Bhowmik, S., Das, R. N., Parasar, B. and Dash, J. pH dependent multifunctional and multiply-configurable logic gate systems based on small molecule G-quadruplex DNA recognition. *Chemical Communications*, 49(18): 1817-1819, 2013.
- [82] He, H.Z., Chan, D.S.H., Leung, C.H. and Ma, D.L. G-quadruplexes for luminescent sensing and logic gates. *Nucleic acids research*, 41(8): 4345-4359, 2013.
- [83] Guo, Y., Cheng, J., Wang, J., Zhou, X., Hu, J. and Pei, R. Label-free logic modules and two-layer cascade based on stem-loop probes containing a G-quadruplex domain. *Chemistry - An Asian Journal*, 9(9): 2397-2401, 2014.
- [84] Day, H.A., Wright, E.P., MacDonald, C.J., Gates, A.J. and Waller, Z.A.E. Reversible DNA i-motif to hairpin switching induced by copper(II) cations. *Chemical Communications*, 51(74): 14099-14102, 2015.
- [85] Chatterjee, G., Dalchau, N., Muscat, R.A., Phillips, A. and Seelig, G. A Spatially Localized Architecture for Fast and Modular Computation at the Molecular Scale. *bioRxiv*, 110965, 2017.
- [86] Gao, J., Liu, Y., Lin, X., Deng, J., Yin, J. and Wang, S. Implementation of cascade logic gates and majority logic gate on a simple and universal molecular platform. *Scientific reports*, 7(1): 14014, 2017.
- [87] Thundat, T., Warmack, R.J., Chen, G.Y. and Allison, D.P. Thermal and ambient-induced deflections of scanning force microscope cantilevers. *Applied Physics Letters*, 64: 2894-2896, 1994.
- [88] Wu, G., Ji, H., Hansen, K., Thundat, T., Datar, R., Cote, R., Hagan, M.F., Chakraborty, A.K. and Majumdar, A. Origin of nanomechanical cantilever motion generated from bimolecular interactions. *Proceedings of the National*

- Academy of Sciences of the United States of America(PNAS)*, 98(4): 1560-1564, 2001.
- [89] Hansen, K.M. and Thundat, T. Microcantilever biosensors. *Methods*, 37(1): 57-64, 2005.
- [90] Stachowiak, J.C., Yue, M., Castelino, K., Chakraborty, A. and Majumdar, A. Chemomechanics of surface stresses induced by DNA hybridization. *Langmuir*, 22(1): 263-268, 2006.
- [91] Fritz, J., Baller, M.K., Lang, H.P., Rothuizen, H., Vettiger, P., Meyer, E., Gntherodt, H.J., Gerber, C. and Gimzewski, J.K. Translating biomolecular recognition into nanomechanics. *Science*, 288(5464): 316-318, 2000.
- [92] Zhao, Y., Ganapathysubramanian, B. and Shrotriya, P. Cantilever deflection associated with hybridization of monomolecular DNA film. *Journal of Applied Physics*, 111(7): 074310, 2012.
- [93] Zhang, N.H., Tan, Z.Q., Li, J.J., Meng, W.L. and Xu, L.W. Interactions of single-stranded DNA on microcantilevers. *Current opinion in colloid & interface science*, 16(6): 592-596, 2011.
- [94] Benabou, S., Avino, A., Eritja, R., Gonzalez, C. and Gargallo, R. Fundamental aspects of the nucleic acid i-motif structures. *RSC Advances*, 4(51): 26956-26980, 2014.
- [95] Lieblein, A.L., Krmer, M., Dreuw, A., Frtig, B. and Schwalbe, H. The Nature of Hydrogen Bonds in Cytidine \cdots H $^+$ \cdots Cytidine DNA Base Pairs. *Angewandte Chemie International Edition*, 51(17): 4067-4070, 2012.
- [96] Smiatek, J. and Heuer, A. Deprotonation mechanism of a single-stranded DNA i-motif. *RSC Advances*, 4(33): 17110-17113, 2014.