

Bibliography

- [1] A., L., Taylor, C. J., and Cootes, T. F. Toward automatic simulation of aging effects on face images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 24(4):442–455, 2002.
- [2] Al-Qatawneh, S. M. and Al-Naimi, A. M. Age Estimation Based on Facial Shape Transformation and CNNs. 2013.
- [3] Antipov, G., Baccouche, M., and Dugelay, J.-L. Face aging with conditional generative adversarial networks. In *Image Processing (ICIP), 2017 IEEE International Conference on*, pages 2089–2093. IEEE, 2017.
- [4] Ariyarathne, K. Age Related Morphing Progression of Young Faces. pages 28–30, 2010.
- [5] Baddar, W. J., Son, J., Kim, D. H., Kim, S. T., and Ro, Y. M. A deep facial landmarks detection with facial contour and facial components constraint. In *Image Processing (ICIP), 2016 IEEE International Conference on*, pages 3209–3213. IEEE, 2016.
- [6] Beier, T. and Neely, S. Feature-based image metamorphosis. In *ACM SIGGRAPH Computer Graphics*, volume 26, pages 35–42. ACM, 1992.
- [7] Bhatt, B. G. and Joshi, H. M. Feature based Image Morphing. *International Journal of Computer Science and Technology*, 2:46–48, 2011.
- [8] Bhushan, U., Saroha, G., and Tiwari, D. An implementation of image morphing through mesh morphing algorithm. *International Journal of Advanced Research in Computer Science and Software Engineering*, 2(7):74–76, 2012.
- [9] Burt, D. M. and Perrett, D. I. Perception of age in adult caucasian male faces: Computer graphic manipulation of shape and colour information. *Proc. R. Soc. Lond. B*, 259(1355):137–143, 1995.

- [10] Camilleri, D. and Prescott, T. Analysing the limitations of deep learning for developmental robotics. In Conference on Biomimetic and Biohybrid Systems, pages 86–94. Springer, 2017.
- [11] Chan, C.-H., Kittler, J., and Messer, K. Multi-scale local binary pattern histograms for face recognition. In International conference on biometrics, pages 809–818. Springer, 2007.
- [12] Chan, K. H. and Lau, R. W. Contour-based warping. Graphical models and image processing, 60(5):331–348, 1998.
- [13] Chen, L., Zhang, L., Zhang, H., and Abdel-Mottaleb, M. 3D shape constraint for facial feature localization using probabilistic-like output. In Automatic Face and Gesture Recognition, 2004. Proceedings. Sixth IEEE International Conference on, pages 302–307. IEEE, 2004.
- [14] Chuang, Y.-Y. Image warping/morphing. 2005.
- [15] Cristinacce, D. and Cootes, T. F. Facial feature detection using AdaBoost with shape constraints. In British Machine Vision Conference, pages 1–10, 2003.
- [16] Deepalakshmi, R. Image morphing using hybrid mesh-klt algorithm. International Journal of Advanced Research in Computer Science, 9(2), 2018.
- [17] Dinalankara, L. Face detection & face recognition using open computer vision classifies. 08 2017.
- [18] Duan, M., Li, K., Yang, C., and Li, K. A hybrid deep learning cnn–elm for age and gender classification. Neurocomputing, 275:448–461, 2018.
- [19] Edwards, G. J., Lanitis, A., Taylor, C. J., and Cootes, T. F. Statistical models of face images—improving specificity. Image and Vision Computing, 16(3):203–211, 1998.
- [20] Ekmekji, A. Convolutional neural networks for age and gender classification. In Technical Report. Stanford University, 2016.
- [21] Farkas, L. Anthropometry of the head and face in clinical practice. Anthropometry of the Head and Face, 2:71–77, 1994.

- [22] Feris, R. S., Gemmell, J., Toyama, K., and Kruger, V. Hierarchical wavelet networks for facial feature localization. In Automatic Face and Gesture Recognition, 2002. Proceedings. Fifth IEEE International Conference on, pages 125–130. IEEE, 2002.
- [23] Frigieri, E., Borghi, G., Vezzani, R., and Cucchiara, R. Fast and accurate facial landmark localization in depth images for in-car applications. In International Conference on Image Analysis and Processing, pages 539–549. Springer, 2017.
- [24] Gandhi, M. R. A method for automatic synthesis of aged human facial images. PhD thesis, McGill University Montreal, 2004.
- [25] Georghiades, A. S., Belhumeur, P. N., and Kriegman, D. J. From few to many: Illumination cone models for face recognition under variable lighting and pose. IEEE transactions on pattern analysis and machine intelligence, 23(6):643–660, 2001.
- [26] Glasbey, C. A. and Mardia, K. V. A review of image-warping methods. Journal of applied statistics, 25(2):155–171, 1998.
- [27] Guo, Y., Zhang, G., Lan, Z., and Wang, W. Efficient view manipulation for cuboid-structured images. Computers & Graphics, 38:174–182, 2014.
- [28] Holden, E.-J. and Owens, R. Automatic facial point detection. In Proc. Asian Conf. Computer Vision, volume 2, page 2, 2002.
- [29] Hosseini, S., Lee, S. H., Kwon, H. J., Koo, H. I., and Cho, N. I. Age and gender classification using wide convolutional neural network and gabor filter. In Advanced Image Technology (IWAIT), 2018 International Workshop on, pages 1–3. IEEE, 2018.
- [30] Hsieh, C.-T., Hu, C.-S., and Lee, Y.-C. A Simple Face Aging/Reverse-Aging Synthesis Method Using Log-Gabor Wavelet. , 16(4):375–384, 2013.
- [31] Hu, C., Feris, R., and Turk, M. Real-time view-based face alignment using active wavelet networks. In Analysis and Modeling of Faces and Gestures, 2003. AMFG 2003. IEEE International Workshop on, pages 215–221. IEEE, 2003.

- [32] Hu, S.-M., Li, C.-F., and Zhang, H. Actual morphing: a physics-based approach to blending. In *Proceedings of the ninth ACM symposium on Solid modeling and applications*, pages 309–314. Eurographics Association, 2004.
- [33] imwarp. Matlab matlab function. URL https://in.mathworks.com/help/images/ref/imwarp.html?searchHighlight=imwarp&s_tid=doc_srcTitle.
- [34] Ivanov, A. and Zhilenkov, A. The prospects of use of deep learning neural networks in problems of dynamic images recognition. In *Young Researchers in Electrical and Electronic Engineering (EICoRus), 2018 IEEE Conference of Russian*, pages 886–889. IEEE, 2018.
- [35] Jesorsky, O., Kirchberg, K. J., and Frischholz, R. W. Robust face detection using the hausdorff distance. In *International conference on audio-and video-based biometric person authentication*, pages 90–95. Springer, 2001.
- [36] Jirak, D. and Wermter, S. Potentials and limitations of deep neural networks for cognitive robots. *arXiv preprint arXiv:1805.00777*, 2018.
- [37] Kemelmacher-Shlizerman, I., Suwanjanakorn, S., and Seitz, S. M. Illumination-aware age progression. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 3334–3341, 2014.
- [38] Kumari, L. G. and Dharmaratne, A. Age progression for elderly people using image morphing. In *Advances in ICT for Emerging Regions (ICTer), 2011 International Conference on*, pages 33–38. IEEE, 2011.
- [39] Lanitis, A., Taylor, C. J., and Cootes, T. F. Automatic interpretation and coding of face images using flexible models. *IEEE Transactions on Pattern Analysis and machine intelligence*, 19(7):743–756, 1997.
- [40] Lee, S.-Y., Chwa, K.-Y., Hahn, J. K., and Shin, S. Y. Image morphing using deformation techniques. *Journal of Visualization and Computer Animation*, 7(1):3–23, 1996.
- [41] Levi, G. and Hassner, T. Age and gender classification using convolutional neural networks. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops*, pages 34–42, 2015.

- [42] Liang, L., Xiao, R., Wen, F., and Sun, J. Face alignment via component-based discriminative search. In *European conference on computer vision*, pages 72–85. Springer, 2008.
- [43] Liberali, G. B., Hauser, J. R., and Urban, G. L. Morphing theory and applications. In *Handbook of Marketing Decision Models*, pages 531–562. Springer, 2017.
- [44] Lin, A. J., Lai, S., and Cheng, F. Growth simulation of facial/head model from childhood to adulthood. *Computer-Aided Design and Applications*, 7(5):777–786, 2010.
- [45] Luu, K., Suen, C., Bui, T., and Ricanek, J. Automatic childface age-progression based on heritability factors of familial faces. 2009.
- [46] MA, W.-j. and DONG, H.-b. Face age classification method based on ensemble learning of convolutional neural networks. *Computer Science*, 1:029, 2018.
- [47] Nishita, T., Fujii, T., and Nakamae, E. Metamorphosis using Bezier clipping. In *Proceedings of the First Pacific Conference on Computer Graphics and Applications*, pages 162–173, 1993.
- [48] Øye, V. Accelerating nonlinear image transformations with opengl es: A study on fish-eye undistortion. Master’s thesis, 2015.
- [49] Parkhi, O. M., Vedaldi, A., Zisserman, A., et al. Deep face recognition. In *BMVC*, volume 1, page 6, 2015.
- [50] Paul, S. K., Uddin, M. S., and Bouakaz, S. Extraction of facial feature points using cumulative histogram. *arXiv preprint arXiv:1203.3270*, 2012.
- [51] Raja, R. Face recognition using opencv and python: A beginners guide @ONLINE, Aug. 2017. URL <https://www.superdatascience.com/opencv-face-recognition/>.
- [52] Ramanathan, N. and Chellappa, R. Modeling age progression in young faces. In *Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Conference on*, volume 1, pages 387–394. IEEE, 2006.
- [53] Ramanathan, N., Chellappa, R., and Biswas, S. Computational methods for modeling facial aging: A survey. *Journal of Visual Languages & Computing*, 20(3):131–144, 2009.

- [54] Ranjan, R., Patel, V. M., and Chellappa, R. Hyperface: A deep multi-task learning framework for face detection, landmark localization, pose estimation, and gender recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2017.
- [55] Reinders, M. J., Koch, R., and Gerbrands, J. J. Locating facial features in image sequences using neural networks. In *Automatic Face and Gesture Recognition, 1996., Proceedings of the Second International Conference on*, pages 230–235. IEEE, 1996.
- [56] Rhodes, M. G. Age estimation of faces: A review. *Applied Cognitive Psychology*, 23(1):1–12, 2009.
- [57] Ricanek, K. and Tesafaye, T. Morph: A longitudinal image database of normal adult age-progression. In *Automatic Face and Gesture Recognition, 2006. FG 2006. 7th International Conference on*, pages 341–345. IEEE, 2006.
- [58] Ruprecht, D. and Muller, H. Image warping with scattered data interpolation. *IEEE Computer Graphics and Applications*, 15(2):37–43, 1995.
- [59] Scandrett, C. M., Solomon, C. J., and Gibson, S. J. A person-specific, rigorous aging model of the human face. *Pattern Recognition Letters*, 27(15):1776–1787, 2006.
- [60] Sedlack, A. J., Finkelhor, D., Hammer, H., and Schultz, D. National Estimates of Missing Children: An Overview. *NISMART Series Bulletin*, 2002.
- [61] Shan, C. Learning local binary patterns for gender classification on real-world face images. *Pattern recognition letters*, 33(4):431–437, 2012.
- [62] Shen, C.-T., Huang, F., Lu, W.-H., Shih, S.-W., and Liao, H.-Y. M. 3D Age Progression Prediction in Children’s Faces with a Small Exemplar-Image Set. *Journal of Information Science & Engineering*, 30(4), 2014.
- [63] Shu, X., Tang, J., Lai, H., Liu, L., and Yan, S. Personalized age progression with aging dictionary. In *Proceedings of the IEEE International Conference on Computer Vision*, pages 3970–3978, 2015.
- [64] Stekas, N. and v. d. Heuvel, D. Face recognition using local binary patterns histograms (lbph) on an fpga-based system on chip (soc). In *2016 IEEE*

- International Parallel and Distributed Processing Symposium Workshops (IPDPSW), pages 300–304, May 2016. doi: 10.1109/IPDPSW.2016.67.
- [65] Stich, T., Linz, C., Wallraven, C., Cunningham, D., and Magnor, M. Perception-motivated interpolation of image sequences. ACM Transactions on Applied Perception (TAP), 8(2):11, 2011.
- [66] Sun, Y., Wang, X., and Tang, X. Deep convolutional network cascade for facial point detection. In Computer Vision and Pattern Recognition (CVPR), 2013 IEEE Conference on, pages 3476–3483. IEEE, 2013.
- [67] Sun, Y., Chen, Y., Wang, X., and Tang, X. Deep learning face representation by joint identification-verification. In Advances in neural information processing systems, pages 1988–1996, 2014.
- [68] Sünderhauf, N., Brock, O., Scheirer, W., Hadsell, R., Fox, D., Leitner, J., Upcroft, B., Abbeel, P., Burgard, W., Milford, M., et al. The limits and potentials of deep learning for robotics. The International Journal of Robotics Research, 37(4-5):405–420, 2018.
- [69] Suo, J., Min, F., Zhu, S., Shan, S., and Chen, X. A multi-resolution dynamic model for face aging simulation. In Computer Vision and Pattern Recognition, 2007. CVPR'07. IEEE Conference on, pages 1–8. IEEE, 2007.
- [70] Suo, J., Chen, X., Shan, S., and Gao, W. Learning long term face aging patterns from partially dense aging databases. In Computer Vision, 2009 IEEE 12th International Conference on, pages 622–629. IEEE, 2009.
- [71] Suo, J., Zhu, S.-C., Shan, S., and Chen, X. A compositional and dynamic model for face aging. IEEE Transactions on Pattern Analysis and Machine Intelligence, 32(3):385–401, 2010.
- [72] Taigman, Y., Yang, M., Ranzato, M., and Wolf, L. Deepface: Closing the gap to human-level performance in face verification. In Proceedings of the IEEE conference on computer vision and pattern recognition, pages 1701–1708, 2014.
- [73] Tang, J., Li, Z., Lai, H., Zhang, L., Yan, S., et al. Personalized age progression with bi-level aging dictionary learning. IEEE transactions on pattern analysis and machine intelligence, 40(4):905–917, 2018.

- [74] Tang, X., Guo, F., Shen, J., and Du, T. Facial landmark detection by semi-supervised deep learning. *Neurocomputing*, 297:22–32, 2018.
- [75] Tiddeman, B., Burt, M., and Perrett, D. Prototyping and transforming facial textures for perception research. *IEEE computer graphics and applications*, 21(5):42–50, 2001.
- [76] Tiwary, D. One lakh children go missing in India every year: Home ministry. *The Times of India*, 2014.
- [77] Valstar, M., Martinez, B., Binefa, X., and Pantic, M. Facial point detection using boosted regression and graph models. In *Computer Vision and Pattern Recognition (CVPR), 2010 IEEE Conference on*, pages 2729–2736. IEEE, 2010.
- [78] Wang, W., Yan, Y., Winkler, S., and Sebe, N. Category specific dictionary learning for attribute specific feature selection. *IEEE Transactions on Image Processing*, 25(3):1465–1478, 2016.
- [79] Wiskott, L., Krüger, N., Kuiger, N., and Von Der Malsburg, C. Face recognition by elastic bunch graph matching. *IEEE Transactions on pattern analysis and machine intelligence*, 19(7):775–779, 1997.
- [80] Wolberg, G. *Digital Image Warping*. IEEE Computer Society Press, Los Alamitos, CA, USA, 1st edition, 1994. ISBN 0818689447.
- [81] Wolberg, G. Recent advances in image morphing. In *Computer Graphics International*, 1996. Proceedings, pages 64–71. IEEE, 1996.
- [82] Wolberg, G. Image morphing: a survey. *The visual computer*, 14(8):360–372, 1998.
- [83] Wu, E. and Liu, F. Robust image metamorphosis immune from ghost and blur. *The Visual Computer*, 29(4):311–321, 2013.
- [84] Yan, S., Hou, X., Li, S. Z., Zhang, H., and Cheng, Q. Face alignment using view-based direct appearance models. *International Journal of Imaging Systems and Technology*, 13(1):106–112, 2003.
- [85] Yang, B. and Chen, S. A comparative study on local binary pattern (lbp) based face recognition: Lbp histogram versus lbp image. *Neurocomputing*, 120:365–379, 2013.

- [86] Zhang, Z., Luo, P., Loy, C. C., and Tang, X. Facial landmark detection by deep multi-task learning. In European Conference on Computer Vision, pages 94–108. Springer, 2014.