Contents

| | Page |
|---|------|
| Abstract | i |
| Declaration | iv |
| Certificates of the supervisor | V |
| Certificates of the co-supervisor | vi |
| Acknowledgement | vii |
| Contents | ix |
| List of Tables | ixv |
| List of Figures | xvi |
| 1. INTRODUCTION | 1 |
| References | 5 |
| 2. REVIEW OF LITERATURE | 7 |
| 2.1 Ohmic heating (OH) process | 7 |
| 2.2 Ohmic heating and electrical conductivity (EC) | 8 |
| 2.3 Effects of ohmic heating on quality characteristics of food | 9 |
| 2.4 Various processes assisted by ohmic heating | 12 |
| 2.5 Effects of ohmic heating on enzymes and microbes | 14 |
| 2.5.1 Effect of OH on Polyphenol oxidase (PPO) | 14 |
| 2.5.2 Effect of ohmic heating on Peroxidases (POD) | 17 |
| 2.5.3 Effect of ohmic heating on Microbes | 18 |
| 2.6 Mango pulp/puree and its characteristics | 19 |
| 2.7 Mango processing | 22 |
| References | 24 |
| 3. MATERIALS AND METHODS | 32 |
| 3.1 Materials | 32 |
| 3.2 Methods | 32 |
| 3.2.1 Design and development of Ohmic heating (OH) Setup | 34 |
| 3.2.1.1 Design requirements | 34 |
| 3.2.1.2 Conceptual design | 34 |
| 3.2.1.3 Design and fabrication ohmic heating setup | 35 |
| 3.2.1.4 Heating chamber | 35 |

| | 3.2.1.5 Electrodes | 36 |
|-----|--|----|
| | 3.2.1.6 Power supply and voltage control | 37 |
| | 3.2.1.7 Microprocessor based data acquisitioning assembly | 38 |
| 3.2 | 2.2 Samples for performance evaluation | 38 |
| 3.2 | 2.3 Sample preparation | 38 |
| 3.2 | 2.4 Properties of the sample | 39 |
| | 3.2.4.1 Moisture content | 39 |
| | 3.2.4.2 Density | 39 |
| | 3.2.4.3 Total soluble solids (TSS) | 39 |
| | 3.2.4.4 Titratable acidity | 40 |
| | 3.2.4.5 pH | 40 |
| 3.2 | 2.5 Performance evaluation OH process | 40 |
| | 3.2.5.1 Electrical conductivity | 40 |
| | 3.2.5.2 Heat capacity (Specific heat, Cp) | 41 |
| | 3.2.5.3 Heating rate | 41 |
| | 3.2.5.4 Heating power | 41 |
| | 3.2.5.5 Energy efficiency | 41 |
| | 3.2.5.6 Heat loss into the heating chamber | 41 |
| 3.2 | 2.6 Mango puree characterization on the basis of Acid and TSS content | 42 |
| | 3.2.6.1 Sample preparation | 42 |
| | 3.2.6.2 Water activity | 43 |
| | 3.2.6.3 Back extrusion | 43 |
| | 3.2.6.4 Dynamic rheology | 43 |
| | 3.2.6.5 Differential Scanning Calorimetry (DSC) and Thermo-gravimetric | 44 |
| | Analysis (TGA) | |
| | 3.2.6.6 Ohmic heating profile | 44 |
| 3.2 | 2.7 Optimization of ohmic heating process parameters | 44 |
| 3.2 | 2.8 Parameters measured for the optimization process | 45 |
| | 3.2.8.1 Poly-phenol oxidase (PPO) essay | 45 |
| | 3.2.8.2 Peroxidase (POD) essay | 45 |
| | 3.2.8.3 Bacterial count estimation | 45 |
| | 3.2.8.4 Color measurement | 46 |

| 3.2.9 Enzymes and microbial inactivation kinetics modeling | 46 |
|--|----|
| 3.2.9. 1 First order reaction | 47 |
| 3.2.9.2 Distinct isozymes | 47 |
| 3.2.9.3 Two-fraction | 47 |
| 3.2.9.4 Fractional conversion | 47 |
| 3.2.9.5 Weibull distribution | 47 |
| 3.2.9.6 nth order | 48 |
| 3.2.9.7 Decimal reduction time (D-value) | 48 |
| 3.2.9.8 Thermal resistance constant (Z-value) | 48 |
| 3.2.9.9 Exponential model for bacterial reduction | 48 |
| 3.2.9.10 Temperature dependency of bacterial inactivation | 49 |
| 3.2.9.11 Linear model for color change (ΔE) | 49 |
| 3.2.9.12 Chi square (χ2) value | 49 |
| 3.2.10 Effects of ohmic heating process on mango puree and its storage | 49 |
| behavior | |
| 3.2.10.1 Hot water or conventional heat treatment (HW) | 50 |
| 3.2.10.2 TSS, Titratable acidity, pH, and TBC | 50 |
| 3.2.10.8 Steady shear flow behavior | 50 |
| 3.2.10.9 Modeling flow behavior of mango puree | 50 |
| 3.2.10.3 Extraction of particle phase (cell wall material) | 51 |
| 3.2.10.4 Scanning Electron Microscopy (SEM) | 51 |
| 3.2.10.7 Vitamin C | 51 |
| 3.2.10.5 Total phenolic content (TPC) | 52 |
| 3.2.10.6 β- carotenes | 52 |
| 3.2.11 Statistical Analysis | 53 |
| References | 54 |
| 4. RESULTS AND DISCUSSION | 56 |
| 4.1 Design and development of OH setup and its performance evaluation | 56 |
| 4.1.1 Ohmic heating setup and its operation | 56 |
| 4.1.2 Properties of fresh fruit juice/puree | 57 |
| 4.1.3 Ohmic heating behavior of fresh juice and puree | 59 |
| 4.1.3.1 Electric conductivity (EC) and OH behavior | 59 |
| | • |

| 4.1.3.2 Electric Field Strength (EFS) and ohmic heating (OH) behavior | 60 |
|--|-----|
| 4.1.3.3 Performance of ohmic heating | 63 |
| 4.2 Characteristics of fresh mango puree at different levels of Acid and TSS | 66 |
| content | |
| 4.2.1 pH and water activity | 67 |
| 4.2.2 Back extrusion Parameters | 68 |
| 4.2.3 Rheological characteristics of mango puree | 68 |
| 4.2.4 Differential scanning calorimetry (DSC) and Thermogravimetric analysis | 72 |
| (TGA) | |
| 4.2.5 Ohmic heating (OH) profile of mango puree | 76 |
| 4.2.5.1 Effect of acid content on the ohmic heating (OH) behavior of | 76 |
| mango puree | |
| 4.2.5.2 Effect of TSS on the OH behavior of mango puree | 78 |
| 4.3 Optimization of ohmic heating process parameters | 78 |
| 4.3.1 Effect of ohmic heating on Polyphenoloxidase activity | 81 |
| 4.3.2 Effect of ohmic heating on Peroxidase activity | 81 |
| 4.3.3 Effect of ohmic heating on bacterial count | 82 |
| 4.3.4 Effect of ohmic heating on the change in color (ΔE) | 84 |
| 4.3.5 Optimized condition and Desirability | 85 |
| 4.3.6 Validation | 87 |
| 4.4 Kinetics of enzyme, microbial inactivation and color change during OH | 89 |
| 4.4.1 Enzyme inactivation | 90 |
| 4.4.1.1 Polyphenol oxidase (PPO) inactivation | 90 |
| 4.4.1.2 Peroxidase (POD) inactivation | 95 |
| 4.4.2 Bacterial inactivation kinetics | 99 |
| 4.4.3 Color change (ΔE) | 102 |
| 4.5 Effects of heating and holding time of OH and hot water (HW) | 104 |
| 4.5.1 Titratable acidity, pH and total soluble solids (TSS) | 104 |
| 4.5.2 Steady shear flow behavior of puree | 106 |
| 4.5.2.1 Kinetics of steady shear flow behavior | 107 |
| 4.5.3 Morphology of mango puree particle phase | 109 |
| 4.5.4 Vitamin C | 110 |
| 4.5.5 Total phenolic content (TPC) | 111 |

| 4.5.6 β- Carotenes | 112 |
|---|-----|
| 4.5.7 Storage study of HW and OH treated mango puree | 113 |
| 4.5.7.1 Changes in pH, Titratable acidity and TSS | 114 |
| 4.5.7.2 Changes in steady shear flow behavior | 116 |
| 4.5.7.3 Changes in Vitamin C content during storage | 119 |
| 4.5.7.4 Changes in Total phenolic content (TPC) | 120 |
| 4.5.7.5 Changes in β carotenes during storage | 121 |
| 4.5.7.6 Changes in the bacterial count during storage | 123 |
| References | 125 |
| 5. SUMMARY AND CONCLUSIONS | 133 |
| Appendix | |

xiii