

## Contents

<b>Chapter No.</b>	<b>Titles</b>	<b>Page No.</b>
	Declaration by the Student . . . . .	i
	CERTIFICATE . . . . .	ii
	CERTIFICATE BY HOD . . . . .	iii
	Certificate by the Examiner . . . . .	iv
	ACKNOWLEDGEMENT . . . . .	v
	ABSTRACT.....	vi
	Contents .....	vii
	List of Figures .....	ix
	List of Tables .....	xi
	List of Abbreviations .....	xii
<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
	1.1    Introduction to the low cost portable automatic testing Device	2
	1.2    Literature review	3
	1.3    Motivations	6
	1.4    Objectives of the Thesis	6
	1.5    Structure of the Thesis	7
<b>2</b>	<b>DESIGN AND CONSTRUCTION</b>	<b>8</b>
	2.1    Overall block diagram of the system	11
	2.2    Hardware part	13
	2.2.1    Mechanical	13
	2.2.2    Electronics	17
	2.3    Software part	26
	2.3.1    3D modeling of the eye mechanism	26
	2.3.2    Programming algorithms	32

<b>3</b>	<b>WORKING MECHANISM</b>	<b>36</b>
	Process steps of the system	37
<b>4</b>	<b>RESULTS AND DISCUSSION</b>	<b>40</b>
<b>5</b>	<b>CONCLUSION AND FUTURE SCOPE</b>	
	Conclusion	48
	Future scope	48
<b>6</b>	<b>REFERENCES</b>	<b>49</b>

## List of Figures

Figures	Page no.
1. Schematic diagram of the system	9
2. Diagram of the robotic eye	10
3. Block diagram of the system	12
4. Diagram of the body of the robot	13
5. Schematic diagram of the electronic components	17
6. Circuit diagram of the interface between the Arduino pro mini and the pca9685 servo motor drivers	18
7. Servomotor SG90	19
8. HC-05 Bluetooth Module	20
9. Stepper motor driver A4988 with heat sink	21
10. Raspberry pi 4	22
11. DF Mini Player	23
12. Arduino –Nano	24
13. Power supply	25
14. 3D model of the robotic eye in Fusion360 Software	26
15. Bottom lid link	27
16. Eye Holder	27
17. Bottom Left Lid	27
18. Eye Adapter	28
19. Bottom Right Lid	28
20. Fork	28
21. Main Base	29
22. Sub Base	29
23. Three-point connector	29
24. Servo Block	30
25. Place Holder Eye	30
26. Top Right Lid	30
27. Top Lid Link	31
28. Y-Arm	31
29. Flow chart for the Arduino code	33
30. Flow chart for the Python code	34
31. Process stages of the overall system	39
32. Overall view of the Robot	42
33. Camera is fixed on the eyeball of the robot	42
34. Servo motor is used for head movement	43
35. Robot's eye in closed position	43
36. Position of eye while looking left	43
37. Position of eye while looking left	44

38. Looking in front direction	44
39. Detecting the face and interacting through virtual assistance	44
40. Robot facing towards left	45
41. Robot facing towards Right	45

## **List of Tables**

<b>Table No.</b>	<b>Caption</b>	<b>Page No.</b>
1.	Types of bolts, screw, and nut	15

## List of Abbreviations

<b>DOF</b>	Degrees of Freedom
<b>CV</b>	Computer Vision
<b>MV</b>	Machine Vision
<b>RPi</b>	Raspberry Pi
<b>HSV</b>	Hue, saturation, value