

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Hyperspectral remote sensing image analysis . . . . .	2
1.1.1	Principles of hyperspectral remote sensing images . . . . .	2
1.1.2	Pixel-wise classification of HSI . . . . .	5
1.1.3	Challenges in classification of HSI . . . . .	6
1.2	Background literature . . . . .	9
1.2.1	Dimensionality reduction . . . . .	9
1.2.2	Active learning for classification of HSI having limited labelled samples . . . . .	14
1.2.3	Integration of spectral-spatial information for analysis of HSI	22
1.3	Objective of the thesis . . . . .	30
1.4	Organization of the thesis . . . . .	32
<b>2</b>	<b>A spectral-spatial multi-criteria active learning technique for hyperspectral image classification</b>	<b>34</b>
2.1	Introduction . . . . .	34
2.2	Proposed technique . . . . .	37
2.2.1	Phase I: spectral-spatial feature extraction . . . . .	37

2.2.2	Phase II: proposed active learning technique for classification of HSIs . . . . .	40
2.3	Experimental Results . . . . .	44
2.3.1	Design of experiments . . . . .	44
2.3.2	Results: KSC data set . . . . .	47
2.3.3	Results: University of Pavia data set . . . . .	49
2.3.4	Results: Indian Pines data set . . . . .	52
2.3.5	Results: University of Houston data set . . . . .	54
2.3.6	Results: statistical significance test . . . . .	58
2.3.7	Results: computation time . . . . .	59
2.3.8	Results: sensitivity analysis . . . . .	60
2.4	Discussion and conclusions . . . . .	61
<b>3</b>	<b>An unsupervised technique for optimal feature selection in attribute profiles for spectral-spatial classification of hyperspectral images</b>	<b>63</b>
3.1	Introduction . . . . .	63
3.2	Proposed method . . . . .	66
3.2.1	Construction of entire extended multi attribute profile (EEMAP) . . . . .	66
3.2.2	Generation of dissimilarity matrix . . . . .	68
3.2.3	Feature selection using GAs . . . . .	69
3.3	Experimental results . . . . .	71
3.3.1	Design of experiments . . . . .	71
3.3.2	Results: KSC data set . . . . .	73
3.3.3	Results: University of Pavia data set . . . . .	74

3.3.4	Results: Indian Pines data set . . . . .	76
3.3.5	Results: University of Houston data set . . . . .	79
3.3.6	Results: computational time . . . . .	84
3.3.7	Results: curse of dimensionality . . . . .	85
3.4	Discussion and conclusion . . . . .	86
<b>4</b>	<b>Threshold-free attribute profile for spectral-spatial classification of hyperspectral images</b>	<b>88</b>
4.1	Introduction . . . . .	88
4.2	Proposed threshold-free attribute profile . . . . .	91
4.2.1	Threshold-free attribute filter . . . . .	91
4.2.2	Construction of threshold-free attribute profile . . . . .	97
4.3	Experimental results . . . . .	99
4.3.1	Design of experiments . . . . .	99
4.3.2	Results: KSC data set . . . . .	100
4.3.3	Results: University of Pavia data set . . . . .	101
4.3.4	Results: Indian Pines data set . . . . .	105
4.3.5	Results: University of Houston data set . . . . .	107
4.3.6	Results: computational time . . . . .	113
4.4	Conclusion . . . . .	114
<b>5</b>	<b>Conclusion and future direction</b>	<b>117</b>
5.1	Concluding remarks . . . . .	117
5.1.1	Contribution 1: Spectral-spatial multi-criteria active learn- ing technique . . . . .	117

5.1.2	Contribution 2: Unsupervised optimal feature selection in EEMAP . . . . .	118
5.1.3	Contribution 3: Threshold free attribute profiles . . . . .	119
5.2	General Limitations and future developments . . . . .	120
<b>A</b>	<b>Data sets description</b>	<b>121</b>
A.1	Kennedy space center, Florida, USA (KSC) . . . . .	121
A.2	University of Pavia, Pavia, Italy . . . . .	122
A.3	Indian Pines, Indiana . . . . .	122
A.4	University of Houston, Texas, US . . . . .	124
<b>B</b>	<b>Publication list</b>	<b>127</b>