

Table of Contents

	Page No.
Abstract.....	i-viii
Declaration.....	ix
Certificate of the Supervisor.....	x
Certificate of the external examiner and ODEC.....	xi
Acknowledgements.....	xii-xiii
Abbreviations and Symbols.....	xiv-xvi
List of Schemes.....	xvii-xx
List of Figures.....	xxi-xxii
List of Tables.....	xxiii-xxiv
Chapter 1. General Introduction	1-50
1.1 Brief Background of Hypervalent Iodine Chemistry	1-2
1.2 Hypervalent Bonding and Important Iodine(III) Reagents	2
1.2.1 Classification	2-3
1.2.2 General synthesis of hypervalent iodine species	3-4
1.2.3 Molecular orbital bonding	4
1.2.4 Examples of iodine(III) compounds	4-5
1.3 Diaryliodonium Salts	6
1.3.1 Structure and types of diaryliodonium salts	6-7
1.3.2 General reactivity of diaryliodonium salts	8-9
1.4 Unsymmetrical Diaryliodonium Salts with “dummy ligands”	9-11
1.5 General Mechanism and Explanation for Chemoselective Arylation	11
1.5.1 Under metal-free conditions	11-14
1.5.2 Under copper-catalyzed conditions	14-16
1.6 Synthesis of Diaryliodonium Salts	17-22
1.7 Metal-Free Arylation Methods with Diaryliodonium Salts	22
1.7.1 Arylation of Nitrogen Nucleophiles	22
1.7.1.1 <i>N</i> -arylation of amines	22-24
1.7.1.2 <i>N</i> -arylation of amides and imides	24-26
1.7.1.3 <i>N</i> -arylation of heterocycles	26-27
1.7.2 Arylation of Oxygen Nucleophiles	27
1.7.2.1 <i>O</i> -arylation of phenols	27-28
1.7.2.2 <i>O</i> -arylation of alcohols	28-30

1.7.2.3 <i>O</i> -arylation of carboxylic acids	30-31
1.7.3 Arylation of Sulphur Nucleophiles	31-32
1.8 Copper-catalyzed Arylation Methods with Diaryliodonium Salts	32
1.8.1 C-H arylation	32-34
1.8.2 Hetero-atom arylation	34-35
1.9 Applications of Diaryliodonium Salts in Total Synthesis	35-36
1.10 Thesis overview and Objectives	37
1.11 Bibliography	38-50
Chapter 2. Metal-Free Regioselective <i>N</i>²-Arylation of 1<i>H</i>-Tetrazoles	51-100
2.1 Introduction	51
2.1.1 Tetrazoles and its applications	51-52
2.1.2 Previous methodologies to access 2,5-Tz scaffolds	52-56
2.2 Optimization	56
2.2.1 Optimization of the reaction conditions	56-58
2.2.2 Influence of counter-anions and selection of auxiliary	58-59
2.3 Substrate scope	59
2.3.1 Scope of tetrazoles	59-60
2.3.2 Scope of diaryliodonium salts	60-62
2.4 One-pot methodology	62-65
2.5 Scalability of the reaction	65
2.6 Applicability towards biologically active 1 <i>H</i> -Tz scaffolds	65-66
2.7 Plausible mechanism of the reaction	66-67
2.8 Summary of the chapter	67-68
2.9 Experimental Section	69
2.9.1 Synthesis of tetrazoles	69-70
2.9.2 Synthesis of diaryliodonium salts	70-73
2.10 Experimental procedures and characterization data for the products	73
2.10.1 General procedure A (GP-A): <i>N</i> ² -arylation of 5-substituted-1 <i>H</i> -Tetrazoles with diphenyliodonium triflate	73-79
2.10.2 General procedure B (GP-B): <i>N</i> ² -arylation of 5-methyl-1 <i>H</i> -Tetrazoles with diaryliodonium triflate	80-85
2.10.3 General procedure C (GP-C): One-pot <i>N</i> ² -arylation of 5-(<i>p</i> -Tolyl)-1 <i>H</i> -Tetrazole directly from 4-methylbenzotrile	85-89
2.10.4 Synthesis of tetrazole 46	89-90

2.10.5	General procedure D (GP-D): <i>N</i> ² -arylation of 47 and 49	90-91
2.10.6	Larger-scale synthesis procedure	91-92
2.11	Representative ¹ H and ¹³ C NMR spectra	93-95
2.12	Bibliography	96-100
Chapter 3. Metal-Free <i>S</i>-Arylation of Mercptozoles		101-145
3.1	Introduction	101
3.1.1	Importance of diaryl thioethers or di(hetero)aryl thioethers	101-102
3.1.2	Previous <i>S</i> -arylation methods utilizing diaryliodonium salts	102-106
3.2	Optimization	106
3.2.1	Screening of the reaction conditions	106-107
3.2.2	Selection of the auxiliary from the unsymmetrical iodonium salt	107-108
3.3	Substrate scope	109
3.3.1	Scope of aryl(TMP)iodonium salts	109-110
3.3.2	Scope of substituted tetrazol-5-thiols	110-111
3.3.3	Scope of other mercptozoles	111-112
3.4	Electronic and steric effect of unsymmetrical iodonium salts	112-113
3.5	<i>S</i> -arylation of 2-mercaptopyridine	113-116
3.6	DFT analysis of the chemoselective arylation between phenyl(anisyl)iodonium triflate with 2-mercaptopyridine	116-117
3.7	Summary of the chapter	117
3.8	Experimental section	117
3.8.1	Synthesis of tetrazole-5-thiols (46a-46e)	118-119
3.8.2	Synthesis of diaryliodonium salts	119-122
3.9	Synthesis and characterization of <i>S</i> -aryl products	122
3.9.1	General procedure A (GP-A)	122-132
3.9.2	General procedure B (GP-B): <i>S</i> -arylation of 2-mercaptopyridine	132-136
3.10	Representative ¹ H and ¹³ C NMR spectra	137-139
3.11	DFT Calculations	140
3.11.1	Absolute and Relative Gibbs free energies for reaction pathway at B3LYP/LANL2DZ level	140
3.11.2	Intrinsic reaction co-ordinate (IRC) plots of all transition states	140
3.12	Bibliography	141-145

Chapter 4. <i>N</i>-Arylations of Hydantoins under Copper(I) Catalysis	146-189
4.1 Introduction	146
4.1.1 Importance of <i>N</i> -arylated hydantoins	146
4.1.2 Previous methods for the synthesis of <i>N</i> -arylated hydantoins	147-150
4.2 Optimization	150
4.2.1 Initial screening of the reaction conditions	150-151
4.2.2 Further optimization of catalytic conditions	151-152
4.2.3 Chemoselective study of unsymmetrical iodonium salts	153-155
4.3 <i>N</i> ³ -arylation of hydantoins	155
4.3.1 Scope of diaryliodonium salts	155-156
4.3.2 Scope of hydantoins	157
4.4 <i>N</i> ¹ -Arylation of hydantoins with diaryliodonium salts	158
4.4.1 Optimization of the reaction conditions	158
4.4.2 Substrate scope	159-160
4.5 Scalability of the protocol	160
4.6 Plausible mechanism of the reaction	160-161
4.7 Summary of the chapter	161
4.8 Experimental section	161-162
4.8.1 Synthesis of hydantoins (30b-30g)	162-163
4.8.2 Synthesis of diaryliodonium salts	163-165
4.9 Synthetic procedures and characterization data for the products	165
4.9.1 General procedure A (GP-A): <i>N</i> ³ -arylation of hydantoins	165-174
4.9.2 General procedure B (GP-B): <i>N</i> ¹ -arylation of <i>N</i> ³ -arylated hydantoin	175-179
4.9.3 Larger Scale Synthesis Procedure	179-180
4.10 Representative ¹ H and ¹³ C NMR spectra	181-183
4.11 Bibliography	184-189
Chapter 5. Copper-catalyzed <i>N</i>-Arylations of Isatoic Anhydrides	190-240
5.1 Introduction	190
5.1.1 Isatoic anhydride as a valuable synthon in organic synthesis	190-192
5.1.2 Previous methods to obtain <i>N</i> -arylated Isatoic anhydrides	192-194
5.2 Optimization	194
5.2.1 Initial screening for of <i>N</i> -arylation of isatoic anhydrides	194-197

5.2.2 Selection of counter-anions and suitable auxiliary for unsymmetrical iodonium salt	197-198
5.3 Substrate scope	198
5.3.1 Scope of aryl(TMP)iodonium salts	198-200
5.3.2 Scope of isatoic anhydrides	200-201
5.4 Application of <i>N</i> -arylated isatoic anhydrides as intermediate	201
5.4.1 Synthesis of fenamic acid derivatives	201-204
5.4.2 Synthesis of <i>N,N'</i> -diarylindazol-3-ones	204-206
5.5 Mechanism of the reaction	206-207
5.6 Summary of the chapter	207-208
5.7 Experimental section	208-209
5.7.1 Isatoic anhydrides in this study	209
5.7.2 Synthesis of diaryliodonium salts	209-212
5.8 Synthesis and characterization of <i>N</i> -arylated isatoic anhydrides	212
5.8.1 General procedure A (GP-A): <i>N</i> -Arylation of isatoic anhydrides	212-223
5.8.2 General procedure B (GP-B): One-pot system for fenamic acid derivatives	224-229
5.8.3 General procedure C: One-pot system for <i>N,N'</i> -diarylindazol-3-ones	230-233
5.9 Representative ¹ H and ¹³ C NMR spectra	234-236
5.10 Bibliography	237-240
Chapter 6. Conclusion & Future Scope	241-244
6.1 General Conclusion	241
6.1.1 Concluding remarks on each chapter	241-242
6.1.2 Remarks on diaryliodonium salts as arylating precursor	243
6.2 Future Scope of the work	243-244
<i>Annexures A-E</i>	
CheckCIF report	a-o
List of Publications	p-q
List of conferences	r