DECLARATION BY THE CANDIDATE

I, Bichitra Bijay Boruah, hereby declare that the subject matter in this thesis entitled, "Lepton number violation, lepton flavor violation and related cosmology in the light of latest neutrino and cosmology data", is a presentation of my original research work. Whenever contributions of others are involved, every effort is made to indicate this clearly, with due reference to the literature and acknowledgment of collaborative research and discussions.

The work is original and has not been submitted earlier as a whole or in part for a degree or diploma at this or any other Institution or University.

This thesis is being submitted to the Tezpur University for the degree of Doctor of Philosophy in Physics.

Place: Tezpur.

Bichitra Bijay Boruah

Date:

Signature of the candidate



Prof Mrinal Kumar Das Professor Dept. of Physics Napaam–784028, Assam, India

E-mail: mkdas@tezu.ernet.in

Phone: +91-3712 275563(Ex. 5563)

+91-9706980913(M)

CERTIFICATE OF THE SUPERVISOR

This is to certify that the thesis entitled "Lepton number violation, lepton flavor violation and related cosmology in the light of latest neutrino and cosmology data" submitted to the School of Sciences of Tezpur University in partial fulfillment for the award of the degree of Doctor of Philosophy in Physics is a record of research work carried out by Mr Bichitra Bijay Boruah under my supervision and guidance. All help received by her from various sources have been duly acknowledged.

No part of this thesis have been submitted elsewhere for award of any other degree.

Place: Tezpur University (Mrinal Kumar Das)

Date:



TEZPUR UNIVERSITY

(A Central University established by an Act of Parilament)

Napaam-784028, Assam, India

Fax: 03712-267006: Ph: 03712-267004, email: adm@agnigarh.tezu.ernet.in

CERTIFICATE OF THE EXTERNAL EXAMINER AND ODEC

(Prof Mrinal Kumar Das)

(External examiner)

Acknowledgements

First and foremost, I would like to extend my sincerest gratitude to my thesis supervisor *Prof. Mrinal Kumar Das* for his invaluable guidance and constructive feedback at every step of my research work. His constant inspiration and encouragement have always helped me to achieve my goals. I am grateful to him for constantly boosting up my confidence during the period of my research. I am fortunate to have such a learned and approachable supervisor in my PhD.

I am thankful to my doctoral committee members, *Prof. Jayanta Kumar Sharma* and *Dr. Ritupan Sharma* for their suggestions and fruitful discussion during my PhD work. I would like to convey my regards to all the faculty members of the Department of Physics, Tezpur University for helping me in various regards.

I am indebted to my parents, *Jagat Boruah* and *Suchitra Boruah* for their endless support, encouragement and love, without which it would have been impossible for me to reach this stage. I am also thankful to my sister *Krishnajina Boruah* and brother-in-law *Surajit Kalita* for their love and support throughout my PhD work. I would like to thank all my family members for their prayers and love. I am forever grateful to the Almighty for giving me strength and patience in difficult times.

I am grateful to my lab mates *Nayana*, *Lavina*, *Jotin*, *Pritam*, *Ankita*, *Bhabna* for their fruitful discussions and support. It has been a pleasant experience to share a lab with them. I also take the opportunity to thank my seniors *Ananya Ba* and *Happy Ba* for giving me the information regarding many issues. I am grateful to my friends *Ankur*, *Madhurjya*, *Hati*, *Animesh da*, *PK*, *Tonmoy*, *Olag* for their help whenever needed. I also thank all my friends, seniors, batchmates and juniors at Tezpur University. I am thankful to *Narayan Da*, *Patir Da* and other non-academic staff of the Department of Physics for offering their help from

time to time. I acknowledge Tezpur University and DST-SERB for the financial support throughout my PhD.

Again, in the end, I want to thank each and every one of the fraternity of Tezpur University and especially the Department of Physics for giving me the most memorable years of my life.

Date:	(Bichitra Bijay Boruah)
-------	-------------------------

Abbreviations

Abbreviation Meaning

SM Standard Model

CP Charge-Parity

BSM Beyond Standard Model

LHC Large Hadron Collider

keV Kilo Electron Volt

PMNS Pontecorvo–Maki–Nakagawa–Sakata

CKM Cabibbo–Kobayashi–Maskawa

MSW Mikheyev-Smirnov-Wolfenstein

SAGE Soviet–American Gallium Experiment

GALLEX Gallium Experiment

GUT Grand Unified Theory

KamLAND-Zen Kamioka Liquid Scintillator Anti- Neutrino Detector-Xenon

LSND Liquid Scintillator Neutrino Ditector

Mini Booster Neutrino Experiment

MINOS Main Injector Neutrino Oscillation Search

BNL Brookhaven national laboratory

xiv Abbreviations

TBM Tri-bimaximal Mixing

HM Hexagonal Mixing

GRM Golden Ratio Mixing

WMAP Wilkinson Mass Anisotropy Probe

eV Electron Volt

TeV Tera Electron Volt

VEV Vacuum Expectation Value

NH Normal Hierarchy

NO Normal Ordering

III Inverted Hierarchy

IO Inverted Ordering

B+L Baryon+Lepton

CERN European Organization for Nuclear Research

LEP The Large Electron-Positron Collider

ISS Inverse Seeasw

NDBD $(0\beta\beta\nu)$ Neutrinoless double beta decay

DM Dark Matter

BAU Baryon Asymmetry of Universe

BBN Big Bang Nucleosynthesis

CMB Cosmic microwave background

LNV Lepton Number Violation

LFV Lepton Flavour Violation

DW Dodelson-Widrow

List of figures

1.1	mass spinting and two possible neutrino mass ordering: Normal mass merar-	
	chy and inverted mass hierarchy	21
1.2	One-loop contribution of neutrino mass generation with the exchange of	
	right-handed neutrino N_i and the scalar η_0	26
2.1	Neutrinoless double beta decay contribution from light and heavy Majorana	
	neutrinos from two W_L exchange	55
2.2	Neutrinoless double beta decay contribution from light and heavy Majorana	
	neutrinos from two W_R exchange	55
2.3	Neutrinoless double beta decay contribution from light and heavy Majorana	
	neutrino intermediate states from both left and right-handed gauge bosons	
	exchange at each vertex	56
2.4	Neutrinoless double beta decay contribution from the charged Higgs inter-	
	mediate states from W_L and W_R exchange	56

xx List of figures

2.5	The light neutrino contribution to neutrinoless double beta decay process for	
	typeI(left) and typeII(right) considering both NH and IH cases. The band	
	of two black solid line and the red solid line represents the KamLAND-Zen	
	bound on the effective mass and the Planck bound on the sum of the absolute	
	neutrino mass respectively. And, the blue line represent the future sensitivity	
	on effective mass in Legend-1k reach [166]	60
2.6	Variation of α , θ_{23} and δ with effective mass for type-II dominance case	61
2.7	Variation of α, θ_{23} and δ with effective mass for type-I dominance case	62
2.8	The total contribution to neutrinoless double beta decay process considering	
	new physics contribution coming from heavy neutrino i.e $ m_{N+\nu} ^{eff}$ for	
	type-I(left) and type-II(right) considering both NH and IH cases. The band	
	of two black solid line and the red solid line represents the KamLAND-Zen	
	bound on the effective mass and the Planck bound on the sum of the absolute	
	neutrino mass respectively. And, the blue line represent the future sensitivity	
	on effective mass in Legend-1k reach	63
2.9	The new physics contribution to half-life of neutrinoless double beta decay	
	process for type-I(left) and type-II(right) considering both NH and IH case.	
	The horizontal line represents the KamLAND-Zen lower bound on the half-	
	life of NDBD	65
2.10	The scalar triplet contribution to neutrinoless double beta decay process for	
	type-I(left) and type-II(right) considering both NH and IH case. The band of	
	two black solid line and the red solid line represents the KamLAND-Zen	
	bound on the effective mass and the Planck bound on the sum of the absolute	
	neutrino mass respectively. And, the blue line represent the future sensitivity	
	on effective mass in Legend-1k reach	66

List of figures xxi

2.11	Total contribution to lepton flavour violation shown as a function of the	
	lightest neutrino mass for in case of type-II dominance case for both $\mu o 3e$	
	and $\mu \to e \gamma$.The blue and red horizontal line shows the limit of BR as given	
	by the SINDRUM experiment and the recently proposed limit of $\mu o 3e$	
	experiment respectively	67
2.12	Total contribution to lepton flavour violation shown as a function of the	
	lightest neutrino mass for in case of type-I dominance case for both $\mu o 3e$	
	and $\mu o e \gamma$.The blue and red horizontal line shows the limit of BR as given	
	by the SINDRUM experiment and the recently proposed limit of $\mu o 3e$	
	experiment respectively	68
3.1	Light neutrino contribution to neutrinoless double beta decay process(left)	
	and nonstandard contribution due to exchange of heavy neutrino(right) con-	
	sidering both NH and IH case. The band of black and the blue solid horizontal	
	line represents the KamLAND-Zen bound on the effective mass and Legend-	
	1k reach. The red solid vertical line represents the Planck bound on the sum	
	of the absolute neutrino mass respectively	86
3.2	Sterile neutrino contribution to neutrinoless double beta decay process for	
	$m_o = 50 \text{ GeV}$ (left) and $m_o = 150 \text{ GeV}$ (right) considering both NH and IH	
	case. The band of black and the blue solid horizontal line represents the	
	KamLAND-Zen bound on the effective mass and Legend-1k reach. The red	
	solid vertical line represents the Planck bound on the sum of the absolute	
	neutrino mass respectively	87

xxii List of figures

3.3	Total contribution to neutrinoless double beta decay process for $m_o = 50 \text{ GeV}$	
	(left) and $m_o = 150 \text{ GeV(right)}$ considering both NH and IH case. The band	
	of black and the blue solid horizontal line represents the KamLAND-Zen	
	bound on the effective mass and Legend-1k reach. The red solid vertical	
	line represents the Planck bound on the sum of the absolute neutrino mass	
	respectively	88
3.4	Mass mixing parameter space for the DM candidate for $m_o = 50$ GeV (left)	
	and $m_o = 150 \text{ GeV(right)}$ for NH. The cosmological bounds from Ly- α and	
	X-rays have been implemented	89
3.5	Mass mixing parameter space for the DM candidate for $m_o = 50 \text{ GeV}$ (left)	
	and $m_o = 150$ GeV(right)for IH. The cosmological bounds from Ly- α and	
	X-rays have been implemented	89
3.6	Decay rate of the DM candidate for $m_o = 50$ GeV (left) and $m_o = 150$	
	GeV(right)for NH. The cosmological bounds from Ly- α and X-rays have	
	been implemented	90
3.7	Decay rate of the DM candidate for $m_o = 50$ GeV (left) and $m_o = 150$	
	GeV(right)for IH. The cosmological bounds from Ly- α and X-rays have	
	been implemented	90
3.8	Sterile neutrino contribution to the total DM abundance for $m_o = 50 \text{ GeV}$	
	(left) and $m_o = 150 \text{ GeV(right)}$ for IH. The cosmological bounds from Ly- α	
	and X-rays have been implemented	91
3.9	Sterile neutrino contribution to the total DM abundance for $m_o = 50 \text{ GeV}$	
	(left) and $m_o = 150 \text{ GeV(right)}$ for IH. The cosmological bounds from Ly- α	
	and X-rays have been implemented	91
3.10	Correlation between DM mass and effective mass for $m_o = 50$ GeV (left)	
	and $m_o = 150 \text{ GeV(right)}$ for NH	92

List of figures xxiii

3.11	Correlation between DM mass and effective mass for $m_o = 50 \text{ GeV}$ (left)	
	and $m_o = 150 \text{ GeV(right)}$ for IH	92
4.1	One- loop contribution of neutrino mass generation with the exchange of	
	right handed neutrino N_i and the scalar η_0	99
4.2	One-loop diagram with exchange of η_R^0 and η_I^0 . v_i and v_j representing two	
	different generations of active neutrinos. N_i is the right handed neutrino	100
4.3	The 1-loop Feynman diagrams giving rise to $l_{\alpha} \longrightarrow l_{\beta} \gamma$	106
4.4	The penguin contributions to $l_{\alpha} \longrightarrow l_{\beta} \gamma$, where the wavy lines depicts either	
	a Z-boson or a photon.	108
4.5	Plots in the first-row shows baryon asymmetry as a function of RHN (M_{N_1}) ,	
	the second-row shows baryon asymmetry as a function of the quartic coupling	
	(λ_5) , in third-row baryon asymmetry as a function of lightest neutrino mass	
	eigenvalue (m_l) is depicted and in the fourth row a variation between leptonic	
	Dirac CP phase(δ) and baryon asymmetry is shown respectively. The black	
	horizontal line gives the current Planck value for BAU	113
4.6	Effective mass as a function of lightest neutrino mass eigenvalue(m_l) for	
	NH/IH. The horizontal(black) line is the upper limit for the effective mass	
	$(m_{\beta\beta}(eV)\sim 0.1(eV))$ of light neutrinos obtained from KamLAND-Zen ex-	
	periment and the vertical red line depicts the Planck limit for the sum of the	
	light neutrino masses	114
4.7	Baryon asymmetry of the Universe as a function of effective mass of active	
	$\operatorname{neutrinos}(m_{\beta\beta})$ for NH/IH. The horizontal(black) line is Planck value on	
	BAU and the vertical red line depicts the upper bound on the effective	
	mass $(m_{\beta\beta}(eV) \sim 0.1(eV))$ of light neutrinos obtained from KamLAND-	
	Zen experiment	115

xxiv List of figures

4.8	Contour plots relating the model parameter a and b to the baryon asymmetry
	of the Universe. The left panel is for NH and right panel for IH 115
4.9	Contour plots relating the model parameter a and d(i.e. the perturbation) to
	the baryon asymmetry of the Universe. The left panel is for NH and right
	panel for IH
4.10	$Br(\mu \to e\gamma)$ and $Br(\mu \to 3e)$ as a function of ρ_N (where $\rho_N = (\frac{M_N}{m_{\eta^+}})^2$) for
	NH and IH. The dashed horizontal lines are the recent upper bounds 117
4.11	$Br(\mu \to e\gamma)$ and $Cr(\mu \to e, Ti)$ as a function of ρ_N (where $\rho_N = (\frac{M_N}{m_{\eta^+}})^2$) for
	NH and IH. The dashed horizontal lines are the recent upper bounds 117
4.12	$Br(\mu \to e\gamma)$ and $Br(\mu \to 3e)$ as a function of lightest neutrino mass eigenvalue(m_l)
	for NH and IH. The dashed horizontal lines are the recent upper bounds 118
4.13	$R_{\mu e}$ as a function of lightest neutrino mass eigenvalue(m_l) for NH and IH.
	Here, $R_{\mu e} = \frac{Br(\mu \to 3e)}{Br(\mu \to e\gamma)}$
4.14	$R_{\mu e}$ as a function of ρ_N for NH and IH. Here, $R_{\mu e} = \frac{Br(\mu \to 3e)}{Br(\mu \to e\gamma)}$

List of tables

1.1	Latest Global fit neutrino oscillation Data [36]	7
1.2	Charge assignments of leptons, quarks and Higgs field under the standard	
	model gauge group	10
1.3	Current experimental bounds and future sensitivities for different cLFV	
	processes	37
1.4	Character table of A_4 group	43
2.1	Fields and their respective transformations under the symmetry group of the	
	model	50
3.1	Fields and their respective transformations under the symmetry group of the	
	model	76
3.2	Latest global fit neutrino oscillation data for both mass ordering in $3-\sigma$ range	
	[36]	85
4.1	Fields and their respective transformations under the symmetry group of the	
	model	103
4.2	Free parameters of the model and their respective parameter space	114
4.3	Model parameters of the model and their respective parameter space satisfy-	
	ing the Planck limit for baryon asymmetry of the Universe	120

