

Table of contents

| | |
|---|-------------|
| Abbreviations | xiii |
| List of figures | xix |
| List of tables | xxv |
| 1 Introduction | 1 |
| 1.1 Current status of neutrinos: | 4 |
| 1.1.1 Theoretical Aspect: | 4 |
| 1.1.2 Experimental progress | 5 |
| 1.2 The Standard Model of particle physics | 9 |
| 1.2.1 The Electroweak sector | 10 |
| 1.2.2 Origin of gauge boson and and fermion mass: | 12 |
| 1.3 Drawbacks of the Standard Model | 15 |
| 1.4 Beyond Standard Model(BSM) Framework | 17 |
| 1.4.1 Neutrino mass | 17 |
| 1.4.2 Neutrino flavor oscillation in vacuum | 17 |
| 1.4.3 Neutrino flavor oscillation in matter | 19 |
| 1.4.4 Type of neutrino mass: Dirac and Majorana | 20 |
| 1.4.5 Mechanisms of neutrino mass generation | 22 |

| | | |
|----------|--|-----------|
| 1.4.6 | Lepton number violation: neutrinoless double beta decay: | 31 |
| 1.4.7 | Baryon Asymmetry of the Universe(BAU) | 33 |
| 1.4.7.1 | Leptogenesis | 35 |
| 1.4.8 | Lepton flavor violation | 36 |
| 1.4.9 | Dark matter | 38 |
| 1.4.9.1 | Sterile neutrino: A viable dark matter candidate | 40 |
| 1.4.10 | Discrete flavor symmetry in particle physics: | 41 |
| 1.4.10.1 | Properties of A_4 group | 42 |
| 1.5 | Thesis outline | 44 |
| 2 | Connecting neutrinoless double-beta decay and lepton flavor violation in discrete flavor symmetric left-right symmetric model | 47 |
| 2.1 | Introduction: | 48 |
| 2.2 | A left right flavor symmetric model: | 49 |
| 2.2.1 | Type-I dominance: | 50 |
| 2.2.2 | Type-II dominance: | 52 |
| 2.3 | Neutrinoless double beta decay(NDBD)in LRSM: | 53 |
| 2.4 | Lepton flavor violation: | 57 |
| 2.5 | Numerical analysis and Results: | 59 |
| 2.5.1 | Standard light neutrino contribution: | 59 |
| 2.5.2 | New physics contribution to NDBD: | 63 |
| 2.5.3 | Scalar triplet contribution to NDBD: | 64 |
| 2.5.4 | Correlating LFV and neutrino mass | 65 |
| 2.6 | Summary | 66 |
| 3 | Phenomenological study of neutrinoless double beta decay and sterile dark matter in extended left right symmetric model | 69 |

| | | |
|----------|--|------------|
| 3.1 | Introduction | 70 |
| 3.2 | LRSM with extended seesaw with type-II dominance: | 72 |
| 3.3 | Flavor symmetric realization of extended LRSM with type-II dominance: | 75 |
| 3.4 | Neutrinoless Double beta decay in extended LRSM: | 78 |
| 3.5 | Light sterile neutrino in extended LRSM : | 80 |
| 3.6 | Numerical results and analysis: | 82 |
| 3.7 | Summary | 93 |
| 4 | Lepton flavor violation and leptogenesis in A_4 based discrete flavor symmetric radiative seesaw model | 95 |
| 4.1 | Introduction: | 96 |
| 4.2 | Radiative seesaw Model | 98 |
| 4.3 | Flavor Symmetric realization of radiative seesaw model: | 101 |
| 4.4 | Lepton flavor violating processes : | 105 |
| 4.5 | Leptogenesis | 109 |
| 4.6 | Numerical Analysis | 112 |
| 4.7 | Summary | 121 |
| 5 | Conclusion and future prospectives: | 123 |
| 5.1 | Conclusion | 124 |
| 5.1.1 | Chapter 2 | 124 |
| 5.1.2 | Chapter 3 | 125 |
| 5.1.3 | Chapter 4 | 126 |
| 5.2 | Future prospectives | 127 |
| A | Appendix | 129 |
| A.1 | Loop functions of lepton flavor violation and VEV alignments of flavons . . | 129 |
| A.1.1 | Potential and vev alignment in the LRSM | 130 |

| | |
|---|------------|
| A.1.2 VEV alignments of flavons in the scotogenic model | 132 |
| Bibliography | 135 |