

Table of Contents

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Abstract | i |
| Declaration | ii |
| Certificate | iii |
| Acknowledgements | iv-v |
| Contents | vi-xiii |
| List of tables | xiv-xv |
| List of figures | xvi-xxi |
| List of abbreviations | xxii-xxiv |
| List of symbols | xxv |
| | |
| Chapter 1 | 1-2 |
| Introduction | |
| 1.1. Hypothesis | 2 |
| 1.2. Gap of Research | 3 |
| 1.3. Objectives | 3-9 |
| Bibliography | 9-12 |
| Chapter 2 | |
| Review of literature | 13 |
| 2.1. Bottle gourd (<i>Lagenaria siceraria</i>) | 13 |
| 2.2. Semi thermal pasteurization of plant product | 14 |
| 2.3. Toxicity study of plant products | 14 |
| 2.4. Sensory studies of processed food product | 15 |
| 2.5. Anti-diabetic and anti-inflammatory analysis | 15 |
| 2.6. Probiotic incorporation and survival in food product | 16 |
| Bibliography | 16-18 |
| Chapter 3 | |
| To study the combined effects of microwave with ultrasound treatment on the pasteurization and nutritional properties of bottle gourd (<i>Lagenaria siceraria</i>) juice | |
| 3.1. Introduction | 19-20 |
| 3.2. Materials and Methods | 21 |

| | | |
|-----------|----------------------------------------------------------------------------------------------|-------|
| 3.2.1. | Materials | 21 |
| 3.2.2. | <i>L. monocytogenes</i> spiked to the bottle gourd juice | 21 |
| 3.2.3. | Microwave and ultrasound processing and experimental design (MW-US) | 22 |
| 3.2.3.1. | Death and reaction order kinetics | 23 |
| 3.2.4. | Conventional processing of BGJ | 24 |
| 3.2.5. | Determination of total phenolic contents (TPC) | 24 |
| 3.2.6. | Determination of total terpenoids | 24 |
| 3.2.7. | Determination of antioxidant activity by DPPH free radical scavenging assay | 25 |
| 3.2.8. | Comparison between MW-US pasteurized juice with raw BGJ and conventionally pasteurized juice | 25 |
| 3.2.8.1. | Determination of total solids (TS) and total soluble solids (TSS) | 25 |
| 3.2.8.2. | Determination of titratable acidity (TA) and pH | 25 |
| 3.2.8.3. | Polyphenol profiling by HPLC method | 26 |
| 3.2.8.4. | Protein content and amino acid compositional analysis | 26 |
| 3.2.8.5. | Estimation of vitamin content in the juice using HPLC method | 27 |
| 3.2.8.6. | Determination of total color change | 28 |
| 3.2.8.7. | Determination of antioxidant activity | 28 |
| 3.2.8.7.1 | Nitric oxide (NO) assay | 28 |
| 3.2.8.7.2 | Superoxide radical scavenging (SOD) assay | 29 |
| 3.2.8.7.3 | Reducing power (RP) assay | 29 |
| 3.2.9 | Assessment of stability and shelf life of BGJ | 30 |
| 3.2.10 | Statistical analysis | 30 |
| 3.3. | Results and Discussion | 30 |
| 3.3.1. | Effect of microwave and ultrasound treatment on various responses of pasteurized BGJ | 30-35 |

| | | |
|----------|--------------------------------------------------------------------------------------------------------------------------|-------|
| 3.3.1.1. | Effect of interaction of various factors on <i>L. monocytogenes</i> cell viability | 36-38 |
| 3.3.1.2. | Effect of interaction of various factors on total phenolic contents and total terpenoid contents of the juice | 38-41 |
| 3.3.1.3. | Effect of interaction of various factors on the DPPH free radical scavenging activity of the juice | 41-42 |
| 3.3.1.4. | Optimum conditions from the design and validation | 43 |
| 3.3.1.5. | Interpretation of optimized results in terms of death and reaction order kinetics | 43-44 |
| 3.3.2. | MW-US processed juice showed superior TS, TSS, TA and pH as compared to conventionally processed juice | 45 |
| 3.3.3. | MW-US processed juice demonstrated better phenolics and terpenoids content as compared to conventionally processed juice | 46 |
| 3.3.4. | MW-US processed juice retained better protein and amino acid content as compared to conventionally processed juice | 47 |
| 3.3.5. | MW-US processed juice demonstrated superior vitamin retainment as compared to conventionally processed juice | 48 |
| 3.3.6. | MW-US processed juice demonstrated superior antioxidant activity as compared to conventionally processed juice | 49-50 |
| 3.3.7. | MW-US processed juice showed better retainment of colour as compared to conventionally processed juice | 51 |
| 3.3.8. | MW-US processed juice exhibited prevalent post storage activity | 52 |
| | Conclusions | 54 |
| | Bibliography | 54-61 |

Chapter 4

To study the toxicity of microwave combined ultrasound treated *Lagenaria siceraria* juice and its antidiabetic and anti-inflammatory effects

| | | |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 4.1. | Introduction | 62-63 |
| 4.2. | Materials and methods | 63 |
| 4.2.1. | Toxicity study of lyophilized <i>Lagenaria siceraria</i> juice | 63 |
| 4.2.1.1. | Cell viability assay of lyophilized <i>Lagenaria siceraria</i> juice in (A) Human Erythrocytes (B) Human peripheral blood mononuclear cells (HPBMC) and (C) THP-1 human monocyte cell line | 63-64 |
| 4.2.1.2. | <i>In vivo</i> acute oral toxicity study of lyophilized <i>Lagenaria siceraria</i> juice | 64 |
| 4.2.1.2.1. | Ethical permission for <i>in vivo</i> acute oral toxicity study | 64 |
| 4.2.1.2.2. | Experimental design for the <i>in vivo</i> acute oral toxicity study | 66 |
| 4.2.1.2.3. | Animal sacrifice for the <i>in vivo</i> acute oral toxicity study | 67 |
| 4.2.1.3. | <i>In vivo</i> sub-acute oral toxicity study of lyophilized <i>Lagenaria siceraria</i> juice | 67 |
| 4.2.1.3.1. | Ethical permission for <i>in vivo</i> subacute oral toxicity study | 67 |
| 4.2.1.3.2. | Experimental design for the <i>in vivo</i> subacute acute oral toxicity study | 67 |
| 4.2.1.3.3. | Weekly Body Weight | 68 |
| 4.2.1.3.4. | Mortality and Toxic Signs | 68 |
| 4.2.1.3.5. | Animal sacrifice for the <i>in vivo</i> acute oral toxicity study | 68 |
| 4.2.1.3.6. | Haematological Parameters | 68 |
| 4.2.1.3.7. | Biochemical Estimations | 69 |

| | | |
|------------|--------------------------------------------------------------------------------------------------------|-------|
| 4.2.1.3.8. | Histopathology Study | 69 |
| 4.2.2. | <i>In vitro</i> and <i>in vivo</i> anti-diabetic study of lyophilized <i>Lagenaria siceraria</i> juice | 69 |
| 4.2.2.1. | <i>In vitro</i> α -amylase inhibition study of lyophilized <i>Lagenaria siceraria</i> juice | 69 |
| 4.2.2.2. | <i>In vitro</i> α -glucosidase inhibition study of lyophilized <i>Lagenaria siceraria</i> juice | 70 |
| 4.2.2.3. | Determination of DPP-4 inhibition activity of lyophilized <i>Lagenaria siceraria</i> juice | 70 |
| 4.2.2.4. | <i>In vitro</i> Glucose uptake assay on L6 rat skeletal muscle cell line | 71 |
| 4.2.2.5. | <i>In vivo</i> anti-diabetic study of lyophilized <i>Lagenaria siceraria</i> juice | 71 |
| 4.2.2.5.1. | Induction of diabetes and experimental design | 71 |
| 4.2.2.5.2. | Animal weights | 72 |
| 4.2.2.5.3. | Fasting blood glucose | 72 |
| 4.2.2.5.4. | Oral glucose tolerance test (OGTT) | 73 |
| 4.2.2.5.5. | Intraperitoneal insulin tolerance test (IPITT) | 73 |
| 4.2.2.5.6. | Animal sacrifice | 73 |
| 4.2.2.5.7. | Histopathology of Pancreas | 74 |
| 4.2.3. | Anti-inflammatory study of lyophilized <i>Lagenaria siceraria</i> juice | 74 |
| 4.2.3.1. | <i>In vitro</i> LPS induced inflammation study in THP-1 macrophage | 74 |
| 4.2.3.2. | Luciferase reporter assay | 74 |
| 4.3. | Results | 75 |
| 4.3.1. | Toxicity study of lyophilized <i>Lagenaria siceraria</i> juice | 75-78 |
| 4.3.2. | Effect of lyophilized <i>Lagenaria siceraria</i> juice on Wistar rats in acute oral toxicity study | 78-79 |

| | | |
|----------|--------------------------------------------------------------------------------------------------------|----|
| 4.3.3. | Effect of lyophilized <i>Lagenaria siceraria</i> juice on Wistar rats in sub-acute oral toxicity study | 83 |
| 4.3.4. | Inhibition of α -amylase enzyme activity | 88 |
| 4.3.5. | Inhibition of α -Glucosidase enzyme activity | 88 |
| 4.3.6. | Determination of DPP-4 inhibition activity | 89 |
| 4.3.7. | In vitro Glucose uptake assay | 90 |
| 4.3.8. | <i>In vivo</i> diabetic study | 90 |
| 4.3.8.1. | Animal weights | 90 |
| 4.3.8.2. | Fasting blood glucose | 91 |
| 4.3.8.3. | Oral Glucose tolerance test | 92 |
| 4.3.8.4. | Intraperitoneal Insulin Tolerance Test | 93 |
| 4.3.8.5. | Animal sacrifice and histopathology of Pancreas | 94 |
| 4.3.9. | <i>In vitro</i> LPS induced inflammation study in THP-1 macrophage | 95 |
| 4.4. | Conclusions | 97 |
| | Bibliography | 99 |

Chapter 5

To study the sensory quality of bottle gourd juice (BGJ) samples, obtained from microwave-ultrasound based combined treatment

| | | |
|--------|--------------------------------------------------------------------|---------|
| 5.1. | Introduction | 100-101 |
| 5.2. | Materials and methods | 102 |
| 5.2.1. | Materials | 102 |
| 5.2.2. | Bottle gourd juice (BGJ) preparation | 102 |
| 5.2.3. | Microwave-ultrasound based combined treatment of the BGJ | 103 |
| 5.2.4. | Conventional processing of BGJ | 103 |
| 5.2.5. | Sensory analysis of BGJ | 103 |
| 5.2.6. | Application of fuzzy logic for the analysis | 104 |
| 5.2.7. | Triplets of sensory scores | 104 |
| 5.2.8. | Membership function assessment based on standard fuzzy scale (SFS) | 105 |
| 5.2.9. | Estimation of overall membership function (OMF) | 106 |

| | | |
|---------|----------------------------------------------------------------------------------------|---------|
| 5.2.10. | Estimation of the similarity values (SV) and ranking of the samples | 106 |
| 5.2.11. | Hybridization of fuzzy logic and proportional odd modelling for the ranking of samples | 106 |
| 5.3. | Results and Discussions | 108 |
| 5.3.1. | Triplets of sensory scores for the various samples and QA | 111 |
| 5.3.2. | Estimation of OMF | 112 |
| 5.3.3. | SV of different samples and their associated QA | 112 |
| 5.3.4. | Hybrid FL-POM approach for the ranking of BGJ samples and their quality attributes | 112 |
| 5.4. | Conclusion | 113 |
| | Bibliography | 113-116 |

Chapter 6

To develop a *Lagenaria siceraria* juice enriched with prebiotics and probiotics

| | | |
|---------|-----------------------------------------------------------------------------------------------------------|---------|
| 6.1. | Introduction | 117-119 |
| 6.2. | Material and methods | 120 |
| 6.2.1. | Collection of samples | 120 |
| 6.2.2. | Molecular Identification of the Isolates by 16S rDNA amplification and sequencing: 16S rDNA amplification | 120-121 |
| 6.2.3. | General characteristics of the strains | 121 |
| 6.2.4. | Growth characteristics at different pH, salt concentration and temperature | 121 |
| 6.2.5. | Test for acid and bile tolerance | 122 |
| 6.2.6. | Antibiotic susceptibility test | 122 |
| 6.2.7. | Antibiosis activity tests | 122 |
| 6.2.8. | Extraction of dietary fibre from the pomace of <i>Lagenaria siceraria</i> | 123 |
| 6.2.9. | Cultivation of bacteria and growth measurement | 124 |
| 6.2.10. | Preparation of <i>Lagenaria siceraria</i> juice | 124 |
| 6.2.11. | <i>Lagenaria siceraria</i> juice and incorporation of | 125 |

| | | |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | prebiotic and probiotics | |
| 6.3. | Results | 125 |
| 6.3.1. | Identification of the isolated strains | 125 |
| 6.3.2. | General characteristics of the LAB strains | 128 |
| 6.3.3. | Growth at different pH, NaCl concentration and temperature | 129 |
| 6.3.4. | Tolerance of the LAB strains to acid and bile salts | 129 |
| 6.3.5. | Antibiotic susceptibility of the LAB strains | 130 |
| 6.3.6. | Antibiosis activity of the LAB strains | 131 |
| 6.3.7. | Cultivation of bacteria and growth measurement in carbohydrate free MRS broth media with different concentrations of <i>Lagenaria siceraria</i> soluble dietary fibre | 132 |
| 6.3.8. | Preparation of probiotic <i>Lagenaria siceraria</i> juice | 134 |
| 6.4. | Conclusions | 137 |
| | Bibliography | 137-141 |

Chapter 7

Conclusions and future scope of work

| | |
|----------------------|---------|
| Conclusions | 142-144 |
| Future scope of work | 144 |
| List of Publications | 145 |