

Table of Contents

	Contents	Page No.
	<i>Abstract</i>	<i>i-iv</i>
	<i>Declaration</i>	<i>v</i>
	<i>Certificate</i>	<i>vi</i>
	<i>Acknowledgement</i>	<i>vii-viii</i>
	<i>Contents</i>	<i>ix-xiii</i>
	<i>List of Tables</i>	<i>xiv</i>
	<i>List of Figures</i>	<i>xv-xvi</i>
	<i>List of Abbreviation</i>	<i>xvii-xix</i>
	Chapter I	1-7
	Introduction	
	Chapter II	8-46
	Review of Literature	
2.1	Papaya production and utilization	8
2.1.1	Nutritional and phytochemical profile	10
2.2	Papaya peel	12
2.2.1	Valorization of papaya peel	14
2.3	Papain	15
2.4	Extraction of bioactive compound	16
2.5	Pre-treatment for extraction	17
2.6	Extraction of papain	18
2.7	Extraction techniques	18
2.7.1	Ultrasound-assisted extraction	19
2.7.2	Microwave-assisted extraction	20
2.7.3	Enzyme-assisted extraction	20
2.7.4	Aqueous Two-Phase Extraction	21
2.8	Integration of different extraction techniques	22
2.8.1	Ultrasound combined with microwave technology	23
2.8.2	Ultrasound combined with enzymatic extraction	24
2.9	Freeze drying of extracted bioactive compounds	26
2.10	Spray drying of fruit juices	26

2.11	Application of bioactive compounds in development of food product	27
2.11.1	Functional Foods	28
2.12	Application of papain	29
2.12.1	Food processing	29
2.12.1.1	Meat tenderization	29
2.12.1.2	Dairy processing	30
2.12.2	Pharmaceutical industry	31
2.12.3	Textile industry	31
2.12.4	Cosmetic industry	32
2.13	References	33-46
Chapter III		
Effect of microwave and enzymatic pretreatment and type of solvent on kinetics of ultrasound assisted extraction of bioactive compounds from ripe papaya peel		47-82
3.1	Introduction	47-49
3.2	Materials and Methods	49-55
3.2.1	Sample collection	49
3.2.2	Chemical and reagents	49
3.2.3	Proximate and mineral analysis	50
3.2.4	Extraction Process	50
3.2.5	Quantitative Analysis	52
3.2.5.1	Total phenolic content	52
3.2.5.2	Total flavonoid content	52
3.2.5.3	Antioxidant activity (DPPH Assay)	53
3.2.6	Kinetic modeling	53
3.2.6.1	Second order reaction	53
3.2.6.2	Langmuir model	54
3.2.7	HPLC analysis	54
3.2.8	Statistical analysis	55
3.3	Result and Discussion	55-77
3.3.1	Proximate and mineral composition	55
3.3.2	Extraction yield	56
3.3.3	Effect of pretreatment on extraction kinetics	60

3.3.4	Effect of solvent on extraction kinetics	66
3.3.5	Effect of ultrasound on extraction of phytochemicals and antioxidant activity	71
3.3.6	HPLC analysis of extracted phytochemical extract	76
3.4	References	78-82
Chapter IV		
	Isolation of papain from ripe papaya peel using aqueous two-phase extraction and compare with conventional technique	83-101
4.1	Introduction	83-84
4.2	Materials and Methods	84-88
4.2.1	Raw materials	84
4.2.2	Extraction procedure of papain from papaya peel	84
4.2.2.1	Experiment design and Preparation of PEG/Salt ATPS	85
4.2.3	Extraction of papain enzyme using ethanol	85
4.2.4	Analytical tests	85
4.2.4.1	Proteolytic activity assays	85
4.2.4.2	Protein content assay	86
4.2.5	Determination of partition coefficient, purification factor and yield	86
4.2.6	Sodium dodecyl-sulfate polyacrylamide gel electrophoresis (SDS-PAGE)	87
4.2.7	GEL permeation chromatography	87
4.2.8	Statistical analysis	88
4.3	Result and Discussion	88-97
4.3.1	Aqueous two-phase extraction	88
4.3.1.1	Effect of salt concentration on extraction	89
4.3.1.2	Effect of polymer concentration on extraction	93
4.3.2	Ethanol extraction	94
4.3.3	SDS-PAGE	95
4.3.4	GEL permeation chromatography	96
4.4	References	98-101

Chapter V

Utilization of the papaya peel phytochemical extract for the enrichment of spray-dried watermelon juice powder	102-122
5.1 Introduction	102-103
5.2 Materials and methods	103-108
5.2.1 Raw materials and chemicals	103
5.2.2 Experiment design	103
5.2.3 Preparation of watermelon fruit juice and spray drying	104
5.2.4 Preparation of a phytochemical extract from papaya peel via freeze-drying	105
5.2.5 Determination of pH and total soluble solids of watermelon juice	105
5.2.6 Analysis of the spray-dried powder	105
5.2.6.1 Moisture content	106
5.2.6.2 Water activity	106
5.2.6.3 Dissolution test	106
5.2.6.4 Color measurement	106
5.2.6.5 Lycopene content	106
5.2.6.6 Particle density	107
5.2.7 Analysis of incorporated powder	107
5.2.7.1 Total phenolic content	107
5.2.7.2 Antioxidant activity (DPPH assay)	107
5.2.7.3 Sensory evaluation Test	108
5.2.8 Statistical analysis	108
5.3 Result and Discussion	108-117
5.3.1 Physiochemical properties of watermelon juice	108
5.3.2 Physiochemical properties of spray dried watermelon juice powder	109
5.3.2.1 Moisture content	109
5.3.2.2 Water activity	109
5.3.2.3 Color	110
5.3.2.4 Dissolution test	112
5.3.2.5 Lycopene content	112

5.3.2.6	Particle density	113
5.3.3	Properties of enriched spray dried powder	114
5.3.4.1	Phytochemical properties	115
5.3.4.1	Sensory evaluation	117
5.4	References	118-121
Chapter VI		
Tenderization of cut meat using papain enzyme extracted from papaya peel		122-145
6.1	Introduction	122-124
6.2	Materials and methods	124-126
6.2.1	Raw materials & chemicals	124
6.2.2	Extraction and purification of papain	124
6.2.3	Sample preparation	124
6.2.4	Texture analysis	125
6.2.5	Cooking	125
6.2.6	Sensory analysis	126
6.2.7	Statistical analysis	126
6.3	Result and Discussion	126-137
6.3.1	Aqueous two-phase extraction (ATPS)	126
6.3.2	Properties of tenderized meat	127
6.3.2.1	Texture profile of treated meat	127
6.3.2.2	Texture profile of boiled meat	132
6.3.3	Sensorial evaluation	136
6.4	References	138-141
Chapter VII		142-146
Summary, Conclusions and Future Scope		
List of Publications		