

List of contents

| Title | Page No |
|---|----------------|
| Abstract | i-v |
| Declaration | vi |
| Certificate | vii-viii |
| Acknowledgements | ix-x |
| Contents | xi-xv |
| List of Tables | xvi-xvii |
| List of Figures | xviii-xix |
| List of Abbreviations | xx |
| | |
| Chapter 1 | 1-20 |
| Introduction | |
| References | 21-33 |
| | |
| Chapter 2 | |
| | |
| Impact of extraction methods on functional properties and extraction kinetic of insoluble dietary fiber from green pea peels: A comparative analysis | |
| | |
| 2.1 Introduction | 34 |
| 2.2 Materials and methods | 36 |
| 2.2.1 Materials | 36 |
| 2.2.2 Sample preparation | 36 |
| 2.2.3 Alkaine extraction | 36 |
| 2.2.4 Ultrasound assisted extraction | 36 |
| 2.2.5 Ultrasound assisted alkaline extraction | 36 |
| 2.2.6 Water holding capacity | 37 |
| 2.2.7 Oil holding capacity | 37 |
| 2.2.8 Swelling capacity | 38 |
| 2.2.9 Color | 38 |
| 2.2.10 Scanning electron microscopy | 38 |

| | | |
|---------|--|----|
| 2.10.11 | Fourier transfer- infrared spectrometry | 38 |
| 2.10.12 | Thermal properties | 39 |
| 2.10.13 | Thermal decomposition | 39 |
| 2.10.14 | Extraction kinetics | 39 |
| 2.10.15 | Experimental design | 39 |
| 2.10.16 | Statistical analysis | 40 |
| 2.3 | Results and discussion | 40 |
| 2.3.1 | Response surface analysis | 43 |
| 2.3.2 | Comparison of extraction kinetics | 44 |
| 2.3.3 | Physicochemical properties | 45 |
| 2.3.4 | Functional properties | 46 |
| 2.3.5 | FT-IR analysis of extracted IDF from GPP | 47 |
| 2.3.6 | Thermal properties | 48 |
| 2.3.7 | Thermal decomposition | 48 |
| 2.3.8 | Morphology | 49 |
| 2.4 | Conclusion | 50 |
| | References | 51 |

Chapter 3

Effect of extrusion and enzyme modification on functional and structural properties of pea peel (*Pisum sativum* L.) insoluble dietary fiber and its effect on yogurt rheology

| | | |
|-------|--|----|
| 3.1 | Introduction | 56 |
| 3.2 | Materials and methods | 58 |
| 3.2.1 | Materials | 58 |
| 3.2.2 | Ultrasound- assisted alkaline extraction | 58 |
| 3.2.3 | Modification of IDF | 58 |
| 3.2.4 | Preparation of yogurt supplemented with modified IDF | 59 |
| 3.2.5 | Scanning electron microscopy | 59 |
| 3.2.6 | FT-IR | 59 |
| 3.2.7 | Crystallinity | 60 |
| 3.2.8 | Brunauer-Emmett-Teller surface area | 60 |

| | | |
|--------|--|----|
| 3.2.9 | Thermal properties | 60 |
| 3.2.10 | Thermal decomposition | 60 |
| 3.2.11 | Water retention capacity | 60 |
| 3.2.12 | Swelling capacity | 61 |
| 3.2.13 | Oil absorption capacity | 61 |
| 3.2.14 | Cation exchange capacity | 61 |
| 3.2.15 | Glucose adsorption capacity | 62 |
| 3.2.16 | Glucose dialysis retardation index | 62 |
| 3.2.17 | Color of the yogurt | 62 |
| 3.2.18 | Oscillatory dynamic rheology of yogurt | 63 |
| 3.2.19 | Statistical analysis | 63 |
| 3.3 | Results and discussion | 63 |
| 3.3.1 | Microstructure | 63 |
| 3.3.2 | FT-IR analysis | 65 |
| 3.3.3 | Crystalline structure | 66 |
| 3.3.4 | Surface area analysis | 68 |
| 3.3.5 | Thermal properties | 68 |
| 3.3.6 | Thermal decomposition | 69 |
| 3.3.7 | Physicochemical and functional properties | 70 |
| 3.3.8 | Glucose dialysis retardation index | 72 |
| 3.3.9 | Color of yogurt with modified and unmodified IDF | 73 |
| 3.3.10 | Rheological properties of yogurt with modified IDF | 74 |
| 3.4 | Conclusion | 76 |
| | Reference | 76 |

Chapter 4

Prebiotic activity of enzymatically modified pea peel dietary

fiber: an *in vitro* study

| | | |
|-------|---|----|
| 4.1 | Introduction | 80 |
| 4.2 | Materials and methods | 81 |
| 4.2.1 | Materials and bacterial strains | 82 |
| 4.2.2 | Extraction and enzymatic modification of pea peel insoluble dietary fiber | 82 |

| | | |
|---------|--|----|
| 4.2.3 | Prebiotic activity | 82 |
| 4.2.3.1 | Materials and bacterial strains | 82 |
| 4.2.3.2 | Extraction and enzymatic modification of pea peel insoluble dietary fiber | 82 |
| 4.2.3.3 | Prebiotic activity | 82 |
| 4.2.4 | In vitro gastrointestinal digestion | 84 |
| 4.2.5 | Statistical analysis | 84 |
| 4.3 | Results and discussion | 85 |
| 4.3.1 | The consumption of dietary fiber as carbon sources by prebiotics | 85 |
| 4.3.2 | Prebiotic activity | 86 |
| 4.3.3 | Growth kinetics of the Lactobacillus strain in glucose and dietary fiber medium | 88 |
| 4.3.4 | Effect on dietary fiber and glucose digestion | 92 |
| 4.4 | Conclusion | 94 |
| | References | 94 |

Chapter 5

Lactose free yogurt with enzymatically modified pea peel dietary fiber: its effect on texture, microstructure and rheological properties

| | | |
|--------|--|-----|
| 5.1 | Introduction | 97 |
| 5.2 | Materials and methods | 98 |
| 5.2.1 | Materials | 97 |
| 5.2.2 | Modification of dietary fiber | 97 |
| 5.2.3 | Lactose-free yogurt | 97 |
| 5.2.4 | Prebiotic effects on <i>L. bulgaricus</i> and <i>S. thermophiles</i> | 97 |
| 5.2.5 | pH, titratable acidity and syneresis | 97 |
| 5.2.6 | Degree of hydrolysis | 100 |
| 5.2.7 | Color | 100 |
| 5.2.8 | Texture analysis | 101 |
| 5.2.9 | Flow behaviour | 102 |
| 5.2.10 | Dynamic rheology | 102 |
| 5.2.11 | Microstructure | 102 |

| | | |
|------------------|--|-----|
| 5.2.12 | Sensory properties | 102 |
| 5.2.13 | Statistical analysis | 102 |
| 5.3 | Results and discussion | 102 |
| 5.3.1 | Incubation time, viable count and degree of hydrolysis | 102 |
| 5.3.2 | pH, syneresis and titratable acidity | 106 |
| 5.3.3 | Color | 107 |
| 5.3.4 | Texture profile analysis | 109 |
| 5.3.5 | Flow behaviour | 101 |
| 5.3.6 | Dynamic rheology | 101 |
| 5.3.7 | Microstructure | 115 |
| 5.3.8 | Sensory properties | |
| 5.4 | Conclusion | 116 |
| | References | 117 |
| Chapter 6 | | |
| | Conclusions | 121 |
| 6.1 | Conclusions | 123 |
| 6.2 | Furure prospects of the present study | 123 |
| | List of Publications | 124 |
| Annexure | | |