

<b>Contents</b>	<b>Page No</b>
<b>Abstract</b>	i
<b>Keywords</b>	xix
<b>Declaration by the Candidate</b>	xx
<b>Certificate of the Supervisor</b>	xxi
<b>Acknowledgement</b>	xxii
<b>List of Tables</b>	xxviii
<b>List of Figures</b>	xxxix
<b>List of Schemes</b>	li
<b>List of Abbreviation</b>	liii
<b>Chapter 1 Brief Introduction to Computational Chemistry</b>	<b>1.1-1.36</b>
[1.1] Introduction	1.1
[1.2] Density Functional Theory	1.1
[1.2.1] The Hohenberg-Kohn Theorems	1.2
[1.2.2] The Kohn-Sham Energy and the KS Equations	1.3
[1.2.3] The Local Density Approximation (LDA)	1.5
[1.2.4] The Local Spin Density Approximation (LSDA)	1.6
[1.2.5] The Generalized-Gradient Approximation (GGA)	1.6
[1.2.6] Hybrid Functional	1.7
[1.3] Basis Set	1.7
[1.3.1] Effective Core Potential (ECP)	1.8
[1.4] Quantum Theory of Atoms in Molecules (QTAIM)	1.9
[1.5] Energy Decomposition Analysis (EDA)	1.10
[1.6] Activation Strain Model (ASM)	1.12
[1.7] Brief description of the remaining chapters	1.13
[1.7.1] Chapter 2: In Search of Stable, Singlet Metalla <i>N</i> -Heterocyclic Carbene (MNHC) and Probing their Potential in Small Molecule Activation.	1.13

	[1.7.1.1] In Search of Stable Singlet Metalla- <i>N</i> -Heterocyclic Carbenes (MNHCs): A Contribution from Theory	1.13
	[1.7.1.2] Probing the Potential of Metalla- <i>N</i> -Heterocyclic Carbenes Towards Activation of Enthalpically Strong Bonds	1.15
	[1.7.2] Chapter 3: Activation of Small Molecules by Cyclic Alkyl Amino Silylenes (CAASis) and Germylenes (CAAGes): A Theoretical Study	1.15
	[1.7.3] Chapter 4: Ylide Decorated Monovalent Group 13 Carbenoids and Probing their potential towards Activation of Enthalpically Strong Bonds	1.17
	[1.7.3.1] Stable <i>N</i> -Heterocyclic Borylenes with Promising Ligand Properties: A Contribution from Theory	1.17
	[1.7.3.2] Unravelling the Potential of Ylides in Stabilizing Low-Valent Group 13 Compounds: Theoretical Predictions of Stable, Five-membered Group 13 (Al and Ga) Carbenoids Capable of Small Molecule Activation	1.19
	[1.7.4] Chapter 5: Understanding, Modulating and Leveraging Transannular M→Z Interactions	1.19
	[1.7.5] Chapter 6: Screening the Potential of Tripodal Vanadium Complexes Toward Dinitrogen Reduction	1.21
	[1.8] Bibliography	1.24
<b>Chapter 2</b>	<b>In Search of Stable, Singlet Metalla <i>N</i>-Heterocyclic Carbene (MNHC) and Probing their Potential in Small Molecule Activation.</b>	2.1-2.62
	[2.1] In Search of Stable Singlet Metalla- <i>N</i> -Heterocyclic Carbenes (MNHCs): A Contribution from Theory	2.1
	[2.1.1] Introduction	2.1
	[2.1.2] Computational Details	2.3

[2.1.3]	Results and Discussion	2.5
[2.1.3.1]	Geometries	2.5
[2.1.3.2]	Singlet-Triplet Energy Separations	2.8
[2.1.3.3]	Ligand Properties	2.11
[2.1.3.4]	Proton Affinities	2.14
[2.1.3.5]	Gallium Pyramidalization	2.15
[2.1.3.6]	<i>p</i> Ka values	2.15
[2.1.3.7]	Nucleophilicity index ( <i>N</i> )	2.16
[2.1.4]	Conclusions	2.17
[2.1.5]	Bibliography	2.18
[2.2]	Probing the Potential of Metalla- <i>N</i> -Heterocyclic Carbenes Towards Activation of Enthalpically Strong Bonds	2.26
[2.2.1]	Introduction	2.26
[2.2.2]	Computational Details	2.27
[2.2.3]	Results and Discussion	2.28
[2.2.3.1]	Activation of Dihydrogen	2.31
[2.2.3.2]	Activation of Ammonia	2.34
[2.2.3.3]	Activation of Phosphine	2.42
[2.2.3.4]	Activation of Silane	2.47
[2.2.4]	Conclusions	2.53
[2.2.5]	Bibliography	2.54
<b>Chapter 3</b>	<b>Activation of Small Molecules by Cyclic Alkyl Amino Silylenes (CAASis) and Germylenes (CAAGes): A Theoretical Study</b>	3.1-3.47
[3.1]	Introduction	3.1
[3.2]	Computational Details	3.3
[3.3]	Results and Discussion	3.4
[3.3.1]	Activation of Dihydrogen	3.12
[3.3.2]	Activation of Ammonia	3.18
[3.3.3]	Activation of Toluene	3.26

	[3.3.4] Activation of Triethylsilane	3.30
	[3.4] Conclusions	3.38
	[3.5] Bibliography	3.39
<b>Chapter 4</b>	<b>Ylide Decorated Monovalent Group 13 Carbenoids and Probing their potential towards Activation of Enthalpically Strong Bonds</b>	4.1-4.96
	[4.1] Stable <i>N</i> -Heterocyclic Borylenes with Promising Ligand Properties: A Contribution from Theory	4.1
	[4.1.1] Introduction	4.1
	[4.1.2] Computational Details	4.2
	[4.1.3] Results and Discussion	4.5
	[4.1.3.1] Activation of Dihydrogen	4.11
	[4.1.3.2] Activation of Ammonia	4.15
	[4.1.3.3] Activation of Methane	4.24
	[4.1.3.4] Activation of Fluorobenzene	4.31
	[4.1.4] Conclusions	4.38
	[4.1.5] Bibliography	4.39
	[4.2] Unravelling the Potential of Ylides in Stabilizing Low-Valent Group 13 Compounds: Theoretical Predictions of Stable, Five-membered Group 13 (Al and Ga) Carbenoids Capable of Small Molecule Activation	4.48
	[4.2.1] Introduction	4.48
	[4.2.2] Computational Details	4.50
	[4.2.3] Results and Discussion	4.51
	[4.2.3.1] Activation of Dihydrogen	4.57
	[4.2.3.2] Activation of Diphenylphosphine	4.61
	[4.2.3.3] Activation of Silane (SiH <sub>3</sub> Ph)	4.67
	[4.2.3.4] Activation of Hexafluorobenzene	4.74
	[4.2.3.5] Reaction with Acetylene	4.79
	[4.2.4] Conclusions	4.88
	[4.2.6] Bibliography	4.89

<b>Chapter 5</b>	<b>Understanding, Modulating and Leveraging Transannular M→Z Interactions</b>	5.1-5.38
[5.1]	Introduction	5.1
[5.2]	Computational Details	5.2
[5.3]	Results and Discussion	5.4
[5.4]	Topological Analysis	5.22
[5.5]	EDA-NOCV Analysis	5.26
[5.6]	Conclusions	5.30
[5.7]	Bibliography	5.31
<b>Chapter 6</b>	<b>Screening the Potential of Tripodal Vanadium Complexes toward Dinitrogen Reduction Process</b>	6.1-6.47
[6.1]	Introduction	6.1
[6.2]	Computational Details	6.4
[6.3]	Results and Discussion	6.6
	[6.3.1] Formation of the Diazenido Complex	6.6
	[6.3.2] Formation of the Nitride Complex	6.19
	[6.3.3] Release of Hydrazine	6.21
	[6.3.4] Nitrogen Reduction Reaction (NRR) with [1c'']	6.22
	[6.3.5] Dissociation of NH <sub>3</sub> and Addition of N <sub>2</sub>	6.37
[6.4]	Conclusions	6.39
[6.5]	Bibliography	6.40
[7.1]	List of Publications	7.1
[8.1]	List of Conferences attended	8.1