

CONTENTS

Topic	Page no.
<i>Abstract</i>	i-ix
<i>Declaration by the candidate</i>	x
<i>Certificate of supervisor</i>	xi
<i>Acknowledgement</i>	xii-xiii
<i>List of figures</i>	xvi-xvii
<i>List of schemes</i>	xviii-xxii
<i>List of tables</i>	xxiv
<i>List of abbreviations, acronyms, and symbols</i>	xxv-xxvi
Chapter 1 General Introduction	1.1-1.25
1.1 Multicomponent Reactions	1.1-1.13
1.1.1 Synthetic approaches in MCRs	1.2-1.3
1.1.2 Green chemistry in MCRs	1.3- 1.13
1.2 Arylidene/alkylidene barbiturates/thiobarbiturates	1.13-1.16
1.2.1 Synthesis of 5-arylidene/alkylidene derivatives of barbituric and thiobarbituric acids	1.13-1.15
1.2.2 Reactivity of 5- alkylidene/arylidenebarbiturates/thiobarbiturates	1.15-1.16
1.3 Objectives of the work	1.16-1.18
References	1.18-1.25
Chapter 2: On-water multicomponent synthesis of 5-aryl- pyrano[2,3-<i>d</i>:6,5-<i>d'</i>]dipyrimidinetetraones	2.1-2.59
2.1 Introduction	2.1-2.8
Section 2.1: Base mediated synthesis of unsymmetrical 5-aryl- pyrano[2,3-<i>d</i>:6,5-<i>d'</i>]dipyrimidinetetraones	2.9-2.29
2.1.1 Introduction	2.9-2.10
2.1.2 Results and discussion	2.10-2.19
2.1.3 Experimental section	2.20-2.21
2.1.4 Conclusion	2.21-2.21
2.1.5 Characterisation data of the products	2.22-2.28
2.1.6 Representative NMR spectra	2.29-2.29

Section 2.2: FeCl ₃ ·6H ₂ O catalysed “on-water” synthesis of unsymmetrical 5-aryl-pyranodipyrimidine-tetraones	2.30-2.53
2.2.1 Introduction	2.31-2.33
2.2.2 Results and discussion	2.34-2.40
2.2.3 Experimental section	2.41-2.42
2.2.4 Conclusion	2.42-2.42
2.2.5 Characterisation data of the products	2.43-2.52
2.2.6 Representative NMR spectra	2.53-2.53
References	2.54-2.59
Chapter 3: “On-water” synthesis of heterocycles functionalised chromenopyrimidines from benzylidene barbiturates of 2-hydroxy benzaldehydes	3.1-3.77
3.1 Introduction	3.1-3.4
Section 3.1: Base controlled selective synthesis of barbiturate functionalised chromeno[2,3- <i>d</i>]pyrimidines and 5-arylpyranodipyrimidines from benzylidene barbiturates of 2-hydroxybenzaldehydes	3.5-3.25
3.1.1 Introduction	3.5-3.6
3.1.2 Results and discussion	3.6-3.15
3.1.3 Experimental section	3.15-3.17
3.1.4 Conclusion	3.17-3.18
3.1.5 Characterisation data of the products	3.18-3.24
3.1.6 Representative NMR spectra	3.25-3.25
Section 3.2: Iodine-acetic acid catalysed synthesis of 6-aminouracil, 4-hydroxycoumarin, and barbituric acid functionalised chromeno[2,3- <i>d</i>]pyrimidines	3.26-3.69
3.2.1 Introduction	3.27-3.32
3.2.2 Results and discussion	3.32-3.49
3.2.3 Experimental section	3.49-3.52
3.2.4 Conclusion	3.52-3.52
3.2.5 Characterisation data of the products	3.52-3.65
3.2.6 Representative NMR spectra	3.66-3.69
References	3.70-3.77
Chapter 4: Development of green methodologies for the synthesis of 5-aryl/spiro-[1,2,4]-triazolidine-3-thiones	4.1-4.70

4.1	Introduction	4.1-4.10
Section 4.1:	Liquid assisted mechanochemical synthesis of 5-aryl/spiro-[1,2,4]-triazolidine-3-thiones	4.11-4.38
4.1.1	Introduction	4.11-4.13
4.1.2	Results and discussion	4.13-4.24
4.1.3	Experimental section	4.24-4.26
4.1.4	Conclusion	4.26-4.27
4.1.5	Characterisation data of the products	4.27-4.33
4.1.6	Representative NMR spectra	4.34-4.38
Section 4.2:	Trisodium citrate dihydrate catalysed “on-water” sonochemical synthesis of 5-aryl/spiro triazolidone-3-thiones	4.39-4.60
4.2.1	Introduction	4.39-4.41
4.2.2	Results and discussion	4.41-4.49
4.2.3	Experimental section	4.49-4.51
4.2.4	Conclusion	4.51-4.51
4.2.5	Characterisation data of the products	4.51-4.58
4.2.6	Representative NMR spectra	4.59-4.60
	References	4.61-4.70
Chapter 5:	Conclusion and future scopes	5.1-5.4
	Appendix	A1-A2