

Table of Contents

| | |
|---|-------|
| Abstract | i |
| Declaration | v |
| Certificate of the Principal Supervisor | vi |
| Certificate of the External Examiner and ODEC | vii |
| Acknowledgements | viii |
| Table of Contents | x |
| List of Figures | xviii |
| List of Tables | xxii |
| List of Abbreviations | xxxii |
| List of Publications | |
| Conference Proceedings | |

| CHAPTER NO. | Name of the Chapter | Page No. |
|-------------|--|----------|
| CHAPTER 1 : | Motivation and Outline of the Thesis | |
| 1.1 | Motivation of the present work | 1 |
| 1.2 | Outline of the thesis | 3 |
| CHAPTER 2 : | Introduction and Review of Literature | |
| 2.1 | Protein folding and misfolding | 5 |
| 2.2 | Protein aggregation | 6 |
| 2.3 | Intrinsically disordered protein and its link to protein aggregation | 9 |
| 2.4 | Neurodegenerative disease | 10 |
| 2.5 | Alzheimer's disease (AD) | 11 |
| 2.5.1 | Background of AD | 12 |
| 2.5.2 | Occurrence and symptoms of AD | 13 |
| 2.5.3 | Occurrence of AD in India | 15 |
| 2.5.4 | Causes of AD | 15 |
| 2.5.5 | Amyloid-Beta (A β) peptide | 16 |
| 2.5.5.1 | Production of A β peptide from APP | 17 |

Contents

| | | |
|---------------------------------------|---|----|
| 2.5.5.2 | Functions of A β ₁₋₄₂ peptide | 18 |
| 2.5.5.3 | Monomers of A β ₁₋₄₂ peptide | 19 |
| 2.5.5.4 | Dimerization of A β ₁₋₄₂ peptide | 19 |
| 2.5.5.5 | Oligomers and fibrils of A β ₁₋₄₂ Peptide | 20 |
| 2.5.6 | Effects of Mutations Linked with Inherited AD | 21 |
| 2.5.7 | Inhibitors of A β ₁₋₄₂ peptide aggregation and current treatment of AD | 22 |
| 2.6 | Parkinson's disease (PD) | 23 |
| 2.6.1 | Background of PD | 23 |
| 2.6.2 | Occurrence and symptoms of PD | 24 |
| 2.6.3 | Occurrence of PD in India | 25 |
| 2.6.4 | Causes of PD | 26 |
| 2.6.5 | Alpha-Synuclein (α S) protein | 27 |
| 2.6.5.1 | Functions of α -Synuclein | 30 |
| 2.6.5.2 | Association of α -Synuclein protein with PD | 31 |
| 2.6.5.3 | Mutations in α -Synuclein | 32 |
| 2.6.5.4 | Aggregation of α -Synuclein | 33 |
| 2.6.5.5 | Important factors for the aggregation mechanism of α -Synuclein | 34 |
| 2.6.5.6 | Proto-fibrils of α -Synuclein | 35 |
| 2.6.5.7 | Membrane interactions of α -Synuclein | 36 |
| 2.6.6 | Inhibitors of α -Synuclein aggregation and current treatment of PD | 37 |
| 2.7 | Interaction of A β ₁₋₄₂ peptide and α -Synuclein | 38 |
| 2.7.1 | Synergistic interactions between Amyloid- β and α -Synuclein | 39 |
| 2.7.2 | Direct interactions between Amyloid- β and α -Synuclein | 40 |
| 2.8 | Scope of the Thesis | 41 |
| 2.9 | Main Objectives of the Thesis | 42 |
| CHAPTER 3 : Materials and Methods | | |
| 3.1 | Tools and Techniques | 43 |
| 3.1.1 | Molecular dynamics (MD) simulation | 43 |
| 3.1.1.1 | History of MD Simulation | 43 |
| 3.1.1.2 | Theory of MD Simulation | 44 |

| | | Contents |
|--|--|-----------------|
| 3.1.1.3 | Force field (FF) | 46 |
| 3.1.1.4 | Long range interactions: Ewald sum | 48 |
| 3.1.1.5 | Dealing with molecules: SHAKE algorithm | 49 |
| 3.1.1.6 | Periodic Boundary conditions | 50 |
| 3.1.1.7 | Temperature and Pressure computation and control | 51 |
| 3.1.1.8 | Water molecule models | 53 |
| 3.1.1.9 | Molecular Dynamics steps | 54 |
| 3.1.2 | Potential of mean force (PMF) | 58 |
| 3.1.2.1 | Umbrella Sampling (US) | 58 |
| 3.1.2.2 | Running the umbrella sampling calculations | 59 |
| 3.1.2.3 | The weighted histogram analysis method (WHAM) for free-energy calculations | 60 |
| 3.1.3 | The molecular mechanics energies combined with the Poisson Boltzmann or generalized Born and surface area continuum solvation method (MM-PBSA and MM-GBSA) | 61 |
| 3.14 | PDBsum | 64 |
| 3.1.5 | Molecular Docking | 66 |
| 3.1.6 | In-silico prediction of protein-protein interaction | 68 |
| 3.1.7 | 3-D structure visualization tools | 69 |
| 3.1.8 | Analysis of MD Trajectories | 70 |
| | | |
| CHAPTER 4 : Study of the effect of ionic strength on Aβ₁₋₄₂ aggregation | | |
| 4.1 | Abstract | 73 |
| 4.2 | Introduction | 74 |
| 4.3 | Materials & Methods | 76 |
| 4.3.1 | Preparation of the Initial Structures | 76 |
| 4.3.2 | Molecular Dynamics Simulation protocol | 77 |
| 4.3.3 | Analysis of the MD Trajectories | 79 |

Contents

| | | |
|--|---|-----|
| 4.4 | Results and discussion | 79 |
| 4.4.1 | Interpretations of MD Trajectories for A β ₁₋₄₂ Peptide in the three Explicit Systems | 79 |
| 4.4.2 | Analysis of Secondary Structure | 81 |
| 4.4.3 | Analysis of Conformational Snapshots | 82 |
| 4.4.4 | Analysis of Hydrogen bonds | 84 |
| 4.4.5 | Analysis of Diffusion Coefficient | 90 |
| 4.5 | Conclusion | 91 |
| | | |
| CHAPTER 5 : Study of the effect of peptides on dimerization and aggregation of A β ₁₋₄₂ peptide | | |
| | | |
| 5.1 | Abstract | 93 |
| 5.2 | Introduction | 93 |
| 5.3 | Materials & Methods | 96 |
| 5.3.1 | Molecular docking and the preparation of the initial structure | 96 |
| 5.3.1.1 | Preparation of receptor | 96 |
| 5.3.1.2 | Preparation of ligand | 96 |
| 5.3.1.3 | Preparation of A β ₁₋₄₂ -A β ₁₋₄₂ homodimer complex | 96 |
| 5.3.1.4 | Preparation of A β ₁₋₄₂ -CTerm heterodimer complex | 98 |
| 5.3.2 | Molecular Dynamics (MD) simulation of A β ₁₋₄₂ -A β ₁₋₄₂ Homodimer and A β ₁₋₄₂ -CTerm Heterodimer complexes | 100 |
| 5.3.3 | Potential of Mean Force (PMF) calculation | 101 |
| 5.3.4 | MMPBSA/ GBSA Binding free energy calculation | 102 |
| 5.4 | Results and discussion | 102 |
| 5.4.1 | Potential of Mean Force (PMF) profile | 102 |
| 5.4.2 | Binding Free Energy (BFE) Analysis | 105 |
| 5.4.3 | Contribution of individual residues in the formation of A β ₁₋₄₂ -A β ₁₋₄₂ Homodimer complex and A β ₁₋₄₂ -CTerm Heterodimer complex | 108 |
| 5.5 | Conclusion | 110 |

CHAPTER 6: Study of the role of small molecule inhibitor in preventing aggregation of A β ₁₋₄₂ peptide

| | | |
|-----------|---|-----|
| 6.1 | Abstract | 111 |
| 6.2 | Introduction | 111 |
| 6.3 | Materials & Methods | 113 |
| 6.3.1 | System preparation | 113 |
| 6.3.1.1 | Preparation of receptor | 113 |
| 6.3.1.2 | Preparation of ligand | 113 |
| 6.3.1.3 | Preparation of the complex | 114 |
| 6.3.2 | Setup for MD simulations | 116 |
| 6.3.3 | Analysis of the MD Trajectories | 116 |
| 6.3.4 | MMPBSA/ GBSA Binding free energy and PRED calculation | 117 |
| 6.4 | Results and Discussion | 117 |
| 6.4.1 | Molecular docking of RSV with A β ₁₋₄₂ peptide monomer | 117 |
| 6.4.2 | RSV maintains A β ₁₋₄₂ peptide monomer stability and avoids conformational change | 118 |
| 6.4.2.1 | Effect of RSV on the structural stability of A β ₁₋₄₂ peptide monomer | 119 |
| 6.4.2.1.1 | Root Mean Square Deviation (RMSD) analysis | 119 |
| 6.4.2.1.2 | Root Mean Square Fluctuation (RMSF) Analysis | 120 |
| 6.4.2.1.3 | Radius of gyration (R_g) Analysis | 121 |
| 6.4.2.1.4 | Solvent Accessible Surface Area (SASA) Analysis | 121 |
| 6.4.2.2 | Secondary structure analysis of A β ₁₋₄₂ peptide monomer and (A β ₁₋₄₂ peptide + RSV) complex | 122 |
| 6.4.3 | Analysis of the conformational dynamics | 124 |
| 6.4.4 | Hydrogen bond analysis | 125 |
| 6.4.5 | RSV destabilizes the salt-bridge distance (D23-K28) in (A β ₁₋₄₂ peptide + RSV) complex | 139 |
| 6.4.6 | Binding free energy analysis between RSV and A β ₁₋₄₂ peptide monomer | 142 |
| 6.4.7 | Per-residue energy decomposition (PRED) analysis | 143 |

Contents

| | | |
|-----|------------|-----|
| 6.5 | Conclusion | 144 |
|-----|------------|-----|

CHAPTER 7: Study of inhibition of α -Synuclein aggregation using crowding agents

| | | |
|---------|---|-----|
| 7.1 | Abstract | 146 |
| 7.2 | Introduction | 146 |
| 7.3 | Materials & Methods | 148 |
| 7.3.1 | System Preparation | 148 |
| 7.3.1.1 | Preparation of receptor | 148 |
| 7.3.1.2 | Preparation of crowding agent | 148 |
| 7.3.1.3 | Preparation of the complexes | 148 |
| 7.3.2 | Setup for MD simulations | 149 |
| 7.4 | Results and Discussion | 149 |
| 7.4.1 | Analysis of the conformational changes observed during different intervals of simulation period | 149 |
| 7.4.2 | Structural properties of the complexes from the MD simulation | 152 |
| 7.4.2.1 | Root Mean Square Deviation (RMSD) analysis | 152 |
| 7.4.2.2 | Root Mean Square Fluctuation (RMSF) Analysis | 154 |
| 7.4.2.3 | Radius of gyration (R_g) Analysis | 155 |
| 7.4.3 | Secondary structure analysis | 155 |
| 7.4.4 | Analysis of Diffusion Coefficient | 158 |
| 7.5 | Conclusion | 159 |

CHAPTER 8 : Study of the effect of peptides on α -Synuclein aggregation

| | | |
|-------|---------------------------|-----|
| 8.1 | Abstract | 160 |
| 8.2 | Introduction | 161 |
| 8.3 | Materials & Methods | 162 |
| 8.3.1 | Preparation of the system | 162 |

| | | |
|---------|--|-----|
| 8.3.1.1 | Preparation of the ligands | 162 |
| 8.3.1.2 | Preparation of the receptor | 162 |
| 8.3.1.3 | Preparation of the complexes | 162 |
| 8.3.2 | Molecular Dynamics (MD) simulation of (α -Synuclein-K84s) and (α -Synuclein-K102s) complexes | 163 |
| 8.3.3 | MD analyses | 163 |
| 8.3.4 | Binding free energy | 164 |
| 8.4 | Results and Discussion | 164 |
| 8.4.1 | Structural properties of the (α -Synuclein-K84s) and (α -Synuclein-K102s) complexes from the MD simulation | 164 |
| 8.4.1.1 | Root Mean Square Deviation (RMSD) analysis | 164 |
| 8.4.1.2 | Root Mean Square Fluctuation (RMSF) Analysis | 166 |
| 8.4.2 | Hydrogen bond analysis | 168 |
| 8.4.3 | Contribution of interface residues | 170 |
| 8.4.4 | Secondary structure analysis calculation | 177 |
| 8.4.5 | Binding free energy calculation | 179 |
| 8.5 | Conclusion | 183 |

CHAPTER 9 : Study of the role of natural compound in preventing aggregation of α -Synuclein

| | | |
|---------|---|-----|
| 9.1 | Abstract | 184 |
| 9.2 | Introduction | 184 |
| 9.3 | Materials & Methods | 185 |
| 9.3.1 | Molecular docking and the preparation of initial structures | 185 |
| 9.3.1.1 | Preparation of receptor | 185 |
| 9.3.1.2 | Preparation of ligand | 185 |
| 9.3.1.3 | Preparation of the complex | 186 |
| 9.3.2. | Setup for MD simulations | 188 |
| 9.3.3 | MMPBSA/ GBSA Binding free energy calculation | 189 |
| 9.4 | Results and Discussion | 189 |

Contents

| | | |
|---|---|-----|
| 9.4.1 | Conformational analysis of α -Synuclein (apo) and (α -Synuclein + OleA) complex | 189 |
| 9.4.1.1 | Root Mean Square Deviation (RMSD) analysis | 189 |
| 9.4.1.2 | Radius of gyration (R_g) Analysis | 190 |
| 9.4.1.3 | Solvent Accessible Surface Area (SASA) Analysis | 190 |
| 9.4.1.4 | B-factor analysis | 191 |
| 9.4.2 | Analysis of the conformational changes observed during different intervals of simulation period | 194 |
| 9.4.3 | Secondary structure analysis | 199 |
| 9.4.4 | Hydrogen bond analysis | 201 |
| 9.4.5 | Analysis of the hydrophobic contacts | 205 |
| 9.4.6 | Analysis of the distance between NAC and C-terminal domains for the two systems | 206 |
| 9.4.7 | MM-PBSA and MM-GBSA calculations of (α -Synuclein + OleA) complex | 208 |
| 9.5 | Conclusion | 216 |
| CHAPTER 10 Summary and Future Prospects | | |
| 10.1 | Overview of Results | 217 |
| 10.2 | Future Prospects | 220 |
| | BIBLIOGRAPHY | 221 |