

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Association Rule Mining (ARM) . . . . .	2
1.2	Background Literature . . . . .	2
1.3	With Candidate Generation . . . . .	4
1.4	Without Candidate Generation Phase . . . . .	5
1.5	Problem Statement . . . . .	6
1.6	Motivation . . . . .	6
1.7	Objective . . . . .	7
1.8	Organization of the Thesis . . . . .	8
<b>2</b>	<b>Literature Survey</b>	<b>9</b>
2.1	Different Set Representation Techniques available . . . . .	9
2.2	Generation of Itemsets with Candidate Generation . . . . .	10
2.2.1	Apriori . . . . .	10
2.2.2	DIC . . . . .	11
2.2.3	SETM . . . . .	12
2.2.4	AIS . . . . .	12
2.3	Generation of Itemsets without Candidate Generation . . . . .	13

## Contents

---

2.3.1	FP-growth . . . . .	13
2.3.2	ECLAT . . . . .	13
2.3.3	LCOFI . . . . .	13
2.3.4	IR-Eclat . . . . .	14
2.3.5	CAFP . . . . .	14
2.3.6	Meta-PCP . . . . .	14
2.4	Itemset Generation . . . . .	15
2.4.1	Different Types of Set Representation used in ARM . . . . .	15
2.5	Conclusion . . . . .	16
<b>3</b>	<b>Proposed Representation of Itemset</b>	<b>17</b>
3.1	Motivation . . . . .	17
3.2	Description of Proposed Representation . . . . .	19
3.2.1	Dealing Numerical Attributes . . . . .	21
3.2.2	Dealing Categorical Attributes . . . . .	22
3.3	Theoretical Analysis . . . . .	23
3.3.1	Effect of Attribute Values on the size of a single itemset . . . . .	23
3.3.2	Existing Representations . . . . .	23
3.3.3	Proposed Representation . . . . .	25
3.4	Evaluation of the Performance of Proposed Representation for Apriori Algorithm . . . . .	27
3.4.1	Apriori Algorithm . . . . .	27
3.4.2	Incorporating the Itemset Representation for the Apriori and its variants . . . . .	28
3.4.2.1	Itemset Generation . . . . .	28

## Contents

---

3.4.2.2	Proof of Correctness . . . . .	29
3.4.2.3	Proof of Completeness . . . . .	30
3.4.3	Incorporating the Searching Techniques for Itemsets in the Apriori Algorithm . . . . .	31
3.4.3.1	Performance Analysis of Linear Search Technique used in Apriori Algorithm . . . . .	32
3.4.3.2	Performance Analysis of Binary Search Techniques used in Apriori Algorithm . . . . .	32
3.4.3.3	Conclusion . . . . .	36
<b>4</b>	<b>Graph Based Itemset Mining</b>	<b>40</b>
4.1	Motivation for Graph Based Data Algorithm . . . . .	40
4.2	Introduction to Graph Based Data Structure . . . . .	41
4.3	Proposed Graph Based Algorithm . . . . .	41
4.4	Experimental Results . . . . .	42
4.5	Evaluation of the Proposed Algorithm . . . . .	44
4.6	Proof of Correctness . . . . .	50
4.7	Proof of Completeness . . . . .	52
4.8	Discussion and Conclusion . . . . .	52
<b>5</b>	<b>Generate Rules from Mined Frequent Itemsets</b>	<b>53</b>
5.1	Introduction . . . . .	53
5.1.1	Agarwal's Algorithm . . . . .	54
5.1.2	Srikant's 1 <sup>st</sup> Algorithm . . . . .	54
5.1.3	Srikant's 2 <sup>nd</sup> Algorithm . . . . .	55
5.1.4	NBG's Algorithm . . . . .	55

## **Contents**

---

5.2	Rule Generation with Existing Representation . . . . .	55
5.3	Rule Generation with Proposed Representation . . . . .	68
5.4	Discussion and Conclusion . . . . .	69
<b>6</b>	<b>Conclusion and Future Direction</b>	<b>72</b>
6.1	Inferences . . . . .	72
6.2	Future Work . . . . .	72
<b>A</b>	<b>Publication List</b>	<b>74</b>