

## CONTENTS

	Page No.
a) Abstract	i-iv
b) Declaration by the candidate	v
c) Certificate of the supervisor	vi
d) Acknowledgement	vii-ix
e) Table of contents	x-xiii
f) List of tables	xiv
g) List of figures	xv-xix
h) List of abbreviations	xx-xxi
i) List of symbols	xxii
<b>Chapter I: Introduction</b>	<b>1-23</b>
1.1 Overview	1
1.2 Layered transition metal dichalcogenides (TMDCs)	2
1.2.1 Structure and polymorphism in TMDCs	2
1.2.2 Properties	3
1.2.2.1 Electronic	3
1.2.2.2 Optical	4
1.2.2.3 Optoelectronic	4
1.2.2.4 Vibrational	4
1.2.2.5 Chemical	5
1.2.2.6 Enzymatic	5
1.2.3 Synthesis of transition metal dichalcogenides	6
1.2.4 Applications	8
1.2.4.1 Chemical sensing	8
1.2.4.2 Antipathogenic activity	9
1.3 Objectives of the present study	11
1.4 Outline of this thesis	11
References	13
<b>Chapter II: Synthesis, characterization, and laser-irradiated analysis of semiconducting nanostructured TMDC systems</b>	<b>24-49</b>
2.1 Introduction	24
2.2 WS <sub>2</sub> and MoS <sub>2</sub> nanosheets	25
2.2.1 Liquid-mediated exfoliation of WS <sub>2</sub> and MoS <sub>2</sub>	25
2.2.2 Crystallographic analysis	26
2.2.3 Morphological analysis of WS <sub>2</sub> and MoS <sub>2</sub> nanosheets	27

2.2.4	Raman Spectroscopic data analysis of WS <sub>2</sub> and MoS <sub>2</sub> nanosheets	28
2.2.5	UV-vis spectroscopic data analysis of WS <sub>2</sub> and MoS <sub>2</sub> nanosheets	29
<b>2.3</b>	<b>Laser assisted phase transition and formation of inorganic fullerene (IF)-like WS<sub>2</sub> nanostructures</b>	<b>30</b>
2.3.1	Exfoliation of WS <sub>2</sub>	31
2.3.2	Instrumentation	32
2.3.3	Results and discussions	32
<b>2.4</b>	<b>Conclusion</b>	<b>40</b>
	References	41
<b>Chapter III: Heavy metal ion sensing and mechanisms based on nanostructured WS<sub>2</sub> based system</b>		<b>50-76</b>
<b>3.1</b>	<b>Introduction</b>	<b>50</b>
<b>3.2</b>	<b>Experimental details</b>	<b>52</b>
3.2.1	Synthesis of WS <sub>2</sub> nanosheets	52
3.2.2	Instrumentation details	53
3.2.3	Fabrication of sensing unit	53
3.2.4	Sensor-setup and measurement techniques	54
3.2.5	Preparations of standard solutions of heavy metal ions	54
<b>3.3</b>	<b>Results and discussions</b>	<b>54</b>
3.3.1	X-ray Diffraction (XRD)	54
3.3.2	Scanning Electron Microscope (SEM)	55
3.3.3	Raman spectroscopy	55
3.3.4	Electrical characterizations	55
3.3.4.1	Effects of heavy metal ions on the <i>I-V</i> characteristic graph of the sensor unit	56
3.3.4.2	Selectivity of the proposed sensor unit	60
3.3.4.3	Selection of the best conditions for calibration of Zn <sup>2+</sup> ions	62
3.3.5	Limit of detection (LOD), Limit of Quantification (LOQ), sensitivity, and linear range of the proposed sensor unit	62
3.3.6	Reversibility and repeatability	63
3.3.7	Interference study	63
3.3.8	Principle of sensing	65
3.3.9	Comparison with other studies	68
<b>3.4</b>	<b>Conclusion</b>	<b>69</b>
	References	69

<b>Chapter IV: Photoconductive attributes of nanostructured WS<sub>2</sub> based resistive system coupled with <math>1/f</math> dependent noise</b>	<b>77-93</b>
4.1 Introduction	77
4.2 Experimental Details	78
4.3 Results and discussions	79
4.3.1 Morphological and crystallographic analysis	79
4.3.2 Raman Analysis	80
4.3.3 Electrical characteristics	80
4.3.3.1 Current-voltage ( $I-V$ ) characteristics of the untreated resistive unit	80
4.3.3.2 $I-V$ characteristics of a resistive unit at different fabrication stage	81
4.3.3.3 Nature of the induced noise	82
4.3.3.4 Effect of different laser sources on electrical characteristics of WS <sub>2</sub> /Cu system	83
4.4 Conclusion	88
References	89
<b>Chapter V: Antimicrobial attributes of different nanostructured WS<sub>2</sub> and MoS<sub>2</sub> systems against multiple pathogens</b>	<b>94-117</b>
5.1 Introduction	94
5.2 Experimental details	95
5.2.1 Agar well diffusion assay	95
5.2.1.1 Preparation of lysogeny broth (LB) and potato dextrose broth (PDB) media	95
5.2.1.2 Inoculation of LB (Miller) agar and potato dextrose agar media and making of wells	97
5.2.1.3 Boring of wells and pouring of TMDC specimens on wells	97
5.2.2 Preparation of WS <sub>2</sub> and MoS <sub>2</sub> nanostructures (Method 1)	98
5.3 Results (Method 1)	99
5.3.1 Characterization of synthesized nanostructures	99
5.3.1.1 X-ray diffraction (XRD) spectroscopy	99
5.3.1.2 UV-vis Spectroscopy	99
5.3.1.3 Raman Spectroscopy	101
5.3.1.4 Transmission Electron Microscopy (TEM)	101
5.3.2 Screening for antimicrobial activity	103
5.4 Experimental details and antimicrobial assessment (Method 2)	107
5.4.1 Preparation of WS <sub>2</sub> and MoS <sub>2</sub> specimens	107
5.4.2 Screening for antimicrobial activity	107

<b>5.5</b>	Experimental details and antimicrobial assessment (Method 3)	<b>107</b>
5.5.1	Preparation of WS <sub>2</sub> and MoS <sub>2</sub> specimens	<b>107</b>
5.5.2	Screening for antimicrobial activity	<b>107</b>
<b>5.6</b>	Experimental details and antimicrobial assessment (Method 4)	<b>108</b>
5.6.1	Preparation of WS <sub>2</sub> and MoS <sub>2</sub> specimens	<b>108</b>
5.6.2	Screening of antimicrobial activity	<b>108</b>
<b>5.7</b>	Discussions	<b>109</b>
5.7.1	Comparison of antimicrobial activities of WS <sub>2</sub> and MoS <sub>2</sub> specimens exfoliated through different methods	<b>109</b>
5.7.2	Parameters responsible for antimicrobial activities of WS <sub>2</sub> and MoS <sub>2</sub> nanosheets	<b>110</b>
5.7.3	Mechanism of antipathogenic activity	<b>111</b>
<b>5.8</b>	Conclusion	<b>113</b>
	References	<b>113</b>
<b>Chapter VI: Conclusion and future directions</b>		
<b>6.1</b>	Conclusion	<b>118</b>
<b>6.2</b>	Future directions	<b>120</b>

**Appendix  
Addenda**