

CONTENTS	Page No.
<b>LIST OF TABLES</b>	<b>i-ii</b>
<b>LIST OF FIGURES</b>	<b>iii-ix</b>
<b>LIST OF ABBREVIATIONS AND SYMBOLS</b>	<b>x-xi</b>
 <b>Chapter I</b>	 <b>1-16</b>
<b>INTRODUCTION TO META-STRUCTURE ABSORBER</b>	
<b>1.1</b> Introduction	<b>3</b>
<b>1.2</b> Formulation of research problem and objectives	<b>4</b>
<b>1.3</b> Absorption mechanism of a meta-structure absorber	<b>6</b>
<b>1.4</b> Thesis outline	<b>9</b>
References	<b>11</b>
 <b>Chapter II</b>	 <b>17-36</b>
<b>HYDROGEL ENCAPSULATED FLEXIBLE META-STRUCTURE ABSORBER</b>	
<b>2.1</b> Introduction	<b>19</b>
<b>2.2</b> Preparation and selection of flexible hydrogel	<b>20</b>
<b>2.2.1</b> Microwave characterization of slime	<b>21</b>
<b>2.3</b> Selection and preparation of flexible matrix	<b>22</b>
<b>2.3.1</b> Material characterization of silicone-rubber	<b>23</b>
<b>2.3.2</b> Microwave characterization of silicone-rubber	<b>24</b>
<b>2.4</b> MSA unit cell design and simulation	<b>26</b>
<b>2.4.1</b> Slime-based MSA unit cell	<b>26</b>
<b>2.4.2</b> Simulated performance characteristics of slime-based MSA	<b>27</b>
<b>2.5</b> Fabrication and measurement	<b>30</b>
<b>2.5.1</b> Development of slime-based MSA	<b>30</b>
<b>2.5.2</b> Measurement of absorption performance of slime-based MSA	<b>30</b>
<b>2.6</b> Chapter summary	<b>32</b>
References	<b>33</b>
 <b>CHAPTER -III</b>	 <b>37-54</b>
<b>SLIME BASED WIDE-BAND META-STRUCTURE ABSORBER WITH DUAL RESONATING STRUCTURE</b>	
<b>3.1</b> Introduction	<b>39</b>
<b>3.2</b> Design and optimization of wide-bandwidth MSAs	<b>39</b>
<b>3.2.1</b> Geometry of cuboidal MSA unit cell	<b>40</b>
<b>3.2.2</b> Geometry of hexagonal-prism MSA unit cell	<b>41</b>
<b>3.3</b> Simulated absorption characteristics	<b>41</b>
<b>3.3.1</b> Cuboidal MSA	<b>42</b>
<b>3.3.2</b> Hexagonal-prism MSA	<b>43</b>
<b>3.3.3</b> Field distribution analysis	<b>43</b>
<b>3.4</b> Measured absorption characteristics	<b>45</b>
<b>3.4.1</b> Fabrication of the wide-bandwidth MSAs	<b>45</b>
<b>3.4.2</b> Absorption performance	<b>46</b>
<b>3.5</b> Revertibility evaluation	<b>47</b>
<b>3.6</b> Absorption at different polarization and incident angles	<b>50</b>
<b>3.7</b> Chapter summary	<b>51</b>

References	53
<b>CHAPTER -IV</b>	<b>55-76</b>
<b>META-STRUCTURE ABSORBER DEVELOPED EMBEDDING DEEP EUTECTIC SOLVENT GEL</b>	
<b>4.1</b> Introduction	57
<b>4.2</b> Preparation and characterization of deep eutectic solvent (DES) gel	58
<b>4.2.1</b> Preparation of DES gel	58
<b>4.2.2</b> Material characterization of DES gel	59
<b>4.2.3</b> Microwave characterization of DES gel	60
<b>4.3</b> Design and simulation of DES-gel-Si-MSA	62
<b>4.3.1</b> Design of DES-gel-Si-MSA unit cell	62
<b>4.3.2</b> Simulated performance of DES-gel-Si-MSA	63
<b>4.4</b> Fabrication and absorption performance measurement	66
<b>4.5</b> Radar cross section (RCS) evaluation	68
<b>4.5.1</b> RCS absorber theory	68
<b>4.5.2</b> Simulation of RCS of DES-gel-Si-MSA	70
<b>4.5.3</b> Measurement of monostatic RCS of DES-gel-Si-MSA	71
<b>4.6</b> Chapter summary	72
References	74
<b>CHAPTER -V</b>	<b>77-90</b>
<b>EMBEDDED DUMBBELL SHAPED DEEP EUTECTIC SOLVENT GEL META-STRUCTURE ABSORBER</b>	
<b>5.1</b> Introduction	79
<b>5.2</b> Design and optimization of dumbbell shaped DES gel MSA unit cell	80
<b>5.3</b> Simulated absorption performance of dumbbell shaped DES gel MSA unit cell	81
<b>5.4</b> Fabrication and absorption performance of dumbbell shaped DES gel MSA	84
<b>5.5</b> Application study of the proposed MSA in antenna isolation	86
<b>5.6</b> Chapter Summary	89
References	90
<b>CHAPTER -VI</b>	<b>91-116</b>
<b>OPTICALLY SEE-THROUGH EMBEDDED DEEP EUTECTIC SOLVENT GEL META-STRUCTURE ABSORBER</b>	
<b>6.1</b> Introduction	93
<b>6.2</b> Preparation and characterization of urethane rubber	94
<b>6.2.1</b> Preparation	94
<b>6.2.2</b> Characterization	95
<b>6.3</b> Design and simulation of copper mesh backed OT-MSA	96
<b>6.3.1</b> Unit cell structure design	97
<b>6.3.2</b> Mesh size optimization	98
<b>6.3.3</b> Absorption analysis	100
<b>6.4</b> Performance of the copper mesh backed OT-MSA	101

<b>6.4.1</b>	Fabrication	<b>101</b>
<b>6.4.2</b>	Mesh adhesion testing	<b>102</b>
<b>6.4.3</b>	Flexibility testing	<b>102</b>
<b>6.4.4</b>	Examination of optical transparency	<b>103</b>
<b>6.4.5</b>	Absorption performance	<b>103</b>
<b>6.4.6</b>	Temperature studies	<b>104</b>
<b>6.5</b>	RCS performance of copper mesh backed OT-MSA	<b>105</b>
<b>6.5.1</b>	RCS Simulation	<b>105</b>
<b>6.5.2</b>	RCS measurement	<b>107</b>
<b>6.6</b>	Assessment of copper mesh backed OT-MSA performance	<b>108</b>
<b>6.7</b>	Investigation of solar panel performance with OT-MSA	<b>109</b>
<b>6.7.1</b>	RCS performance	<b>110</b>
<b>6.7.2</b>	Light conversion efficiency performance	<b>110</b>
<b>6.7.3</b>	Solar panel performance analysis	<b>112</b>
<b>6.8</b>	Chapter summary	<b>113</b>
	References	<b>114</b>
<b>CHAPTER -VII</b>		<b>117-127</b>
<b>OUTCOMES AND FUTURE PERSPECTIVES</b>		
<b>Publications</b>		<b>128</b>
<b>Appendix I</b>		<b>129</b>