

CONTENTS

| | |
|---------------------------------|--------------|
| <i>a. Abstract</i> | <i>i</i> |
| <i>b. Declaration</i> | <i>v</i> |
| <i>c. Certificate</i> | <i>vi</i> |
| <i>d. Dedication</i> | <i>vii</i> |
| <i>e. Acknowledgement</i> | <i>viii</i> |
| <i>f. Contents</i> | <i>x</i> |
| <i>g. List of tables</i> | <i>xiv</i> |
| <i>h. List of figures</i> | <i>xv</i> |
| <i>i. List of abbreviations</i> | <i>xxii</i> |
| <i>j. Symbols</i> | <i>xxiii</i> |

CHAPTER 1: Introduction **(1-35)**

| | |
|---|----|
| 1.1 Electrochemical sensors | 1 |
| 1.1.1 Components and types of an electrochemical sensor | 2 |
| 1.1.2 Enzymatic electrochemical sensor | 3 |
| 1.1.3 Non- enzymatic electrochemical sensor | 5 |
| 1.1.4 Sensing activity of an electrochemical sensor | 7 |
| 1.2 Scope of materials | |
| 1.2.1 Conducting polymers | 8 |
| 1.2.2 Two dimensional layered nanostructures | 11 |
| 1.2.3 Noble metal nanoparticle | 16 |
| 1.2.4 Metal -oxide nanoparticles | 17 |
| 1.3 Ion beam irradiation technique | 18 |
| 1.3.1 Ion-matter interaction in swift heavy ion (SHI) irradiation | 18 |
| 1.3.2 Material modification via SHI irradiation | 20 |
| 1.4 Statement of problem and scope of the thesis | 22 |
| 1.5 Experimental tools and techniques | 27 |

**CHAPTER 2: AuNP/GO/PEDOT-PSS based immunosensor (36-58)
probes for detection of serum *Immunoglobulin G* (*IgG*)**

| | |
|---|----|
| 2.1 Introduction | 36 |
| 2.2 Experimental | 37 |
| 2.3 Results and discussion | |
| 2.3.1 Crystallographic study | 42 |
| 2.3.2 FT-IR analysis | 43 |
| 2.3.3 Morphological study and elemental analysis | 44 |
| 2.3.4 Mott-Schottky plot for PEDOT-PSS film | 45 |
| 2.3.5 Cyclic Voltammetric studies of fabricated PEDOT-PSS/ITO, GO/PEDOT-PSS/ITO and AuNPs/GO/PEDOT-PSS/ITO electrodes | 48 |
| 2.3.6 Characterization of immunosensor using impedance spectroscopy | 50 |
| 2.3.7 Detection of the specific antigen | 53 |
| 2.4 Conclusions | 58 |

**CHAPTER 3: AuNP/PEDOT-MoS₂ based immunosensor for (59-79)
detection of *Immunoglobulin G***

| | |
|---|----|
| 3.1 Introduction | 59 |
| 3.2 Experimental | 61 |
| 3.3 Results and discussion | |
| 3.3.1 X-ray diffraction and infrared spectroscopy analyses | 62 |
| 3.3.2 FE-SEM and energy dispersive X- ray analyses | 64 |
| 3.3.3 Comparative cyclic voltammetry (CV) studies of as-fabricated electrodes | 65 |
| 3.3.4 Electrochemical impedance studies of the sensor electrodes | 71 |
| 3.3.5 Detection of specific antigen and estimation of analytical parameters | 75 |
| 3.4 Conclusions | 79 |

CHAPTER 4: Non-enzymatic electrochemical detection of glucose (80-99)**using nanoscale CuO/PEDOT-MoS₂ electrode**

| | |
|---|----|
| 4.1 Introduction | 80 |
| 4.2 Experimental | 81 |
| 4.3 Results and discussion | |
| 4.3.1 X-ray diffraction (XRD) and infra-red spectroscopy studies | 82 |
| 4.3.2 Morphological features and elemental analyses | 84 |
| 4.3.3 Cyclic voltammetry and impedance spectroscopy studies | 86 |
| 4.3.4 Glucose oxidizing activity of the sensor electrodes | 88 |
| 4.3.5 Estimation of electrochemical parameters | 89 |
| 4.3.6 Amperometric detection of glucose and selectivity test | 92 |
| 4.3.7 Stability, repeatability and reproducibility test of the sensor electrode | 94 |
| 4.3.8 Real sample test | 97 |
| 4.4 Conclusions | 98 |

CHAPTER 5: Non-enzymatic electrochemical sensing of hydrogen peroxide (H₂O₂) and glucose using NiO-**MoS₂ electrode**

| | |
|---|-----|
| 5.1 Introduction | 100 |
| 5.2 Experimental | 101 |
| 5.3 Results and discussion | |
| 5.3.1 Structural and morphological studies | 102 |
| 5.3.2 Cyclic voltammetry (CV) study | 104 |
| 5.3.3 Impedance spectroscopy study | 107 |
| 5.3.4 Sensing of H ₂ O ₂ and glucose by chronoamperometry | 109 |
| 5.3.5 Selectivity and reliability test | 110 |
| 5.3.6 Repeatability test | 113 |
| 5.4 Conclusions | 113 |

CHAPTER 6: Ion beam led modification of PPy-MoS₂ nano-composites for highly sensitive immunosensor application (115-137)

| | |
|--|-----|
| 6.1 Introduction | 115 |
| 6.2 Experimental | 116 |
| 6.3 Results and discussion | |
| 6.3.1 X-ray diffraction (XRD) and infrared spectroscopy (FT-IR) study | 118 |
| 6.3.2 Field emission scanning electron microscopy (FESEM) study | 122 |
| 6.3.3 Transmission electron microscopy (TEM) analysis | 123 |
| 6.3.4 Cyclic voltammetry (CV) study of the pristine and irradiated PPy-MoS ₂ composites | 125 |
| 6.3.5 Impedance spectroscopy (EIS) study of the pristine and irradiated samples | 126 |
| 6.3.6 Determination of electrochemical parameter of pristine and the irradiated PPy-MoS ₂ composite | 129 |
| 6.3.7 Detection of Goat anti-mouse <i>IgG</i> by differential pulse voltammetry (DPV) technique | 132 |
| 6.3.8 Discussion on the sensing of immunosensor based on PPy-MoS ₂ nanocomposites | 135 |
| 6.4 Conclusions | 137 |

CHAPTER 7: Summary, Conclusions and Future prospects (138-142)

| | |
|----------------------|-----|
| 7.1 Summary | 138 |
| 7.2 Conclusions | 140 |
| 7.3 Future prospects | 142 |

REFERENCES (143-162)

Appendix-I (163-164)

Appendix-II (165-168)