

Contents

| | |
|--|---------------------|
| a. Abstract | i-vi |
| b. Declaration | vii |
| c. Certificate | viii |
| d. Certificate II | ix |
| e. Acknowledgements | x-xii |
| f. Dedication | xiii |
| g. Contents | xiv-xix |
| h. List of Tables | xx |
| i. List of Figures | xxi-xxxii |
| j. Symbols and abbreviations | xxxiii-xxxiv |
| Chapter 1: Introduction | 1-32 |
| 1.1 Magnetic nanosystems | 1 |
| 1.2 Ensembles of interacting nanoparticles | 3 |
| 1.3 Various kinds of interaction | 4 |
| 1.3.1 Dipolar interaction | 4 |
| 1.3.2 Exchange interaction and its various forms | 5 |
| 1.4 Superspin glass phase | 9 |
| 1.5 Superferromagnetism | 11 |
| 1.6 Quantum phenomena in ensembles of interacting MNPs | 11 |
| 1.6.1 Non ergodic behaviour | 11 |

| | |
|---|--------------|
| 1.6.2 Magnetic Memory effect, Ageing and rejuvenation | 12 |
| 1.6.3 Magnetic Resonance (MR) relaxivity | 15 |
| 1.7 Motivation behind the work | 16 |
| 1.8 Objectives of the thesis | 20 |
| Chapter 2: Dynamic magnetic responses in ensemble of anisotropic nanosystems | 33-64 |
| 2.1 Introduction | 33 |
| 2.2 Experimental details | 34 |
| 2.3 Results and discussions | 35 |
| 2.3.1 Microstructural study | 35 |
| 2.3.2 Direct Current (DC) Magnetization study | 39 |
| 2.3.3 AC susceptibility | 45 |
| 2.3.4 Nonequilibrium dynamics | 51 |
| 2.3.4.1 Magnetic memory effect | 51 |
| 2.4 Concluding Remarks | 56 |
| Chapter 3: Dynamic magnetic responses in ensemble of anisotropic two-dimensional nanosystem decorated over nanoparticles | 65-96 |
| 3.1 Introduction | 65 |
| 3.2 Experimental details | 66 |
| 3.3 Computational details | 67 |

| | |
|---|---------------|
| 3.4 Result and Discussions | 68 |
| 3.4.1 Microstructural study | 68 |
| 3.4.2 Atomic Configuration and Electronic structure | 73 |
| 3.4.3 Direct Current Magnetization study | 76 |
| 3.4.4 AC susceptibility study | 80 |
| 3.4.5 Nonequilibrium dynamics | 83 |
| 3.4.5.1 Magnetic memory effect | 83 |
| 3.4.5.2 Ageing | 85 |
| 3.5 Concluding remarks | 90 |
| Chapter 4: Dynamic magnetic responses in dis-assemble anisotropic nanosystem | 97-122 |
| 4.1 Introduction | 97 |
| 4.2 Experimental details | 98 |
| 4.3 Computational details | 99 |
| 4.4 Result and Discussions | 100 |
| 4.4.1 Microstructural study | 100 |
| 4.4.2 Atomic Configuration and Electronic structure | 104 |
| 4.4.3 Direct Current Magnetization study | 106 |
| 4.4.4 AC susceptibility study | 109 |
| 4.4.5 Nonequilibrium dynamics | 112 |

| | |
|---|----------------|
| 4.4.5.1 Magnetic memory effect | 112 |
| 4.4.5.2 Ageing | 115 |
| 4.5 Concluding remarks | 116 |
| Chapter 5: Magnetic Resonance (MR)-transverse relaxivity in ensembles of isotropic nanoparticles | 123-156 |
| 5.1 Introduction | 123 |
| 5.2 Experimental details | 125 |
| 5.3 Computational details | 127 |
| 5.4 Result and Discussions | 128 |
| 5.4.1 Microstructural analysis | 128 |
| 5.4.2 Atomic Configuration and Electronic structure | 135 |
| 5.4.3 Direct Current Magnetization study | 140 |
| 5.4.4 Magnetic Resonance (MR)-relaxivity analysis | 145 |
| 5.5 Concluding remarks | 149 |
| Chapter 6: Magnetic Resonance (MR)-transverse relaxivity in interacting ensembles of anisotropic nanosystems | 157-177 |
| 6.1 Introduction | 157 |
| 6.2 Experimental details | 158 |
| 6.3 Result and Discussions | 159 |
| 6.3.1 Microstructural study | 159 |
| 6.3.2 Direct Current Magnetization study | 163 |

| | |
|--|----------------|
| 6.3.3 Zeta Potential and Cytotoxicity Analysis | 167 |
| 6.3.4 MR relaxivity | 168 |
| 6.4 Concluding remarks | 172 |
| Chapter 7: Magnetic Resonance (MR)-transverse relaxivity in bi-magnetic ensemble of isotropic-anisotropic nanosystems due to collective magnetic property | 178-196 |
| 7.1 Introduction | 178 |
| 7.2 Experimental details | 179 |
| 7.3 Results and discussions | 180 |
| 7.3.1 Microstructural study | 180 |
| 7.3.2 Dynamic magnetic study | 185 |
| 7.3.3 Zeta potential and MTT assay | 187 |
| 7.3.4 Time Domain NMR | 188 |
| 7.4 Concluding remarks | 191 |
| Chapter 8: Magnetic Resonance (MR)-transverse relaxivity in tri-magnetic ensemble of isotropic-anisotropic nanosystems having dynamic magnetic behaviour | 197-216 |
| 8.1 Introduction | 197 |
| 8.2 Experimental details | 198 |
| 8.3 Results and discussions | 199 |
| 8.3.1 Microstructural study | 204 |
| 8.3.2 Dynamic magnetic study | 207 |
| 8.3.3 MR-relaxivity | 211 |
| 8.4 Concluding remarks | |

| | |
|---|----------------|
| Chapter 9: Concluding remarks and Future direction | 217-223 |
| 9.1 Thesis Conclusion | 217 |
| 9.2 Future directions | 223 |
| Appendix A | a-d |
| Appendix B | e-g |