

Table of Contents

Abstract	i-iii
Declaration	iv
Certificate	v
Acknowledgment	vi-vii
Contents	viii-xi
List of tables	xii
List of Figures	xiii-xvi
List of abbreviations	xvii-xviii
Chapter 1 Introduction	
1 Introduction	1
1.1 What is silk?	2-4
1.2 Composition of Silk	4-6
1.3 Assam Silks	6-8
1.4 Silk processing	9-11
1.5 Popularity of handloom weaving in Assam	11-12
1.6 Post-production Limitations	12-13
1.7 Biodegradation of Silk	13-14
1.8 Hemocompatibility of Silk	14
1.9 The gap in the study	14-15
1.10 Aims and objectives of the present study	15-16
1.11 Reference	17-22
Chapter 2 Review of Literature	
2 Review of Literature	23
2.1 Silk	24
2.2 Sericulture	24-25
2.3 Assam Silk: <i>Eri</i> , <i>Muga</i> and <i>Pat</i>	25-26
2.4 Silk status in India	27-28
2.5 Silk care	28-31
2.6 Antimicrobial components in silk and dyeing	31-32
2.7 Silk dyeing	32-33
2.8 Biodegradation of Silk	34
2.9 Biocompatibility and uses of Silk	34-36
2.10 Applications	36-37
2.11 References	38-46
Chapter 3 Materials and Methods	
3 Materials and Methods	47
3.1 Materials	48
3.1.1 Silks	48
3.1.2 Washing agents	48
3.1.3 Dyeing materials	48

3.2	Methods	48	
3.2.1	Washing Formulation preparation, washing methods, and analysis methods	48	
3.2.1.1	Preparation of <i>Kolakhar</i> suspension	48	
3.2.1.2	Preparation activated Charcoal suspension	49	
3.2.1.3	Preparation of Citrus Limon juice	50	
3.2.1.4	Preparation of commercial washing agent solution	50	
3.2.1.5	Washing of <i>Eri, Muga, and Pat</i> silk fabric	51	
3.2.1.6	Optical microscope imaging of the surface of washed <i>Eri, Muga, and Pat</i>	52	
3.2.1.7	Scanning electron microscope (SEM)	52	
3.2.1.8	Hue, Saturation and Luminosity (HSL)	52	
3.2.1.9	color difference	53	
3.2.1.10	Fourier Transform-Infrared Spectroscopy (FTIR)	54	
3.2.2	Dyeing and its analysis of <i>Eri, Muga, and Pat</i>	54	
3.2.2.1	Bleaching	54	
3.2.2.2	Application of mordant	55	
3.2.2.3	Pre-Mordant dyeing	55	
3.2.2.4	Post-Mordant dyeing	56	
3.2.2.5	Simultaneous dyeing	56	
3.2.2.6	Pre and Post dyeing	56	
3.2.2.7	Only dye	56	
3.2.2.8	Light Fastness testing of <i>Eri, Muga, and Pat</i> silk fabrics	57	
3.2.2.9	Wash-fastness testing of <i>Eri, Muga, and Pat</i> silk fabrics	58	
3.2.2.10	Hue, Saturation and Luminosity (HSL)	59	
3.2.2.11	Color difference (ΔE)	59	
3.2.2.12	FTIR of dyed samples	59	
3.2.3	Biocompatibility of treated and untreated <i>Eri, Muga, and Pat</i> silk fabric	59	
3.2.3.1	2, 2-Diphenyl-1-picrylhydrazyl mediated antioxidant assay (DPPH)	59	
3.2.3.2	Hemolysis	60	
3.2.3.3	Antimicrobial activity of <i>Eri, Muga, and Pat</i> silk fabrics	61	
	3.2.3.3.1	Disc diffusion	61
		Antibacterial screening of Fabric	62
	3.2.3.3.2		62
3.2.4	Biodegradation	63	
3.2.4.1	Water holding capacity of soil	63-64	

3.2.4.3	pH of the soil	64
3.2.4.4	Soil burial method	64-65
3.2.4.5	Determination of weight loss post-burial	65
3.2.4.6	FTIR	65
3.2.4.7	Visual and Morphological Characteristics	65
3.2.5	To develop a silk-based water filtration setup and a formulation for silk washing	66
3.2.5.1	Antimicrobial filter from the best combination	66
3.2.5.2	Optimization of the best washing formulation	66
3.3	Reference	67-68
Chapter 4 Results and Discussion		
4	Results and Discussion	69
4.1	Determination of the effect of different washing agents on <i>Eri</i> , <i>Muga</i> , and <i>Pat</i> fabric	70
4.1.1	Microscopic image of <i>Eri</i> , <i>Muga</i> , and <i>Pat</i> fabric	70-71
4.1.2	Scanning Electron Microscope (SEM) image of <i>Eri</i> , <i>Muga</i> and <i>Pat</i> fabric	72-77
4.1.3	Effect in the colour coordinates of <i>Eri</i> , <i>Muga</i> , and <i>Pat</i> fabric	78-83
4.1.4	FTIR analysis of treated and untreated <i>Eri</i> , <i>Muga</i> , and <i>Pat</i> fabric	84-99
4.2	Effect of curcumin and tannic acid on dyeing of <i>Eri</i> , <i>Muga</i> , and <i>Pat</i> silk fabric	9
4.2.1	Light fastness and wash fastness of different combinations of dye and mordant	99-113
4.2.2	Possible bond formation between Curcumin (dye), tannic acid (mordant), and Silk	113-114
4.2.3	DPPH scavenging (antioxidant) properties of treated <i>Eri</i> , <i>Muga</i> and <i>Pat</i>	114-119
4.2.4	FTIR spectrum of control and the combinations of dying and mordant on <i>Eri</i> , <i>Muga</i> , and <i>Pat</i>	120-128
4.3	To study the biocompatibility and biodegradation of <i>Eri</i> , <i>Muga</i> , and <i>Pat</i> silk clothes treated in Objectives 1 & 2.	129
4.3.1	Optical Scan, microscope, and SEM analysis of degraded Silk samples	130-135
4.3.2	Degradation (%) of silk samples post burial on the basis of weight loss	136-137
4.3.3	FTIR result of pre and post-biodegradation of Silk	138-149
4.3.4	Haemolysis activity of <i>Eri</i> , <i>Muga</i> , and <i>Pat</i>	149-150
4.3.5	Antibacterial activity of <i>Eri</i> , <i>Muga</i> , and <i>Pat</i>	150-157

4.4	To develop a silk-based water filtration setup and a formulation for silk washing	157
4.4.1	Filtration method	157-158
4.4.2	Washing formulation	159
4.4.2.1	Color analysis	159
4.4.2.2	SEM imaging	160
4.4.2.3	Glossiness	161-162
4.5	Reference	163-173
5	Conclusion and Future Perspectives	174
5.1	Conclusion	175-176
5.2	Future Prospects	176-177
6	Publications	178-181