

Dedicated to Ema & Epa

Declaration

I hereby declare that the thesis entitled “**Characterization of antibody and cellular response to Dengue virus infection to determine cytokine/chemokines markers of inflammation and serological diagnosis of Dengue virus infection.**” is an authentic work carried out by me under the supervision of Prof. Shashi Baruah, Department of Molecular Biology and Biotechnology, Tezpur University, Assam-784028. No part of this has been presented for any other degree or diploma earlier.



Place: Tezpur

Date : 26-03-2025

(Sushmita Singha)



TEZPUR UNIVERSITY
(A Central University by an Act of Parliament)
Napaam, Tezpur-784028
District: Sonitpur, Assam, India

CERTIFICATE OF SUPERVISOR

This is to certify that the thesis entitled “**Characterization of antibody and cellular response to Dengue virus infection to determine cytokine/chemokines markers of inflammation and serological diagnosis of Dengue virus infection.**” submitted to the School of Sciences, Tezpur University in requirement of partial fulfilment for the award of the degree of Doctor of Philosophy in Molecular Biology and Biotechnology is a record of research work carried out by **Ms. Sushmita Singha** under my supervision and guidance. All help received by her from various sources has been duly acknowledged. No part of this thesis has been submitted elsewhere for award of any other degree.

(Signature of supervisor)

Date: 26-03-2025

Place: Tezpur

Name: Dr. Shashi Baruah

Designation: Professor

School: Sciences

Department: Molecular Biology and Biotechnology, Tezpur University.

Acknowledgement

I would like to express my sincere gratitude to my supervisor, Prof. Shashi Baruah, for her unwavering support and encouragement throughout my Ph.D. journey. Her invaluable guidance, advice, and motivation have not only played a crucial role in shaping my research work but have also empowered me to find my voice and take a stand for myself in life. Her mentorship has been instrumental in my personal and professional growth, and I am truly grateful for her presence in my academic journey.

I am deeply thankful to the Honorable Vice-Chancellor of Tezpur University for granting me the opportunity to pursue my Ph.D. and carry out my research at this esteemed institution. I extend my heartfelt appreciation to my Doctoral Committee members –Dr Anupam Nath Jha, Dr Nima D Namsa, Dr Lahari Saikia– for their invaluable suggestions and insightful inputs during my Ph.D. tenure.

I am very much thankful to our medical collaborators Dr Neena Nath, Dr Vaishali Sarma and other medical staffs of Gauhati Medical College and Hospital for their immense help in samples and data collection during my PhD tenure.

I am grateful to the Head, Department of Molecular Biology and Biotechnology at Tezpur University for his constant support and encouragement throughout my Ph.D. journey. I am also grateful to all the faculty members and non-teaching staff of the department for their assistance and cooperation.

I am grateful for the financial support provided by Tezpur University and DRDO, Government of India for funding the PhD research work.

I would like to express my gratitude to my lab seniors – Neelanjana Di, Saurav Da, Debashree Ba, and Akash Da, Arnav bhaiya for their continuous support and encouragement throughout my Ph.D. tenure.

I am thankful to my wonderful labmates, Mayuri Di, Dalal, Bhaswatee Di and Da Chourajit, for creating a supportive and cheerful environment in the lab. I am forever thankful to my lovely didis- Anupama, Archana, and little brother Subrata for making this journey so cheerful and jolly. They all have been there with me in all my ups and downs throughout my Ph.D. journey and I adore them a lot for being so an awesome human being.

I am thankful to Kangkana, Anahita, Shristi, Sonali, Somia, Krishanu, Koyel and Pranay

and all other juniors of the department for their lively and cheerful nature.

I would like to acknowledge and appreciate my Ph.D. mates and friends – Pushpa, Anutee, Yazum, Nazmin, Monalisha, Priyanka, Cinmoyee, Upasana, Debanjan, Mahari, Jyotirmoy, Hirak and Bikash – for their companionship and support throughout this journey.

I would also like to express my heartfelt thanks to my extended family in Tezpur University- Sweeta, Olivia, Pooya, Pamja, Che Monica, Che Sophia and Ditimoni for always being there for me in my ups and down.

I am grateful to my childhood friends Manaoubi, Ritu, Ranji, Thadoi, W. Sujata, Premila, and Ashabari for being there through all the challenges and joys. I would also like to thank our little angel Stela for always greeting me warmly and happily.

I am forever indebted to my Papa (Mr. Chandra Kirty Singha), and Mama (Mrs. Namila Singha), my little brothers Parambir and Birbhadra for their unwavering support, motivation, unconditional love, and blessings. I cannot forget to mention my biggest cheerleader Sheitajit Singh who makes my existence worthwhile and brings so much happiness into my life.

With heartfelt gratitude, Sushmita Singha

LIST OF FIGURES

	<u>CHAPTER II: REVIEW OF LITERATURE</u>	Page No.
Figure 2.1.	Structure of Dengue virus and the receptors. (A) Schematic representation of DENV structure .envelope protein homodimers and the membrane proteins, capsid protein homodimers (B) Cell surface receptors involved in DENV entry: mannose receptor, GAGs, , DC-SIGN, HSP90/HSP70 and TIM/TAM, and Fcγ receptors.	14
	<u>CHAPTER III: CHARACTERIZATION OF CYTOKINES AND CHEMOKINES LEVELS IN SERUM OF DENGUE INFECTED PATIENTS</u>	
Figure 3.1	A) Quantification of inflammatory cytokine proteins in healthy participants. Flow cytometry image showing results of bead-based capture of all the six cytokine proteins (IL-10, IL-12p70, TNF, IL-1β, IL-6, and IL-8) in an individual sample (B) and Fluorescence intensity of the proteins in that sample.	32
Figure 3.2	Expression of cytokines in healthy controls and dengue-positive subjects. Values indicate protein expression in pg/mL and error bars represent the standard deviation from the mean. Unpaired t-tests were performed using GraphPad Prism 10.1.0 to determine significance, with a threshold p-value of < 0.05.	33
Figure 3.3	(A)Quantification of chemokine proteins in healthy participant. Flow cytometry image showing results of bead-based capture of all the five chemokines (CCL2, CCL5, IL8, CXCL0, and CXCL9) in an individual sample (B) and Fluorescence intensity of the proteins in that sample.	34
Figure 3.4	Expression of chemokines in healthy controls and dengue-positive subjects. Values indicate protein expression in	35

	pg/mL and error bars represent standard deviation from the mean. Unpaired t-tests were performed using GraphPad Prism 10.1.0 to determine significance, with a threshold p-value of < 0.05.	
Figure 3.5	Heatmap showing expression of key cytokines and chemokines in dengue patients. Light green color represents very high expression, dark green color represents intermediate expression and red color represents low expression. Expression profile similarities are depicted by the branch lengths of the dendrogram	37
Figure 3.6	Correlation analysis revealed a positive correlation of expression of A) CCL5 and B) IL12p70 with platelet count in dengue.	37
Figure 3.7	Principal Component Analysis (PCA), platelet count, cytokines, and chemokines were the active variables under consideration.	38
Figure 3.8	Flow Cytometric Analysis showing gating strategy A) Differential Monocyte population in blood sample of dengue patient B) Differential Dendritic Cell population in blood sample of dengue patient	38
Figure 3.9	Percentage Frequency of A) Classical B) Intermediate C) Non-classical monocytes in Dengue patients and in controls. Unpaired t-tests were performed using GraphPad Prism 10.1.0 to determine significance, with a threshold p-value of < 0.05.	39
Figure 3.10	Percentage Frequency of A) Conventional Dendritic Cell and B) Plasmacytoid Dendritic Cell in Dengue patients and in controls. Unpaired t-tests were performed using GraphPad Prism 10.1.0 to determine significance, with a threshold p-value of < 0.05.	39

	<u>Chapter IV: DETERMINATION OF IMMUNODOMINANT PEPTIDES AND POTENTIAL B AND T CELL EPITOPES OF ENVELOPE AND NS1 PROTEINS OF THE DENGUE SEROTYPES.</u>	
Figure 4.1	Seropositive peptides of DENV 1 Envelope peptide array. Here the frequency of patients recognizing the peptides with greater than or equal to 1.5 A. U is shown in a bracket.	50
Figure 4.2	Seropositive peptides of DENV2 A) Envelope peptide array NR510 and B) NS1 peptide array NR508. Here the frequency of patients recognizing the peptides with greater than or equal to 1.5 A. U is shown in a bracket.	51
Figure 4.3	Seropositive peptides of DENV3 A) Envelope peptide array NR511 and B) NS1 peptide array NR2753. Here the frequency of patients recognizing the peptides with greater than or equal to 1.5 A. U is shown in a bracket.	52
Figure 4.4	Schematic diagram of mapping immunodominant peptides and predicted B cell epitopes. Here Dengue Envelope and NS1 protein sequences are represented by a box of respective amino acid lengths. Immunodominant peptides identified by the Peptide array are represented by blue lines, B cell linear epitopes are represented by orange lines and B cell conformational epitopes are represented by green lines.	61-62
Figure 4.5	Surface localization of immunodominant peptides A) Envelope (3G7T) proteins of DENV1. Each peptide has been represented by different colours and the whole protein by red colour.	66
Figure 4.6	Surface localization of immunodominant peptides A) Envelope (3J2P) and B) NS1(7WUR) proteins of DENV2. Each peptide has been represented by different colours and the whole protein by red colour.	66

Figure 4.7	Surface localization of immunodominant peptides A) Envelope (7A3P) and B) NS1proteins of DENV3. Each peptide has been represented by different colours and the whole protein by red colour.	67
	<u>CHAPTER V- DESIGN OF A NOVEL POTENTIAL MULTI EPITOPE-BASED SUBUNIT VACCINE TARGETING STRUCTURAL PROTEINS OF DENGUE VIRUS 2</u>	
Figure 5.1	A Schematic diagram of the vaccine construct. CTL epitopes were joined with the help of AAY linkers (blue) while HTL epitopes were joined with the help of GPGPG linkers (brown). 331 amino acid long vaccine construct consisting of an adjuvant (purple) at N-terminal end linked with the help of EAAAK linker (black).	85
Figure 5.2	A representation of secondary structure of the vaccine construct consisting of alpha-helix (32.12%), β -strands (23.86%) and coils (44.12%).	87
Figure 5.3a	3D model of vaccine construct	88
Figure 5.3b	Comparison of tertiary protein structures. The initial and the refined model are colored in green and blue, respectively	88
Figure 5.3c	Validation of multi-epitope vaccine tertiary structure by Ramachandran plot where 97.4% residues were found in the favored region, 2.2% residues were found in allowed region and 0.4% residues were lies in generously allowed region.	88
Figure 5.4a	Vaccine-TLR3 docked complex	90
Figure 5.4b	Interacting residues between Vaccine and TLR3	90
Figure 5.5 a	RMSD of TLR3 and vaccine construct	91
Figure 5.5 b	RMSF of TLR3 and vaccine construct	91
Figure 5.5 c	Rg of TLR3 and vaccine construct	91
Figure 5.5 d	H-bond plot of TLR3-vaccine complex.	91
Figure 5.6	Representation of the immune simulation performed using C-IMMSIMM. (A) Immunoglobulin response to the	92-93

	vaccine injection (lines shown in black) and specific subclasses of immunoglobulins are indicated by coloured lines, (B,) B-cell population, (C) Rise in the plasma B-cell population throughout the injections, (D) Increase of the helper T-cell population, , (E) Increase in the cytotoxic T lymphocyte population throughout the injections,(F,G,) Dendritic cell and macrophage cell stimulus, (H) Level of different types of cytokines induced by injection.	
Figure 5.7	Population coverage map of selected CTL and HTL epitopes	94
	<u>Chapter VI: EVALUATION OF IDENTIFIED EPITOPES FOR DENGUE VIRUS ANTIBODY DIAGNOSTIC ASSAY</u>	
Figure 6.1	A) Structure of an antibody molecule, -B) Complementary Determining Region of Antibody.	104
Figure 6.2	3D model of the synthetic peptide SP7	106
Figure 6.3	Linear B cell Epitope region of SP7 as predicted by BepiPred 2.0	107
Figure 6.4	Conformational B cell Epitope region of SP7 as predicted by ElliPro.	107
Figure 6.5	Identifying CDRs of Antibody using AbRSA server	109
Figure 6.6	Docked complex of SP7 (Cyan) and NAb(Green)	110
Figure 6.7a	SP7 interaction with light chain	110
Figure 6.7b	SP7 interaction with heavy chain	110
Figure 6.8	Graph showing seroreactivity of SP peptide with dengue positive (GD) J.E positive (JE) and healthy sera (ND). Cut-off is indicated by the horizontal dotted line in the graph.GD=Dengue positive, JE= J.E positive and ND= non-dengue healthy samples.	112
	<u>CHAPTER VII: SUMMARY & CONCLUSION</u>	
Figure 7.1	Schematic diagram of the selection of immunodominant epitopes of Dengue Virus Envelope and NS1 Proteins	117

	using both peptide array and computational approaches and evaluation of the diagnostic potential of the designed synthetic peptide SP7.	
Figure 7.2	In Dengue disease, activated monocytes secrete TNF and IL-1 β . The elevated levels of TNF promote the Proliferation of dendritic cells. Additionally, the higher secretion of CXCL10 by monocytes aids in the migration of dendritic cells. This process also triggers the activation of NK cells and the release of IL-10, which targets endothelial cells and contributes to platelet aggregation, leading to thrombocytopenia in Dengue	118
	APPENDIX	
Figure A1	Standardization of indirect ELISA with DENV1-3 monoclonal antibodies	124

LIST OF TABLES

	<u>CHAPTER III</u>	Page No.
Table 3.1	Demographic and clinical profile of participants	31
Table 3.2	Correlation matrix (Pearson) between cytokines, chemokines and Platelet count	36
	<u>CHAPTER IV</u>	
Table 4.1	B cell linear epitopes of DENV1 Envelope and NS1 protein predicted by BepiPred 2.0. Antigenicity score by VaxiJen 2.0 (threshold>0.4).	53
Table 4.2	B cell linear epitopes of DENV2 Envelope and NS1 protein predicted by BepiPred 2.0. Antigenicity score by VaxiJen 2.0 (threshold>0.4).	54
Table 4.3	B cell linear epitopes of DENV3 Envelope and NS1	55

	protein predicted by BepiPred 2.0. Antigenicity score by VaxiJen 2.0 (threshold>0.4).	
Table 4.4	B cell linear epitopes of DENV4 Envelope and NS1 protein predicted by BepiPred 2.0. Antigenicity score by VaxiJen 2.0 (threshold>0.4).	55-56
Table 4.5	B cell conformational epitopes of DENV1 Envelope and NS1 protein predicted by ElliPro	57
Table 4.6	B cell conformational epitopes of DENV2 Envelope and NS1 protein predicted by ElliPro.	58
Table 4.7	B cell conformational epitopes of DENV3 Envelope and NS1 protein predicted by ElliPro.	59
Table 4.8	B cell conformational epitopes of DENV4 Envelope and NS1 protein predicted by ElliPro.	60
Table 4.9	Conservancy of immunodominant peptides of DENV1 E across consensus sequence	63
Table 4.10	Conservancy of immunodominant peptides of DENV2 E and NS1 across consensus sequence	64
Table 4.11	Conservancy of immunodominant peptides of DENV3 E and NS1 across consensus sequence	65
Table 4.12	Predicted T cell epitopes MHC Class I of DENV envelope protein	67
Table 4.13	Predicted T cell epitopes MHC Class I of DENV NS1 protein	68
Table 4.14	Envelope MHC Class II binding T cell epitopes	69
Table 4.15	DENV NS1 MHC Class II binding T cell epitopes	70
	<u>CHAPTER V</u>	
Table 5.1	CTL and HTL epitopes selected for vaccine construct. T-cell epitopes selected are shown to be overlapping with B-cell epitopes.	84
Table 5.2	Physicochemical analysis of vaccine construct	86
Table 5.3	Discontinuous B-cell epitopes of the vaccine construct	88-89

	<u>CHAPTER VI</u>	
Table 6.1	Physiochemical properties of SP7 construct	108
Table 6.2	Number of interacting residues with CDRs of NAb	111
Table 6.3	Sensitivity and specificity of the recombinant peptide SP7	112
	<u>APPENDIX</u>	
Table A1	HLA-I and II supertype alleles	123

List of Abbreviations

DENV- Dengue virus
DENV1- Dengue virus serotype 1
DENV2- Dengue virus serotype 2
DENV3- Dengue virus serotype 3
DENV4- Dengue virus serotype 4
WHO- World Health Organisation
DHF- Dengue Hemorrhagic Fever
DSS- Dengue shock syndrome
DF- Dengue Fever
SD- Severe Dengue
E- Envelope
NS1- Non- structural 1
C- Capsid
M- Membrane
prM- Premembrane
ER- Endoplasmic reticulum
CYD-TDV - Chimeric yellow fever–dengue virus (DENV) tetravalent dengue vaccine
IgM- Immunoglobulin M
IgG- Immunoglobulin G
ADE- Antibody-Dependent Enhancement
IL6- Interleukin-6
IL8- Interleukin-8
IL10- Interleukin-10
IL1 β - Interleukin-1 β
IL12p70- Interleukin-12p70
IFN- γ - Interferon-gamma
CCL2- C-C Motif Chemokine Ligand 2
CCL5- C-C Motif Chemokine Ligand 5
CXCL9- C-X-C motif chemokine ligand 9
CXCL10- C-X-C motif chemokine ligand 10
ELISA- Enzyme-Linked immunosorbent Assay

NAAT- Nucleic acid amplification tests
 RDT- Rapid Diagnostic Test
 LFA- Lateral Flow Assay
 SARS-COV-2- Severe Acute Respiratory Syndrome Coronavirus 2
 CBA- Cytometric Bead Array
 J.E- *Japanese encephalitis*
 IEDB- Immune Epitope Database and Analysis Resource
 SP- Synthetic Peptide
 CDR- Complementarity-determining region
 DC- Dendritic cell
 NK- Natural Killer Cell
 CTL- Cytotoxic T Lymphocyte
 HTL- Helper T Lymphocyte
 CD- Cluster of differentiation
 LC- Langerhans cells
 DC-SIGN- Dendritic cell-specific ICAM-grabbing non-integrin
 MR- Mannose receptor
 GAG- Glycosaminoglycans
 HSP- Heat Shock Protein
 MHC- Major histocompatibility complex
 HLA- Human Leukocyte Antigen
 MIG- Monokine induced by interferon- γ
 CXCR3- C-X-C Motif Chemokine Receptor 3
 GMCH- Gauhati Medical College and Hospital
 TMCH- Tezpur Medical College and Hospital
 AA - Austro-Asiatic and
 IE- Indo-European
 TB- Tibeto-Burman
 PCA- Principal Component Analysis
 PBS- Phosphate Buffer Saline
 OD- Optical Density
 SD- Standard Deviation

TMB- 3,3',5,5'-Tetramethylbenzidine

A.U- Arbitrary Unit

E1P- Dengue virus 1 envelope protein peptide

EP- Dengue virus 2 envelope protein peptide

E3P- Dengue virus 3 envelope protein peptide

NSP- Dengue virus 2 non-structural 1 protein peptide

NS3P- Dengue virus 3 non-structural 1 protein peptide

NP- Nucleoprotein

HA- Hemagglutinin

CAI- Codon Adaptation Index

RMSD- Root Mean Square Deviation

RMSF- Root Mean Square Fluctuation

TLR3- Toll-like receptor 3

NAb- Neutralising antibody

HRP- Horse Raddish Peroxidase

pI- Isoelectric point

GRAVY- Grand average of hydropathicity