Dedicated to My Mother and Father

DECLARATION BY THE CANDIDATE

I hereby declare that the thesis entitled "Utilization of vermitechnology for rapid degradation of lignocellulosic wastes: A quest for useful microorganisms" submitted to the School of Sciences Tezpur University in part fulfillment for the award of the degree of Doctor of Philosophy in Environmental Science is a record of research work carried out by me under the supervision of Dr. Satya Sundar Bhattacharya, Department of Environmental Science, Tezpur University, Assam - 784028. No part of this work has been presented for any other degree or diploma earlier.

Ratin Churdhing

Date: 07-04-2025 Place:Tezpur

(Ratan Chowdhury)



DEPARTMENT OF ENVIRONMENTAL SCIENCE TEZPUR UNIVERSITY

NAPAAM, TEZPUR - 784028, ASSAM, INDIA

Satya Sundar Bhattacharya,

PhD Tel: +91-3712-275610-5610

Associate Professor

satya72@tezu.ernet.in

Certificate of the Supervisor

This is to certify that the thesis entitled **"Utilization of vermitechnology for rapid degradation of lignocellulosic wastes: A quest for useful microorganisms"** submitted to the **School of Sciences** Tezpur University in part fulfillment for the award of the degree of Doctor of Philosophy in **Environmental Science** is a record of research work carried out by **Mr. Ratan Chowdhury** under my supervision and guidance.

All help received by her from various sources have been duly acknowledged. No part of this thesis has been submitted elsewhere for award of any other degree.

Scharthachoveye

(Satya Sundar Bhattacharya)

Date: 07-04-2025 Place: Tezpur

ACKNOWLEDGEMENT

First and above all, I would like to express my heartfelt gratitude to my PhD Supervisor, **Dr. Satya Sundar Bhattacharya** for accepting me as a PhD student. This thesis is the result of his thoughtful guidance, warm encouragement, healthy criticisms, and moral support.

I earnestly thank the Honorable Vice-chancellor Tezpur University for extending necessary infrastructural facilities to carry out my research work.

I also convey my sincere regards to the senior faculty members, head of the department and other faculty members in the Department of Environmental Science, Tezpur University for their constructive comments and advice.

I also take the opportunity to thank my doctoral committee members, Dr. Nayanmoni Gogoi and Prof. Deben Chandra Baruah for their suggestions and keen monitoring of my work progress.

I would like to thank **Dr. Prasanta Raul, Defence Research Laboratory, Tezpur,** for providing laboratory facilities.

I would also thank the technical staffs of the Sophisticated Instrumentation and Analytical Centre, Department of Environmental Science, Chemical Science, and Molecular Biology and Biotechnology for rendering their active involvement in sample analysis.

I am thankful to my lab mates: Subhashish Das, Soma Barman, Nazneen Hussain, Ananya Mondal, Jinnashri Devi, Ratul Pegu, Himadri Mandal and Dhriti Sundar Boro for maintaining a good working environment and helping me in various ways. A special thanks to Dhriti for his immense support and help throughout.

I would also like to thank Mr. Mofijul Ahmed for his assistance in conducting vermicomposting experiments and Mr. Saiful Islam for his help in conducting field experiments.

I would take the opportunity to thank my friends Manithoi Thingujam, Surjit Sharma, Research Scholars Department of Environmental Science for their constant support. I convey my sincere regards to all my friends and well-wishers who supported me in this journey till the end.

Finally, I would like to thank family members, my mother and my wife and in laws for their constant support and motivation. A special thanks to my mother for her unconditional love and support.

My sincere gratitude to the University Grants Commission, Government of India for conferring the NET-JRF fellowship that enabled me to complete my work.

Last but not the least; I thank the Almighty for keeping me in good health and granting me the capability to proceed successfully.

(Ratan Chowdhury)

LIST OF TABLES

Table	Caption	Page no.		
2.1	Waste management technologies and their impact	16		
2.2	An account of earthworm species prescribed for vermicomposting	18		
2.3	Vermicomposting of several Industrial waste			
2.4.	Plant growth promoting microorganisms identified from vermicompost and vermicompost amended soils	28		
4.1	Details of feedstock preparation and treatment names	56		
4.2	Statistical elements of the assemblies of two different treatment 69 combination			
4.3	Statistics for genes prediction in two different treatment combination	69		
4.4	Variable/Item details for computation of waste recovery efficiency (WCE) and benefit-cost ratio (BCR) for Vermicompost and compost.	72		
4.5	Temporal changes in pH, available P (Av P), total Nitrogen (TN), exchangeable K (Av K), Compost respiration (Comp. Res), Microbial biomass carbon (MBC), bacterial and fungal count during the bioconversion experiment (mean±standard deviation)	74		
4.6	Waste-to-wealth conversion efficiency (WCE) and benefit-cost ratio (BCR) for bio-composting systems and vermicomposting systems.	83		
5.1	Strain information of different potential isolates and their morphological and biochemical properties (mean±standard deviation)	104		
5.2 (a & b)	Carbohydrate solubilization potentials of eleven different microbial strains	108-109		
5.3	Relative dominance for gut isolated and vermibeds isolated bacteria	110		
5.4	Strain information of all the dominant bacterial taxa	111		
5.5	Activities of different enzymes by different isolated strains during the experiment (mean±standard deviation)	117		

5.6	Waste-to-wealth conversion efficiency (WCE) for microbe	123
	mediated composting systems and microbe-mediated bioethanol generation	
6.1	Consortium candidates used for preparation of Consortium	136
6.2	Climatic conditions during the experiment (January, 2023)	139
6.3	Details of the treatment combinations applied during the experiment	141
6.4	Aggressivity of different strain combination for effective consortium development	148
6.5	Formulated consortium with combination of strains	149
6.6	Temporal variation of weight change of LCW in the invitro consortium experiment at alternate day along with Mean±Stdev	151
6.7	Temporal variation of weight change of LCW every 5 th day in the invitro consortium experiment along with Mean±Stdev	152
6.8	Temporal variation of TKN (%) and TOC (%) in the given LCW treatment for 0 and 20 Days along with Mean±Stdev	153
6.9	Temporal variation of field biomass volume reduction(ft ³) for 0 Days and 20 Days along with Mean±Stdev	154
6.10	Variation of lignocellulosic waste degradation attributes viz. pH, Humic acid, Fulvic acid, TOC, TKN and MBC activity under various treatment for 0 Days and 20 Days along with Mean±Stdev	155
6.11	Variation of soil attributes viz. pH, Humic acid, Fulvic acid, TOC, TKN and MBC activity under various treatment for 0 Days and 20 Days along with Mean±Stdev	156

LIST OF FIGURES

Figures	Caption	Page no.
1.1	Schematic representation of the overall research plan	7
1.2	Schematic representation of the thesis organization	8
2.1	Projected Global waste generation	15
2.2	Process of degradation and cast production by earthworm	20
2.3	The balancing impact of vermicompost amendment on soil carbon pool	30
3.1	Location map of the waste sample collection area	47
4.1	Changes in the physical properties of lignocellulosic feedstocks during composting and vermicomposting. a. Bulk density. Values represent the mean±standard deviation (n=3); b. Crystallinity index. Values represent the mean±standard deviation (n=3); and c. Scanning electron microscopy–based structural analysis of different feedstocks during incubation.	75
4.2	Dynamics of electrical conductivity (EC), pH, total organic carbon (TOC), total N (TN), and the availability of P and K in different lignocellulosic feedstocks. Values represent the mean \pm standard deviation (n = 3) for all the attributes. a. EC; b. pH; c. TOC; d. TN; e. Available phosphorus; and f. Available potassium	77
4.3	Variations in microbial attributes of feedstocks during composting and vermicomposting. Values represent the mean \pm standard deviation (n = 3) for all the attributes. a. Microbial biomass carbon (MBC); b. Compost respiration; c. Total bacterial count; and d. Total fungal count.	79
4.4	Taxonomic and functional diversity of microbial communities in compost and vermicompost at various taxa: a. Phyla; b. Class; c. Order; d. Family; e. Distribution of functional genes based on COG-	81

derived databases; and f. Distribution of functional genes based on KEGG-derived databases.

- 4.5 Variation in abundance of microbial genes in V4 and C4 feedstocks 82 during the incubation period at various taxa: a. Genus; b. Species
- 5.1 Isolation of bacterial strains with plant-growth-promoting traits from 103 vermibeds and earthworm guts. a. Relative dominance of vermibed-isolated strains compared with all other strains; b. Relative dominance of earthworm gut-isolated strains compared with all other strains; c. Phosphate solubilizing potential; d. Potassium solubilizing potential; e. Identification of cellulolytic bacteria using Congo red test; and f. Phylogenetic tree of potential plant-growth-promoting isolates.
- 5.2 (i) Isolated Strains grown in Burks Media for N-Fixing Potential; (ii) 106
 Relative dominance of Isolated Strains grown in Burks Media for N-Fixing Potential.
- 5.3 Cellulose degradation efficacy of different microbial strains isolated 107 from vermicompost and earthworm gut (Congo red assay)
- 5.4 Ethanol production from sugar solution and banana peels by 112 ethanologenic bacterial strains and their characterization. a. Variation in ethanol production by the different bacterial strains. Values represent mean±standard deviation (n=3); b. Phylogenetic relationships of taxa of the bacterial strains isolated from vermicompost and earthworm gut.
- 5.5 Assessment of tolerance limits to different shock treatments (sugar 115 exposure at 5%, 8%, and 15 %; ethanol exposure 10% and 15%) in the bacteria and yeast. a. Variation in microbial sedimentation rate percentage (SRP). Values represent mean±standard deviation (n=3);
 b. Variation in sugar tolerance potentials of bacteria and yeast at 24 hours. Values represent mean±standard deviation (n=3); c. Variation in sugar tolerance potentials of bacteria and yeast at 48 hours. Values represent mean±standard deviation (n=3); d. Variation in sugar tolerance potentials of bacteria and yeast at 72 hours. Values

represent mean \pm standard deviation (n=3); **e.** Variation in ethanol tolerance potentials of bacteria and yeast. Values represent mean \pm standard deviation (n=3).

- 5.6 Representation of the fluorescence-activated cell sorting (FACS) 119
 analysis of the stained microbial and yeast cells exposed to different
 concentrations (0% (i.e., control), 5% and 15%) of sugar solutions.
- 5.7 Confocal microscopy-based assessment of cellular integrity of 121 representative bacterial strains and yeast exposed to sugar solutions of different concentrations using specialized stains (green fluorescein-5-isothiocyanate (FITC) and red propidium iodide (PI)). The FITC stains all cells and the PI stains only ruptured cells.
- 5.8 Imaging variation in Yeast (Control) using confocal microscopy 122
- 6.1 Process flow chart for evaluating synergy and antagonism within 134 microbial strains
- 6.2 Maps showing study area: North Bank Plain Agro Climatic Zone 139 (NBPAZ) of Assam, India
- 6.3 Layout of the experimental plot, showing key plot locations, area 142 measurement and boundaries.
- 6.4 Temporal variation of field biomass volume reduction(ft³) for 0 Day 154 and 20 Day time period along with P Value and LSD.

ABBREVIATIONS

ANOVA	Analysis of variance
BD	Bulk density
FAC	Fulvic acid carbon
HAC	Humic acid carbon
HPLC	High-performance liquid chromatography
LCW	Lignocellulosic wastes
MBC	Microbial biomass carbon
NFB	Nitrogen-fixing bacteria
PSB	Phosphate-solubilizing bacteria
QA	Quality assurance
QC	Quality control
RBD	Randomized block design
RT-PCR	Real-time polymerase chain reaction
SEM	Scanning electron microscope
TBC	Total bacterial count
TFC	Total fungal count
TN	Total nitrogen
TOC	Total organic carbon
VC	Vermicompost
WHC	Water holding capacity