## CONTENTS

Abstrac	t	i
Declara	tion	vi
Certific	ate from the Supervisor	vii
Certific	ate from the Co-Supervisor	viii
Certific	ate from the external examiner and ODEC	ix
Preface		Х
Acknow	vledgements	xi
Abbrev	iations and symbols used	xiv
List of I	Figures	xvii
List of '	Tables	xxii
List of	Schemes	xxiii
Chapter	1: A general introduction to hydrogel, its	properties, and
applicati	ons in various fields	
	ons in various fields roduction	1.1
1.1 Int		1.1 1.3
1.1 Int	roduction assification of hydrogel	
1.1     Int       1.2     Classical	roduction	1.3
<b>1.1 Int</b> <b>1.2 Cla</b> 1.2.1 1.2.2	assification of hydrogel Classification based on origin	<b>1.3</b> 1.4
<b>1.1 Int</b> <b>1.2 Cla</b> 1.2.1 1.2.2	<b>Assification</b> Assification of hydrogel Classification based on origin Classification based on response to external stimuli	<b>1.3</b> 1.4 1.5 <b>1.9</b>
1.1       Int         1.2       Cland         1.2.1       1.2.2         1.3       Syn	assification of hydrogel Classification based on origin Classification based on response to external stimuli nthesis of hydrogel	<b>1.3</b> 1.4 1.5 <b>1.9</b> 1.9
<ul> <li>1.1 Int</li> <li>1.2 Cla</li> <li>1.2.1</li> <li>1.2.2</li> <li>1.3 Syn</li> <li>1.3.1</li> <li>1.3.2</li> </ul>	assification of hydrogel Classification based on origin Classification based on response to external stimuli nthesis of hydrogel Crosslinked through chemical reactions	<b>1.3</b> 1.4 1.5 <b>1.9</b> 1.9
<ul> <li>1.1 Int</li> <li>1.2 Cla</li> <li>1.2.1</li> <li>1.2.2</li> <li>1.3 Syn</li> <li>1.3.1</li> <li>1.3.2</li> </ul>	Aroduction Assification of hydrogel Classification based on origin Classification based on response to external stimuli Anthesis of hydrogel Crosslinked through chemical reactions Crosslinked via various physical cross-linking	<b>1.3</b> 1.4 1.5 <b>1.9</b> 1.9
1.1       Int         1.2       Cland         1.2.1       1.2.2         1.3       Syn         1.3.1       1.3.2         1.4       Pro-	Aroduction Assification of hydrogel Classification based on origin Classification based on response to external stimuli Anthesis of hydrogel Crosslinked through chemical reactions Crosslinked via various physical cross-linking Apperties of hydrogel	<ul> <li>1.3</li> <li>1.4</li> <li>1.5</li> <li>1.9</li> <li>1.9</li> <li>1.9</li> <li>1.10</li> <li>1.10</li> </ul>
<ul> <li>1.1 Int</li> <li>1.2 Cla</li> <li>1.2.1</li> <li>1.2.2</li> <li>1.3 Syn</li> <li>1.3.1</li> <li>1.3.2</li> <li>1.4 Pro-</li> <li>1.4.1</li> </ul>	Aroduction Assification of hydrogel Classification based on origin Classification based on response to external stimuli Anthesis of hydrogel Crosslinked through chemical reactions Crosslinked via various physical cross-linking Operties of hydrogel Swelling properties	<ul> <li>1.3</li> <li>1.4</li> <li>1.5</li> <li>1.9</li> <li>1.9</li> <li>1.9</li> <li>1.10</li> <li>1.10</li> </ul>
<ul> <li>1.1 Int</li> <li>1.2 Cla</li> <li>1.2.1</li> <li>1.2.2</li> <li>1.3 Syn</li> <li>1.3.1</li> <li>1.3.2</li> <li>1.4 Pro</li> <li>1.4.1</li> <li>1.4.2</li> <li>1.4.3</li> </ul>	Aroduction assification of hydrogel Classification based on origin Classification based on response to external stimuli athesis of hydrogel Crosslinked through chemical reactions Crosslinked via various physical cross-linking operties of hydrogel Swelling properties Mechanical properties Biocompatibility	<ul> <li>1.3</li> <li>1.4</li> <li>1.5</li> <li>1.9</li> <li>1.9</li> <li>1.9</li> <li>1.10</li> <li>1.10</li> <li>1.11</li> <li>1.11</li> </ul>
<ul> <li>1.1 Int</li> <li>1.2 Cla</li> <li>1.2.1</li> <li>1.2.2</li> <li>1.3 Syn</li> <li>1.3.1</li> <li>1.3.2</li> <li>1.4 Pro</li> <li>1.4.1</li> <li>1.4.2</li> </ul>	Aroduction Assification of hydrogel Classification based on origin Classification based on response to external stimuli Athesis of hydrogel Crosslinked through chemical reactions Crosslinked via various physical cross-linking Apperties of hydrogel Swelling properties Mechanical properties	<ul> <li>1.3</li> <li>1.4</li> <li>1.5</li> <li>1.9</li> <li>1.9</li> <li>1.9</li> <li>1.10</li> <li>1.11</li> </ul>
<ul> <li>1.1 Int</li> <li>1.2 Cla</li> <li>1.2.1</li> <li>1.2.2</li> <li>1.3 Syn</li> <li>1.3.1</li> <li>1.3.2</li> <li>1.4 Pro</li> <li>1.4.1</li> <li>1.4.2</li> <li>1.4.3</li> <li>1.4.4</li> <li>1.4.5</li> </ul>	<ul> <li>Aroduction</li> <li>Assification of hydrogel</li> <li>Classification based on origin</li> <li>Classification based on response to external stimuli</li> <li>Athesis of hydrogel</li> <li>Crosslinked through chemical reactions</li> <li>Crosslinked via various physical cross-linking</li> <li>Operties of hydrogel</li> <li>Swelling properties</li> <li>Mechanical properties</li> <li>Biocompatibility</li> <li>Porosity</li> </ul>	<ul> <li>1.3</li> <li>1.4</li> <li>1.5</li> <li>1.9</li> <li>1.9</li> <li>1.9</li> <li>1.10</li> <li>1.10</li> <li>1.11</li> <li>1.11</li> <li>1.12</li> </ul>

1.6	Hydrogel as a photocatalyst	1.17
1.6.1	Application of Photocatalytic Hydrogel	1.18
1.7	Hydrogel as an electroactive material	1.19
1.7.1	Application of electroactive hydrogels	1.20
1.8	Characterization of hydrogel	1.22
1.8.1	Structural characterization	1.22
1.8.2	2 Morphology	1.22
1.8.3	3 Thermal properties	1.22
1.8.4	Swelling Behavior	1.23
1.8.5	5 Mechanical properties	1.23
1.8.6	6 Biocompatibility and biodegradability	1.24
1.9	Objectives	1.24
1.10	Plan of research work	1.25
	References	1.27

## Chapter 2: Development of mussel mimetic gelatin-based adhesive hydrogel

for	wet surfaces	with se	elf-healing a	nd reversible	properties
-----	--------------	---------	---------------	---------------	------------

2.1	Introduction	2.1
2.2	Experimental section	2.3
2.2.	1 Materials	2.3
2.2.	2 Synthetic procedures	2.3
2.3	Characterization	2.4
2.3.	1 Fourier Transform Infrared Spectroscopy (FTIR)	2.4
2.3.	2 Powder X-ray Diffractometry (XRD)	2.4
2.3.	3 Scanning Electron Microscopy (SEM)	2.4
2.3.	4 Thermogravimetric Analysis (TGA)	2.5
2.3.	5 X-ray Photoelectron Spectroscopy (XPS)	2.5
2.3.	6 Optical Microscopic Images	2.5
2.3.	7 Determination of equilibrium swelling	2.5
2.3.	8 In vitro Hemocompatibility Study	2.5
2.3.	9 Mechanical Tests	2.6
2.3.	10 Adhesion test	2.6
2.3.	11 Self-healing experiment	2.6
2.4	Results and Discussion	2.7
2.4.	1 Design strategy for the synthesis of hydrogel	2.7
2.4.	2 FTIR analysis	2.8
2.4.	3 XRD	2.10

2.4.4	Thermal Degradation Study	2.11
2.4.5	5 SEM	2.12
2.4.6	5 XPS study	2.12
2.4.7	7 Tensile Test	2.14
2.4.8	Adhesion study	2.14
2.4.9	Self-healing property	2.17
2.4.1	0 Swelling	2.18
2.4.1	1 Blood Compatibility Study	2.18
2.5	Conclusion	2.19
	References	2.19

Chapter 3: Mussel-inspired adhesive hydrogel patch for wet surfaces with self-healing and pH-dependent drug delivery for potential transdermal applications

3.1	Introduction	3.1
3.2	Experimental section	3.2
3.2.1	Materials	3.2
3.2.2	2 Synthetic procedures	3.3
3.3	Characterization	3.4
3.3.1	Structural characterization	3.4
3.3.2	2 Swelling behavior	3.4
3.3.3	6	3.4
	Adhesive test	3.4
	Self-healing experiment	3.5
3.3.6	6	3.5
3.3.7	5 5	3.5
3.3.8	B Drug loading and release study	3.6
3.4	Results and Discussion	3.7
3.4.1	Synthesis of hydrogel	3.7
3.4.2	E FTIR analysis	3.9
3.4.3	S SEM	3.10
3.4.4	Thermal Degradation Study and XRD analysis	3.10
3.4.5	5 Swelling behavior	3.11
3.4.6	5 Tensile strength	3.12
3.4.7	Self-healing	3.15
3.4.8	B Adhesion	3.16
3.4.9	In vitro-hemocompatibility and degradation	3.18
3.4.1	0 Determination of cell biocompatibility	3.20
3.4.1	1 Drug adsorption and release study	3.21
3.5	Conclusion	3.23
	References	3.23

Chapter 4: Robust and highly compressible polyacrylamide co-polymer hydrogel developed through  $g-C_3N_4$  initiated photopolymerisation and its photocatalytic activity towards dye removal

4.1	Int	roduction	4.1
4.2	Ex	perimental sections	4.4
4.2	2.1	Materials	4.4
4.2	2.2	Synthetic procedures	4.4
4.3	Ch	aracterization	4.5
4.3	3.1	Structural characterization	4.5
4.3	3.2	Transmission Electron Microscopy (TEM)	4.5
4.3	3.3	UV-visible spectroscopy	4.5
4.3	3.4	CHN and Photoluminescence (PL) analysis	4.6
4.3	3.5	Determination of equilibrium swelling of the hydrogel	4.6
4.3	3.6	Photocatalytic activity study	4.6
4.3	3.7	Selective behaviour to dyes	4.7
4.3	8.8	Recyclability study	4.7
4.3	3.9	Adsorption property study	4.7
4.4	Re	sults and Discussion	4.8
4.4	4.1	Fabrication and characterization of photoactive hydrogel	4.8
4.4	1.2	FTIR analysis	4.9
4.4	4.3	X-ray diffraction analysis (XRD)	4.11
4.4	1.4	SEM and TEM analysis	4.11
4.4	4.5	UV-Vis spectroscopy	4.12
4.4	4.6	CHN analysis	4.13
4.4	1.7	PL spectroscopy	4.14
4.4	4.8	TGA analysis	4.14
4.4	4.9	Swelling behaviour	4.15
4.4	4.10	Compressibility	4.16
4.4	4.11	Removal of organic dye by the synergistic effect of adsorption and	
		photocatalytic degradation	4.18
4.4	4.12	Recyclability	4.25
4.4	4.13	Adsorption property of the hydrogel towards the dye	4.26
4.5	Со	nclusion	4.31
	Re	ferences	4.32

**Chapter 5: Design of Starch-Based Electro-Responsive Smart Hydrogel with Rapid Bending Actuation Under Low-Electric Field** 

5.1	Introduction	5.1

5.2	Experimental Section	5.3
5.2.	1 Materials	5.3
5.2.	2 Synthetic procedures	5.3
5.3	Characterization	5.4
5.3.	1 Determination of swelling behavior of the hydrogel	5.4
5.3.	2 Mechanical Tests	5.5
5.3.	3 Bending actuation under electric field	5.5
5.4	Results and Discussion	5.6
5.4.	1 Fabrication strategy of the hydrogel	5.6
5.4.	2 Characterization of the hydrogel by FTIR spectral analysis	5.8
5.4.	3 Morphological and elemental analysis of the hydrogel	5.9
5.4.	4 Thermal study of the hydrogel using TGA	5.10
5.4.	5 Swelling behavior of the hydrogel	5.11
5.4.	6 Mechanical strength	5.13
5.5	Bending of hydrogel under low electric voltages	5.15
5.5.	1 Effect of ionic strength	5.16
5.5.	2 Effect of electric field	5.17
5.5.	3 Effect of thickness	5.17
5.5.	4 Cyclic bending actuation	5.18
5.6	Conclusion	5.18
	References	5.19
Chap	ter 6: Conclusion and Future	
6.1	Conclusion	6.1
6.2	Future scope	6.4
Appe	ndix	

List of Publications